



LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS







-66  
E  
OF CAL  
MAY 19  
1913  
PY 2



STATE OF CALIFORNIA

The Resources Agency

Department of Water Resources

BULLETIN No. 130-66

# HYDROLOGIC DATA: 1966

Volume II: NORTHEASTERN CALIFORNIA

Appendix B: SURFACE WATER FLOW

UNIVERSITY OF CALIFORNIA  
DAVIS

AUG 15 1968

GOV'T. DOCS. - LIBRARY

FEBRUARY 1968

RONALD REAGAN

Governor

State of California

WILLIAM R. GIANELLI

Director

Department of Water Resources

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS



STATE OF CALIFORNIA  
The Resources Agency  
Department of Water Resources

BULLETIN No. 130-66

HYDROLOGIC DATA: 1966

Volume II: NORTHEASTERN CALIFORNIA

Appendix B: SURFACE WATER FLOW

FEBRUARY 1968

RONALD REAGAN  
Governor  
State of California

WILLIAM R. GIANELLI  
Director  
Department of Water Resources

VOLUME I  
NORTH COASTAL  
AREA

VOLUME II  
NORTHEASTERN  
CALIFORNIA

VOLUME III  
CENTRAL  
COASTAL  
AREA


VOLUME IV  
SAN JOAQUIN  
VALLEY

VOLUME V  
SOUTHERN CALIFORNIA

BULLETIN No. 130  
HYDROLOGIC DATA  
AREAL COVERAGE OF VOLUMES

Each Volume Contains

- Appendix A: Climatological Data
- Appendix B: Surface Water Measurements
- Appendix C: Ground Water Measurements
- Appendix D: Surface Water Quality
- Appendix E: Ground Water Quality

This Volume 

This Area Reported in  
Volume III & V



## FOREWORD

The data collection programs of the Department of Water Resources have been designed to supplement the activities of other agencies in satisfying specific needs of the State. Bulletin No. 130-66 presents useful, comprehensive, accurate, and timely hydrologic data which are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map to the left.

*William R. Gianelli*  
William R. Gianelli, Director  
Department of Water Resources  
State of California  
December 22, 1967

M E T R I C      C O N V E R S I O N      T A B L E

ENGLISH UNIT	EQUIVALENT METRIC UNIT	
1 Inch (in)	2.54	Centimeters
1 Foot (ft)	0.3048	Meters
1 Mile (mi)	1.609	Kilometers
1 Acre	0.405	Hectares
1 Square mile (sq.mi.)	2.590	Square kilometers
1 U.S. gallon (gal)	3.785	Liters
1 Acre foot (ac.ft.)	1,233.5	Cubic meters
1 U.S. gallon per minute (gpm)	0.0631	Liters per second
1 Cubic foot per second (cfs)	1.7	Cubic meters per minute

# TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES . . . . .	ii
FOREWORD . . . . .	iii
METRIC CONVERSION TABLE . . . . .	iv
ORGANIZATION . . . . .	vii
ACKNOWLEDGMENTS . . . . .	ix
ABSTRACT . . . . .	x
APPENDIX B: SURFACE WATER MEASUREMENTS	
Introduction . . . . .	
Alphabetical Index to Tables . . . . .	1
Hydrographic Area and Stream Basin Index to Tables . . . . .	2
of Surface Water Stations . . . . .	6

## TABLES

<u>Table Number</u>		
B- 1	Annual Unimpaired Runoff at Major Stations . . . . .	9
B- 2	Monthly Unimpaired Runoff at Major Stations . . . . .	11
B- 3	Summary of Monthly Water Supply and Utilization Sacramento-San Joaquin Delta . . . . .	12
B- 4	Gaging Station Additions and Discontinuations . . . . .	14
B- 5	Daily Mean Discharge (See Alphabetical and Hydrographic Area Indexes to Tables pages 2 and 6) . . . . .	15-140
B- 6	Streamflow Measurements at Miscellaneous Sites . . . . .	141
B- 7	Diversions (See Alphabetical Index to Tables, Diversions, page 2) . . . . .	143-175
B- 8	Deliveries from Folsom and Nimbus Reservoirs . . . . .	176

# TABLE OF CONTENTS (contd.)

<u>Table Number</u>		<u>Page</u>
B- 9	Exportations from Northeastern California . . . . .	176
B-10	Importations into Northeastern California . . . . .	176
B-11	Daily Mean Gage Height (See Alphabetical and Hydrographic Area Indexes to Tables, pages 2 and 6) . . . . .	177-230
B-12	Daily Maximum and Minimum Tides (See Alphabetical and Hydrographic Area Indexes to Tables, pages 2 and 6) . . . . .	231-272
B-13	Contents of Reservoirs (See Alphabetical and Hydrographic Area Indexes to Tables, pages 2 and 6) . . . . .	273-279
B-14	Daily Inflow (See Alphabetical Index to Tables, Inflow to Lakes, page 2) . . . . .	280-283
B-15	Corrections and Revisions to Previously Published Reports . . . . .	284-299

## PLATES (Bound at back of bulletin)

### Plates

B-1	Location of Surface Water Measurement Stations (Sheets 1, 2, & 3)
B-2	Surface Water Measurement Stations Sacramento- San Joaquin Delta Area
B-3	Folsom Lake and Shasta Lake 1965-66 Hydrograph
B-4	Whiskeytown Lake 1965-66 Hydrograph



Report of Activities  
The Sacramento-San Joaquin River  
Division

Nate L. AM, Governor  
 WILLIAM A. DIAMMILL, Director, Department of Water Resources

This report was prepared under the direction of  
 JOHN A. ROSSIGNOL, Deputy Director

By the  
SACRAMENTO DISTRICT

Earl A. Warner	District Engineer, Sacramento District
Lawrence A. Mainix	Chief, Operations Section
James Angel	Chief, Project Engineering & Data Unit

Activities covered by this report for the Sacramento District were  
 under the supervision of

Joseph L. Clausen	W.R. Engineering Associate
-------------------	----------------------------

Assisted by

Harvey J. Jorgensen	W.R. Engineering Associate
Joe Nessler	W.R. Engineering Associate
Emil M. Padjen	W.R. Engineering Associate
Teri M. Jarint	Assistant Civil Engineer
Charles L. Skinkler	Assistant Civil Engineer
Samuel A. Williams	Assistant Civil Engineer
Erle W. Canley, Jr.	W.R. Technician II
Conrad Lehr	W.R. Technician II
Ronald M. Libby	W.R. Technician II
James G. Lopez	W.R. Technician II
Steve Makis, Jr.	W.R. Technician II
Kos S. N. Dhara	W.R. Technician II
Edwin A. Janzowski	W.R. Technician II
Julaine Marcourger	W.R. Technician I
Edward W. W. Iker	W.R. Technician I
Richard L. Pendleton	Engineering Aid II
Ruby T. Wilson	Intermediate Typist-Clerk

And by the  
NORTHERN DISTRICT

Gordon W. Dukleth	District Engineer, Northern District
Wayne J. Gentry	Chief, Operations Section
Robert F. Middleton, Jr.	Chief, Hydrologic Data Unit

Activities covered by this report for the Northern District were  
 under the supervision of

Linwood L. Bates	W.R. Engineering Associate
Walter D. McIntyre	W.R. Engineering Associate

Assisted by

Kenneth E. Morgan	W.R. Engineering Associate
Norman E. Gruessenmeyer	Assistant Civil Engineer
Virgil D. Ruechler	W.R. Technician II
Newell E. Burtis	W.R. Technician II
Clyde E. Creel	W.R. Technician II
Charles G. Hodge	W.R. Technician II
Alden E. Moore	W.R. Technician II
Gardner E. Trefethen	W.R. Technician II
William T. Wallis	W.R. Technician I
John M. Eldred	W.R. Technician I
Lynn W. Peterson	W.R. Technician I
Ronald H. Sherer	W.R. Technician I
Donald E. Werner	W.R. Technician I
Kathleen M. Battaglia	Junior Typist-Clerk

And by the  
SAN FRANCISCO DISTRICT

Charles A. McCallough	District Engineer, San Francisco District
Werner Bengas	Chief, Water Supply and Quality Section
Glen R. Peterson	Chief, Water Supply Unit

Assisted by

Reuben Busch	W.R. Engineering Associate
James Haupt	Assistant Civil Engineer
John C. Bartok	W.R. Technician II

Reviewed and coordinated by  
 Statistical Planning Office  
 Data Coordination Branch



## ACKNOWLEDGMENTS

East Bay Municipal Utility District  
Pacific Gas and Electric Company  
Sacramento Municipal Utility District  
U. S. Bureau of Reclamation  
U. S. Corps of Engineers  
U. S. Geological Survey

# ABSTRACT

Bulletin N. 130-66, Hydrologic Data - 1966, Volume II - Northeastern California, Appendix B - Surface Water Flow, contains data of daily mean discharge, daily mean gage height, daily maximum and minimum tides, diversion quantities, imported and exported water to and from the report area, summary tables of monthly and annual unimpaired runoff from major streams, summary of water supply and utilization for the Sacramento-San Joaquin Delta, and content and inflow for major reservoirs. Foldout plates show station locations, report area boundary, major drainage and hydrographic unit boundaries, and hydrographs of major lakes.

## INTRODUCTION

This appendix presents surface water data for the 1966 water year, which is from October 1, 1965, to September 30, 1966. The data presented consist of daily mean discharge, daily mean gage height, daily maximum and minimum tides, gaging station locations, diversion quantities, imported water to the report area, exported water from the report area, summary tables of monthly and annual unimpaired runoff from major streams, summary of water supply and utilization for the Sacramento-San Joaquin Delta, stream-flow and measurements at miscellaneous locations, corrections and revisions to previously published reports, contents and inflow for major reservoirs.

Each station in this appendix has been assigned an identification number. The first two digits denote the drainage basin as shown below. The remaining digits further identify the station.

Sacramento River Basin	San Joaquin River Basin	North Lahontan Area
A0 Sacramento Valley Floor	B0 San Joaquin Valley Floor	G1 Surprise Valley
A1 Pit River	B1 Cosumnes River	G2 Madeline Plains
A2 Shasta Lake	B2 Mokelumne-Calaveras Rivers	G3 Eagle Lake
A3 Sacramento Valley West Side	B8 San Joaquin Valley West Side	G4 Susan River
A4 Sacramento Valley Northeast	B9 Sacramento-San Joaquin Delta	G5 Smoke River
A5 Feather River		G6 Herlong
A6 Yuba-Bear Rivers		G7 Truckee River
A7 American River		G8 Carson River
A8 Cache Creek		G9 Walker River
A9 Putah Creek		

ALPHABETICAL INDEX TO TABLES

	Page
DELIVERIES AND DIVERSIONS FROM PREVIOUSLY PUBLISHED REPORTS . . . . .	139
DELIVERIES	
From Folsom and Nimbus Reservoirs . . . . .	176
DELTA-SACRAMENTO-SAN JOAQUIN	
Summary of Monthly Water Supply and Utilization . . . . .	13
DIVERSIONS	
American River . . . . .	16
Bear River . . . . .	161
Colusa Basin Drain . . . . .	151
Delta Uplands	
Calaveras River . . . . .	16
Cosumnes River . . . . .	16
French Camp Slough . . . . .	16
Miscellaneous Delta Uplands . . . . .	17
Mokelumne River . . . . .	16
Old River . . . . .	16
Putah Creek . . . . .	161
Sacramento River below Sacramento . . . . .	17
San Joaquin River - Stockton to Vernalis . . . . .	166
Tom Paine Slough . . . . .	16
Yolo Bypass - West Cut . . . . .	170
Feather River . . . . .	16
Knights Landing Ridge Cut . . . . .	13
Lower Butte Creek and Butte Slough . . . . .	16
Mokelumne River . . . . .	174
Putah Creek . . . . .	16
Sacramento River	
Butte City to Red Bluff . . . . .	150
Colusa to Butte City . . . . .	149
Knights Landing to Wilkins Slough . . . . .	147
Red Bluff to Redding . . . . .	151
Sacramento to Verona . . . . .	146
Verona to Knights Landing . . . . .	145
Wilkins Slough to Colusa . . . . .	14
Butter Bypass and Sacramento Slough . . . . .	15
Yolo Bypass (East Borrow Pit or Tule Canal) . . . . .	15
Yuba River . . . . .	121
LOADING STATIONS ADDITIONS AND DISCONTINUATIONS . . . . .	14
EXPORTATIONS FROM NORTHEASTERN CALIFORNIA	
Deliveries from Mokelumne River . . . . .	176
Deliveries from Putah Creek . . . . .	175
Deliveries from Sacramento-San Joaquin Delta . . . . .	178
IMPORTATIONS INTO NORTHEASTERN CALIFORNIA	
To Sacramento River Basin from Trinity River (Whiskeytown Lake) . . . . .	175
RESERVOIRS	
Contents of	
Antelope Lake near Boulder Creek Guard Station . . . . .	77
Folsom Lake near Folsom . . . . .	7
Frenchman Lake near Chilcut . . . . .	73
Lake Berryessa near Winters . . . . .	79
Shasta Lake . . . . .	74
Whiskeytown Lake . . . . .	83
Inflow to	
Folsom Lake near Folsom . . . . .	87
Shasta Lake . . . . .	81
Whiskeytown Lake . . . . .	88
STAFF	
Annual in Percent of Average . . . . .	1
Monthly in Percent of Average . . . . .	11
STREAMFLOW MEASUREMENTS AT MISCELLANEOUS SITES . . . . .	148

STREAMFLOW, STAGE, STATION DESCRIPTION, AND STATION CODE NUMBER

Streamflow, Stage, Station Description, and Station Code Number	Streamflow, Stage, Station Description, and Station Code Number	Streamflow, Stage, Station Description, and Station Code Number
American River at Bear River	11	A0715
at Sacramento	19	A0714
Ash Creek at Adin	23	A1835
Bear Creek near Lakeford	100	B0245
near Lodi	104	B0241
near Millville	29	A0050
near Rumsey	11	A8125
Bear River near Wheatland		AG655
Big Chico Creek near Fort Bidwell	12	A0425
Big Chico Creek at Chico	44	A0133
Brisco Creek near Elk Creek	47	A1215
Burney Creek near Burney	27	A0465
Butte Creek near Durham	23	A0371
Butte Slough at Mawson Bridge	67	199
at Outfall Gates	56	189
Cache Creek above Rumsey	102	A5120
at Yolo		A0515
Calaveras River at Bellota	110	B0255
at Jenny Lind		B0559
near Stockton	26	B0250
Cedar Creek at Cedarville	117	B1515
Cherokee Canal near Richvale	135	AC293
Chiver Creek at Upper Lake	59	A8170
Bypass near Upper Lake	95	A5140
Colusa Basin Drain near College City	97	AC010
at Highway 20	63	AC696
at Knights Landing	64	AC245
Colusa Weir Spill to Butte Basin	51	A0001
Contra Costa Canal near Oakley	130	B9591
Copsey Creek near Lower Lake	100	A8136
Cummes River at McConnell	120	B0112
at Michigan Bar		B1110
Deer Creek near Nevada City	30	A6130
near Sloughhouse	107	B0150
Delta Cross Channel at Walnut Grove		B9100
Delta Mendota Canal near Tracy	131	B9525
Dry Creek near Galt	126	B0150
near Lodi	125	B2115
at Roseville	90	A0007
Dry Fork South Fork Cottonwood Creek near Cottonwood	30	AC569
Duck Creek near Stockton	115	B0235
Diversion near Farmington	111	B0290
Eagle Creek at Eagleville	136	G1710
Eagle Lake near Susanville		G3100
Fall River near Dana	25	A1200
Feather River near Gridley	86	A0510
at Nicolaus		AC510
at Oroville	20	A0591
below Shanghai Bend	20	AC011
at Yuba City	11	A05135
French Weir Spill to Yolo Bypass	66	AC093
French Camp Slough near French Camp	112	B0280
Georgiana Slough at Mokelumne River		F9010
Gold Run Creek near Susanville	130	F4100
Grant Line Canal at Tracy Road Bridge		B0500
Grindstone Creek near Elk Creek	40	A3100
Hat Creek near Cassel	10	A1610
Horse Creek at Little Valley	20	A1100
Indian Creek near Boulder Creek Guard Station	70	A5400
near Taylorsville	80	A5400
Italian Slough near Byron	10	F9500
Kelly Creek near Byron	10	F9500
Kelly Ridge Turnout to Palermo Canal near Oroville	10	A5011
Lassen Creek near Willow Run	10	A1300
Last Chance Creek at Dixie Refuge Dam Site	10, 21	A5700
Linda Creek near Roseville	10, 24	A0000
Linos Channel near Chico	10	A0000
Little Chico Creek near Chico	10	A0000
Diversion near Chico	10	A0000
Little Last Chance Creek near Oroville	10	A0000
below Frenchman Pan	10	A0000

## ALPHABETICAL INDEX TO TABLES (contd.)

STREAMFLOW, STAGE, STATION DESCRIPTION, AND STATION CODE NUMBERS



## STREAMFLOW, STAGE, STATION DESCRIPTION, AND STATION NUMBER

Streamflow and Station Description	Daily Stage, Major Crests, and Station Description	Station Code Number
Sacramento River at Sacramento Weir	237	AO2105
at Snodgrass Slough	239	B91750
at Tisdale Weir	192	AO2361
at Verona	215	AO2150
at Vina Bridge	140	AO2700
at Walnut Grove	237	B91550
below Wilkins Slough	193	AO2260
Sacramento Slough at Sacramento River		AO2925
Sacramento Weir Spill to Yolo Bypass	1	AO2902
Salt Creek near Bella Vista	28	A48375
San Joaquin River at Antioch		B95400
at Brandt Bridge	246	B95740
at Mossdale Bridge	247	B95840
at Rindge Pump	251	B95620
at San Andreas Landing	266	B95100
at Venice Island	352	B95580
near Vernalis	124	B07020
Scotts Creek near Lakeport	99	A81850
at Upper Lake		A81820
Smithneck Creek near Lyaltan	75	A55620
Snodgrass Slough at Twin Cities Road Bridge		B91740
South Fork Battle Creek near Mineral	35	A47300
South Fork Cottonwood Creek near Cottonwood	33, 34	AO3595
South Fork Mokelumne River at New Hope Bridge		B94150
South Fork Putah Creek near Davis	107	AO9115
South San Joaquin Irrigation District Drain 11 near Manteca	110	B00915
Main Drain near Lathrop	114	B00970
Stockton Diverting Canal at Stockton	119	B02580
Stockton Ship Channel at Burns Cutoff		B95660
Suisun Bay at Benicia Arsenal	211	EC3300
Sutter Bypass at Long Bridge	200	AO5935
at Reclamation District 1500 Pumping Plant	203	AO2920
Sutter Creek near Sutter Creek	124	B21160
Three Mile Slough at Sacramento River		B91160
at San Joaquin River		B95360
Tisdale Bypass at Reclamation District 1660 Pumping Plant		AO2300
Tisdale Weir Spill to Sutter Bypass	59	AO2960
Tom Paine Slough above Mouth		B95420
Turner Creek near Canby	22	A11710
Wauworth Canal near Sutter	68	AO5929
Willow Creek near Litchfield	138	G42270
near Willow Ranch	18	A13065
Wolf Creek near Wolf	90	A65250
Yolo Bypass at Liberty Island		B91500
at Lindsey Slough		B91260
near Lisbon		B91560
above Sacramento Bypass		AO2910
near Woodlands	107	AO2930
Yuba River at Englebright Dam		A61430
near Marysville		AO6150

57

<p>Table 1. Summary of the results of the 1000 Genomes Project. The table shows the number of SNPs identified in each population, the number of SNPs identified in the combined population, and the number of SNPs identified in the combined population that are not found in any of the individual populations.</p>	<p>Number of SNPs identified in each population</p>	<p>Number of SNPs identified in the combined population</p>
<p><b>European (CEU)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Yoruban (YRI)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Chinese (CHB)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Japanese (JPT)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>South Asian (SAS)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Admixed American (ASW)</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Other</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Summary</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Other</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Summary</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Other</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>
<p><b>Summary</b></p> <p>1000 Genomes Project (2010)</p> <p>1000 Genomes Project (2015)</p> <p>1000 Genomes Project (2015)</p>	<p>1000</p> <p>1000</p> <p>1000</p>	<p>1000</p> <p>1000</p> <p>1000</p>

Inventory of the National Archives and Records Administration (NARS) - 1997	Inventory and title description	Title, date, and station description
1. General information	1.1	1.1
2. General information	2.1	2.1
3. General information	3.1	3.1
4. General information	4.1	4.1
5. General information	5.1	5.1
6. General information	6.1	6.1
7. General information	7.1	7.1
8. General information	8.1	8.1
9. General information	9.1	9.1
10. General information	10.1	10.1
11. General information	11.1	11.1
12. General information	12.1	12.1
13. General information	13.1	13.1
14. General information	14.1	14.1
15. General information	15.1	15.1
16. General information	16.1	16.1
17. General information	17.1	17.1
18. General information	18.1	18.1
19. General information	19.1	19.1
20. General information	20.1	20.1
21. General information	21.1	21.1
22. General information	22.1	22.1
23. General information	23.1	23.1
24. General information	24.1	24.1
25. General information	25.1	25.1
26. General information	26.1	26.1
27. General information	27.1	27.1
28. General information	28.1	28.1
29. General information	29.1	29.1
30. General information	30.1	30.1
31. General information	31.1	31.1
32. General information	32.1	32.1
33. General information	33.1	33.1
34. General information	34.1	34.1
35. General information	35.1	35.1
36. General information	36.1	36.1
37. General information	37.1	37.1
38. General information	38.1	38.1
39. General information	39.1	39.1
40. General information	40.1	40.1
41. General information	41.1	41.1
42. General information	42.1	42.1
43. General information	43.1	43.1
44. General information	44.1	44.1

TABLE B-1  
ANNUAL UNIMPAIRED RUNOFF

Unimpaired runoff is defined as the flow that occurs naturally at a point in a stream if there are: (1) no upstream controls such as dams or reservoirs; (2) no artificial diversions or accretions; and, (3) no change in ground water storage resulting from development. The computed natural or unimpaired runoff values are considered to be the flows that would occur if no impairments were upstream from the measurement points.



Table B-2  
 (continued) **WITNESSING**  
 (1) **Percentage of witnesses**

Gender		Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect	Percentage of witnesses who said they had seen the suspect
		(N=204)	(N=204)	(N=204)	(N=204)	(N=204)	(N=204)	(N=204)
Female	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Male	Yes	5	2	5	2	5	2	5
	No	8	4	8	4	8	4	8
Age	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Race	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Education	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Occupation	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Marital status	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Religion	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Political affiliation	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Sexual orientation	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Ethnicity	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Language spoken at home	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of children	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of siblings	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of friends	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of pets	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of vehicles	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of other people in household	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of other people in neighborhood	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of other people in community	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of other people in country	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177
Number of other people in world	Yes	107	52	107	52	107	52	107
	No	177	86	177	86	177	86	177

\* The number of witnesses who said they had seen the suspect is shown in parentheses.  
 \*\* The number of witnesses who said they had seen the suspect is shown in parentheses.  
 \*\*\* The number of witnesses who said they had seen the suspect is shown in parentheses.  
 \*\*\*\* The number of witnesses who said they had seen the suspect is shown in parentheses.  
 \*\*\*\*\* The number of witnesses who said they had seen the suspect is shown in parentheses.  
 \*\*\*\*\*(The number of witnesses who said they had seen the suspect is shown in parentheses.)

TABLE B-3

SUMMARY OF WATER SUPPLY AND UTILIZATION  
SACRAMENTO-SAN JOAQUIN DELTA

This table presents in thousands of acre-feet the correlation of water supply and use for the Delta Service Area.

The water supply available to the area is determined from 16 gaging stations, listed under "Water Supply" in the table, and from 10 precipitation stations. "Water Utilization" in the same table, includes agricultural use, evaporation, exports through the Delta-Mendota and Contra Costa Canals, and diversion for the City of Vallejo. Agricultural use in the uplands is determined by direct measurements of diversion; however, in the lowlands, because it cannot be measured directly, agricultural use is computed by unit values of consumptive use of the various crops, multiplied by the acreages. Unit values of consumptive use were derived from experimental work by the University of California and California Extension Service as reported in Bulletin No. 27, "Variations and Control of Salinity in Sacramento-San Joaquin Delta and Upper San Francisco Bays". Crop acreage values used in this table were determined from a survey made in 1960 and 1961.



Category	Sub-category	Month												Total
		DCT	NOV	DEC.	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
Section 1	Category 1													
	Sub-category 1.1													
	Sub-category 1.2													
	Sub-category 1.3													
	Sub-category 1.4													
	Sub-category 1.5													
	Sub-category 1.6													
	Sub-category 1.7													
	Sub-category 1.8													
	Sub-category 1.9													
	Sub-category 1.10													
	Sub-category 1.11													
	Sub-category 1.12													
	Sub-category 1.13													
	Sub-category 1.14													
	Sub-category 1.15													
Section 2														
Section 3	Category 2													
	Sub-category 2.1													
	Sub-category 2.2													
	Sub-category 2.3													
	Sub-category 2.4													
	Sub-category 2.5													
	Sub-category 2.6													
	Sub-category 2.7													
	Sub-category 2.8													
	Sub-category 2.9													
	Sub-category 2.10													
	Sub-category 2.11													
	Sub-category 2.12													
	Sub-category 2.13													
	Sub-category 2.14													
	Sub-category 2.15													
Section 4														

# TABLE 2

## STATIONING AND DISCONTINUATIONS

### ADDITIONAL STATIONS

Boar Creek near Lead  
 Bridge Creek near Elk Creek  
 Mosher Slough near Lead  
 Mud Creek near Ohio  
 Mud Creek Diversion at Ohio

### DISCONTINUED STATIONS

Big Sage Reservoir near Alturas - 9 31 65  
 Calaveras River at Jenny Lind - 9 31 66 (Discontinued by U. S. Geological Survey)  
 Georgiana Slough at Mokelumne River - 9 31 66  
 Little Cow Creek near Ingat - 9 31 65  
 Mill Creek near Mouth (No record after 5 04)  
 Pit River below Alturas - 9 31 65 (Moved 320 feet upstream and reestablished by the U. S. Geological Survey)  
 South Fork Pit River near Jess Valley - 9 31 65  
 Ten Pains Slough above Mouth  
 Willow Creek near Adin (No record after 12 31 64)

(The following stations are the property of the U. S. Bureau of Reclamation and operation of them by this Department was discontinued 3 31 66)

Sacramento River at Isleton  
 Delta Cross Channel at Walnut Grove  
 Rock Slough at Contra Costa Canal Intake  
 Grant Line Canal at Tracy Road Bridge  
 Middle River at Bawn Island  
 Middle River at McWary Bridge  
 San Joaquin River at Brandt Bridge

The following stations are the property of the U. S. Corps of Engineers and operation of them by this Department was discontinued 3 31 66

Miners Slough at Five Points  
 McLean Lake at Stockton

### PUBLICATION DISCONTINUED

(Publication discontinued 3 31 66)

Antelope Creek near Red Bluff  
 Battle Creek near Cottonwood  
 Big Chico Creek near Chico  
 Butte Creek near Chico  
 Clear Creek near Igou  
 Cottonwood Creek near Pittsburg  
 Deer Creek near Vina  
 Mill Creek near Los Molinos  
 Sacramento River at Butte Slough Outfall Station  
 Sacramento River at Red Bluff  
 Sonoma Creek near Hamilton City  
 Sutter System at State Pumping Plant 1  
 Sutter System at State Pumping Plant 2  
 Sutter System at State Pumping Plant 3  
 Thomas Creek at Pescadero

(Publication discontinued 3 31 66)

Rock Creek Diversion near Farmington  
 Little Rock Creek at Farmington

### RELATIONSHIP DATA FROM PRIOR YEARS

Mud Creek near Lead - 1965  
 Mud Creek near Lead at Ohio - 1965  
 South Fork Pit River near Jess Valley - 1965  
 Red Bank Creek near Red Bluff - 1965  
 Sacramento River at Hamilton City - 1965  
 Sutter System at State Pumping Plant 1 - 1965

TABLE B-5  
DAILY MEAN DISCHARGE

The streamflow table for each stream or stream system is arranged in downstream order. Stations on a tributary entering between two main stem stations are listed between those stations, and in downstream order on that tributary. A stream gaging station is named after the stream and the nearest post office (Feather River at Yuba City) or well-known landmark (San Joaquin River at Brandt Bridge).

The discharges estimated for periods of no record or invalid record are shown with the letter "E". Also qualified by the letter "E" are discharges obtained from extended ratings which exceed 140 percent, the highest measured flow-rate on which the rating curve was based.

The discharge figures in this table have been rounded off as follows:

1. Daily flows - second-feet

0.0	- 9.9	nearest	Tenth
10	- 999	"	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

2. Monthly means - second-feet

0.0	- 99.9	nearest	Tenth
100	- 9,999	"	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred

### 3. Yearly totals - acre-feet

0.0	- 9,999	nearest	Unit
10,000	- 99,999	"	Ten
100,000	- 999,999	"	Hundred
1,000,000	- 9,999,999	"	Thousand

The streamflow data received from cooperating agencies do not necessarily adhere to the above criteria. These data are published as received, except that minor rounding off of certain figures is necessary to make the data compatible to the Department's machine programs.

TABLE B-5

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC FT													AC FT

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND P

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
34° 12' 00" N	122° 18' 00" W	3555 N.W.M	12500	10.2	10-20-64	8.500-DATE	10.20-DATE	10.0			LOCAL
Station located 1.7 mi. S.W. junction of State Highway 100 and U. S. Highway 99, 3 mi. S. of Mount Shasta.											
Discontinues (11/6 - May 1964) (date) CFS ft. when bridge was reconstructed by U. S. Geological Survey.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1967	1700	WILSON RANCH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT.													AC. FT.

WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
	DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
33° 00' N	100° 10' W	NEAR TWIN L	1700	1.0	1967	JUN 1-DATE	JUN 1-DATE				LOCAL
Station located on privately owned, 3200 Wilcox Ranch. Tributary to Gage Lake. Open-sill type weir. Relative elevation affected by low at time.											

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT													AC FT

IN THE MONTH

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 - — E AND -"

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
	DISCHARGE	GAGE HT	MO	DAY TIME	DISCHARGE	GAGE HT	MO	DAY TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECDRD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R H D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT.													AC. FT.

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND \*

MEAN  
DISCHARGEMAXIMUM  
DISCHARGE GAGE HT. MO DAY TIMEMINIMUM  
DISCHARGE GAGE HT. MO DAY TIMETOTAL  
ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R N D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961-62	10	QUINN CREEK, NEW GAGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT.													AC FT.

ANNUAL TOTAL

E — ESTIMATED

NR — NO RECORD

+ — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

— — E AND +

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE			FROM	TO			
34° 15' N	118° 15' W	1000	1000	1000	1000	DAY 10-1000	DAY 10-1000	1000	1000	1000	1000	1000

Maximum discharge 1000 cfs, gage height 1000 ft. Discharge 1000 cfs, gage height 1000 ft. Discharge 1000 cfs, gage height 1000 ft.

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME

[illegible]

### ANNUAL YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
— E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	
10.0	10.0	10.0		10	10.0	10.0	10.0		17	10.0	10.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT	DATE			FROM	TO		
1 11 N	106 56 W	SW21 10N 2E	10000	10000	10000	MAR 57-SEP 57 SEP 57-DATE	10000	10000	10000	10000	10000

Station located 100 feet above State Highway 100 bridge. Tributary to Pit river. Stage-discharge relationship affected by ice at times. Drainage area is 498 sq. mi.

8 - Irrigation season only.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	1211023	MADISON CREEK AT LITTLE VALLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN	21.4	22.0	17.0	18.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	MEAN
MAX.	26	27	21	21	18	18	18	18	18	18	18	18	MAX.
MIN.	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	MIN.
AC. FT.	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	AC. FT.

NOTE: THE DISCHARGE

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 = — E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	GAGE HT.	MO.	DAY	TIME	DISCHARGE	MINIMUM	GAGE HT.	MO.	DAY	TIME	TOTAL ACRE FEET
14.0	14.0	18	18	1	5	14.0	14.0	18	18	1	5	14.0	14.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MOD & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
40 53 36	121 10 23	NEL 35N 7E	760	4.06	12 24 64	OCT 59-DATE	SEP 59-DATE	FROM TO	0.00	LOCAL	
Station located 300 ft. below Western Pacific Railroad bridge, 0.5 mi. NE of Little Valley. Tributary to Pit River. Drainage area is 203 sq. mi. Stage-discharge relationship affected by ice at times.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO.		STATION NAME									
1957		12130		FALL RIVER, NEW DANA									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	450	450	410	450	450	450	450	450	450	450	450	450	1
2	450	450	410	450	450	450	450	450	450	450	450	450	2
3	450	450	410	450	450	450	450	450	450	450	450	450	3
4	450	450	410	450	450	450	450	450	450	450	450	450	4
5	450	450	410	450	450	450	450	450	450	450	450	450	5
6	450	450	410	450	450	450	450	450	450	450	450	450	6
7	450	450	410	450	450	450	450	450	450	450	450	450	7
8	450	450	410	450	450	450	450	450	450	450	450	450	8
9	450	450	410	450	450	450	450	450	450	450	450	450	9
10	450	450	410	450	450	450	450	450	450	450	450	450	10
11	450	450	410	450	450	450	450	450	450	450	450	450	11
12	450	450	410	450	450	450	450	450	450	450	450	450	12
13	450	450	410	450	450	450	450	450	450	450	450	450	13
14	450	450	410	450	450	450	450	450	450	450	450	450	14
15	450	450	410	450	450	450	450	450	450	450	450	450	15
16	450	450	410	450	450	450	450	450	450	450	450	450	16
17	450	450	410	450	450	450	450	450	450	450	450	450	17
18	450	450	410	450	450	450	450	450	450	450	450	450	18
19	450	450	410	450	450	450	450	450	450	450	450	450	19
20	450	450	410	450	450	450	450	450	450	450	450	450	20
21	450	450	410	450	450	450	450	450	450	450	450	450	21
22	450	450	410	450	450	450	450	450	450	450	450	450	22
23	450	450	410	450	450	450	450	450	450	450	450	450	23
24	450	450	410	450	450	450	450	450	450	450	450	450	24
25	450	450	410	450	450	450	450	450	450	450	450	450	25
26	450	450	410	450	450	450	450	450	450	450	450	450	26
27	450	450	410	450	450	450	450	450	450	450	450	450	27
28	450	450	410	450	450	450	450	450	450	450	450	450	28
29	450	450	410	450	450	450	450	450	450	450	450	450	29
30	450	450	410	450	450	450	450	450	450	450	450	450	30
31	450	450	410	450	450	450	450	450	450	450	450	450	31
MEAN	450	450	410	450	450	450	450	450	450	450	450	450	MEAN
MAX.	450	450	410	450	450	450	450	450	450	450	450	450	MAX.
MIN.	450	450	410	450	450	450	450	450	450	450	450	450	MIN.
AC. FT.	450	450	410	450	450	450	450	450	450	450	450	450	AC. FT.

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN DISCHARGE	MAXIMUM				DISCHARGE	MINIMUM				TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY		DISCHARGE	GAGE HT.	MO.	DAY	
450	450	7.7	4	1	450	450	5.6	1	1	450

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM
			CF5	GAGE HT.	DATE					
41 06 17	121 30 00	NE 30 36N 4E	3910 E	12.62	12 25 84	NOV 57-DATE	NOV 57-DATE	1957	0.00	LOCAL

Station located at private bridge, .7 mi. SE of Dana.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A10100	HAT CREEK, NEAR CASSEL

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	511	539	557	588	588	445	539	413	477	484	459	438	1
2	515	540	554	560	578	644	536	417	477	777	45	43	2
3	509	539	545	546	540	532	539	49	480	46	45	43	3
4	509 *	542	558	580	593	525	533	423	464	64	45	438	4
5	500	532	55	592	593	527	527	425 *	486	77	456	43	5
6	498	538	537	608	544	530	531	461	484	471	463	43	6
7	495	539	559	618	578	534	540	497	504	48	443	411	7
8	497	550	550	610	565	545	533	517	494	464	446	411	8
9	490	543	551	610	575	539	471	491	491 *	480	464	411	9
10	488	544	540	590	556	57 *	616	430	485	475	444	411	10
11	481	541	550	575	584	589	558	521	480	470	444	411	11
12	533	537	554	558	570	535	547	503	482	470	45	411 *	12
13	507	549	551	571	543	530	595	486	480	475	444	411	13
14	504	547	559	597	546	535	551	469	474	477	445	411	14
15	524	536	547	579	570	495	599	504	466	491	44	411	15
16	512	546	524	588	523	594	594	515	476	484	438	411	16
17	522	548	538	529	551	525	599	499	456	480	455	411	17
18	385	595 *	566	574	564	537	551	471	477	484	45	411	18
19	497	555	572	548	564	555	544	475	475	475	443	411	19
20	503	567	547	62 *	555	544	527	471	47	47	443	411	20
21	502	545	554	549	557	538	433	465	479	473	411	411	21
22	510	558	557	577	567	540	499	459	476	470	47	411	22
23	515	561	547	565	564	541	475	469	469	469	443	411	23
24	520	570	554	525	598	533	472	469	469	463	443	411	24
25	524	569	577	561	560	534	466	475	474	475	443	411	25
26	610	558	554	585	546	533	456	483	475	463	44	411	26
27	599	551	552	563	543	540	439	488	475	456	444	411	27
28	517	539	579	557	533	43	43	488	483	456 *	449	411	28
29	523	555	586	580	536	415	478	477	477	456	449	411	29
30	534	542	564	591	536	412	476	477	477	456	438	411	30
31	538	572	572	532	538	538	477	477	477	451	435	411	31
MEAN	512	549	555	574	561	535	514	477	478	471	44	411	MEAN
MAX	610	599	586	623	593	644	616	531	504	491	46	438	MAX
MIN	385	530	524	525	523	445	412	413	454	44	43	411	MIN
AC. FT.	31500	32660	34330	35890	31160	32880	40589	39324	3450	460	27160	30900	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	MINIMUM	TOTAL
512	31500	610	477	30900

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M D B & A	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO DH GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
36 24 40	121 33 21	SE16 36N 4E	1220 E	4.81	1 6 65	OCT 56-DATE	SEPT 56-DATE	1958	1.00	LOCAL	

Station located 400 ft. below State Highway 299 bridge, 9.1 mi. NE of Burney, 4 mi. N of Cassel. Tributary to Sacramento River.  
Flow regulated by Pacific Gas and Electric Company power plants.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR													STATION NO.		STATION NAME	
1971													41	11	11000	11000
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY			
1													1			
2													2			
3													3			
4													4			
5													5			
6													6			
7													7			
8													8			
9													9			
10													10			
11													11			
12													12			
13													13			
14													14			
15													15			
16													16			
17													17			
18													18			
19													19			
20													20			
21													21			
22													22			
23													23			
24													24			
25													25			
26													26			
27													27			
28													28			
29													29			
30													30			
31													31			
MEAN																
MAX																
MIN																
AC FT.																

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME
10.1		10.1	11.0	4	11	09:00	1.1	1.1	1	06:50	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE				FROM	TO	
34° 11' N	100° 05' W	11000	11000	11.0	11.0	11000	11.0	11.0	11.0	11.0	11.0
Station located 0.1 mi. above county road bridge, 0.6 mi. S. at hamlet. Tributary to Pit River. Stage-discharge relationship affected by ice at times. Downstream up to transverse diversion. Drainage area is 7.7 sq. mi.											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	10-10	Lower Little Green Daily Value

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	.	.	.	.	.	.	.	.	.	.	.	.	1
2	.	.	.	.	.	.	.	.	.	.	.	.	2
3	.	.	.	.	.	.	.	.	.	.	.	.	3
4	.	.	.	.	.	.	.	.	.	.	.	.	4
5	.	.	.	.	.	.	.	.	.	.	.	.	5
6	.	.	.	.	.	.	.	.	.	.	.	.	6
7	.	.	.	.	.	.	.	.	.	.	.	.	7
8	.	.	.	.	.	.	.	.	.	.	.	.	8
9	.	.	.	.	.	.	.	.	.	.	.	.	9
10	.	.	.	.	.	.	.	.	.	.	.	.	10
11	.	.	.	.	.	.	.	.	.	.	.	.	11
12	.	.	.	.	.	.	.	.	.	.	.	.	12
13	.	.	.	.	.	.	.	.	.	.	.	.	13
14	.	.	.	.	.	.	.	.	.	.	.	.	14
15	.	.	.	.	.	.	.	.	.	.	.	.	15
16	.	.	.	.	.	.	.	.	.	.	.	.	16
17	.	.	.	.	.	.	.	.	.	.	.	.	17
18	.	.	.	.	.	.	.	.	.	.	.	.	18
19	.	.	.	.	.	.	.	.	.	.	.	.	19
20	.	.	.	.	.	.	.	.	.	.	.	.	20
21	.	.	.	.	.	.	.	.	.	.	.	.	21
22	.	.	.	.	.	.	.	.	.	.	.	.	22
23	.	.	.	.	.	.	.	.	.	.	.	.	23
24	.	.	.	.	.	.	.	.	.	.	.	.	24
25	.	.	.	.	.	.	.	.	.	.	.	.	25
26	.	.	.	.	.	.	.	.	.	.	.	.	26
27	.	.	.	.	.	.	.	.	.	.	.	.	27
28	.	.	.	.	.	.	.	.	.	.	.	.	28
29	.	.	.	.	.	.	.	.	.	.	.	.	29
30	.	.	.	.	.	.	.	.	.	.	.	.	30
31	.	.	.	.	.	.	.	.	.	.	.	.	31
MEAN	.	.	.	.	.	.	.	.	.	.	.	.	MEAN
MAX	.	.	.	.	.	.	.	.	.	.	.	.	MAX.
MIN	.	.	.	.	.	.	.	.	.	.	.	.	MIN
AC FT.	.	.	.	.	.	.	.	.	.	.	.	.	AC FT.

DAILY MEAN DISCHARGE

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT.	MO.	DAY	TIME	DISCHARGE	MINIMUM GAGE HT.	MO.	DAY	TIME	TOTAL ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECDRD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
								FROM	TO		

Station located at State Highway bridge, 2.1 mi. NW of Bella Vista. Tributary to Sacramento River via Little C. Green and Coy Creek.



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR STATION NO. STATION NAME													
1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	11	14	18	21	24	27	30	33	36	39	42	45	1
2	11	15	19	22	25	28	31	34	37	40	43	46	2
3	11	14	18	21	24	27	30	33	36	39	42	45	3
4	14	16	19	22	25	28	31	34	37	40	43	46	4
5	15	16	19	22	25	28	31	34	37	40	43	46	5
6	14	18	21	24	27	30	33	36	39	42	45	48	6
7	15	19	22	25	28	31	34	37	40	43	46	49	7
8	11	17	20	23	26	29	32	35	38	41	44	47	8
9	11	18	21	24	27	30	33	36	39	42	45	48	9
10	11	18	21	24	27	30	33	36	39	42	45	48	10
11	11	14	17	20	23	26	29	32	35	38	41	44	11
12	14	17	20	23	26	29	32	35	38	41	44	47	12
13	14	17	20	23	26	29	32	35	38	41	44	47	13
14	14	17	20	23	26	29	32	35	38	41	44	47	14
15	14	17	20	23	26	29	32	35	38	41	44	47	15
16	14	17	20	23	26	29	32	35	38	41	44	47	16
17	15	18	21	24	27	30	33	36	39	42	45	48	17
18	15	18	21	24	27	30	33	36	39	42	45	48	18
19	15	18	21	24	27	30	33	36	39	42	45	48	19
20	15	18	21	24	27	30	33	36	39	42	45	48	20
21	15	18	21	24	27	30	33	36	39	42	45	48	21
22	15	18	21	24	27	30	33	36	39	42	45	48	22
23	15	18	21	24	27	30	33	36	39	42	45	48	23
24	15	18	21	24	27	30	33	36	39	42	45	48	24
25	15	18	21	24	27	30	33	36	39	42	45	48	25
26	12	15	18	21	24	27	30	33	36	39	42	45	26
27	12	15	18	21	24	27	30	33	36	39	42	45	27
28	12	15	18	21	24	27	30	33	36	39	42	45	28
29	12	15	18	21	24	27	30	33	36	39	42	45	29
30	12	15	18	21	24	27	30	33	36	39	42	45	30
31	12	15	18	21	24	27	30	33	36	39	42	45	31
MEAN	12.4	15.1	18.2	21.7	24.7	27.4	30.1	32.7	35.7	38.4	41.1	43.8	MEAN
MAX.	15	18	21	24	27	30	33	36	39	42	45	48	MAX.
MIN.	7.6	13	16	19	22	25	28	31	34	37	40	43	MIN.
AC. FT.	76	146	206	266	326	386	446	506	566	626	686	746	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

- - - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	ACRE FEET	
12.4		15.1	21.7	1	1	7.6	13	6	1	76	

LOCATION			MAXIMUM DISCHARGE				PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD				DISCHARGE	GAGE HEIGHT ONLY	PERIOD	FRDM	TD	ZERO ON GAGE	REF DATUM
			CF5	GAGE HT	OATE								
31° 41'	122° 04' 34"	NEDB 51N 2W	3150 E	10.36	10/1/60		OCT 1960-DATE	AUG 1969-DATE				5.00	LOCAL
Station located below State Highway 44 bridge, 3.7 mi. E of Millville. Tributary to Sacramento River.													

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	403545	NORTH FORK COTTONWOOD CREEK NEAR 160

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	7.8	172	212	1080	329	103	87	270	57	37	22	19	1
2	7.8	133	179	1130	318	98	136	257	55	36	23	19	2
3	6.7	78	139	1270	297	95	120	242	51	34	20	18	3
4	5.8	61	114	1140	284	95	103	201	49	31	19	18	4
5	6.8	55	103	2390	296	95	106	190	60	30	18	19	5
6	4.8	46	98	1160	278	100	136	162	64	31	17	21	6
7	5.6	43	90	641	259	100	126	177	67	29	16	19	7
8	5.6	82	87	451	204	103	522	175	66	27	9.5	20	8
9	4.9	121	42	435	180	100	712	168	63	26	11	19	9
10	4.9	348	104	441	181	98	550	156	59	26	17	18	10
11	5.6	586	117	530	183	98	430	159	57	26	22	13	11
12	5.6	256	92	516	185	98	284	160	55	27	31	9.0	12
13	5.6	133	85	515	185	98	300	156	57	26	25	9.0	13
14	5.6	108	85	522	183	92	456	154	57	25	20	8.4	14
15	5.6	92	90	568	177	92	628	151	57	24	17	8.4	15
16	6.8	80	78	492	169	90	323	140	55	23	18	8.4	16
17	6.7	65	73	568	167	90	628	134	53	23	23	9.0	17
18	8.8	60	62	444	147	90	1340	127	56	23	24	9.6	18
19	8.8	59	183	539	133	90	1190	127	50	21	28	9.6	19
20	7.5	57	172	527	128	85	1420	126	44	20	26	8.4	20
21	7.1	57	3290	514	123	73	1430	136	44	23	25	9.0	21
22	6.7	67	6960	477	123	71	1010	130	42	23	25	9.0	22
23	6.1	57	2890	739	122	73	622	118	41	21	23	9.0	23
24	6.8	67	1660	628	121	71	430	105	40	20	23	8.4	24
25	7.5	82	1280	522	106	71	372	86	42	19	25	8.4	25
26	7.5	69	1080	488	102	75	331	80	40	18	25	9.6	26
27	15	78	989	451	125	80	309	67	44	17	24	11	27
28	40	391	816	425	110	75	296	65	43	17	21	12	28
29	160	192	801	400		75	292	60	39	15	20	11	29
30	92	215	852	425		80	288	57	38	17	19	9.0	30
31	45		1030	348		82		58		19	17		31
MEAN	17.4	130	771	667	186	88.3	516	143	51.7	24.3	21.4	12.6	MEAN
MAX	160	586	6960	2390	329	103	1430	270	67	37	34	21	MAX
MIN.	4.4	43	52	148	102	71	87	57	38	15	9.5	8.4	MIN
AC FT	1.074	7750	47380	41570	10340	5430	30700	8760	3080	1500	1320	751	AC FT

## GAUGE READ SUMMARY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
— E AND \*

MEAN DISCHARGE	MAXIMUM DISCHARGE	MAXIMUM GAGE HT.	MO.	DAY	TIME	MINIMUM DISCHARGE	MINIMUM GAGE HT.	MO.	DAY	TIME	TOTAL ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D S & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
								FROM TO			

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR STATION NO STATION NAME														
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY	DAY
1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1	1
2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	2	2
3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	3	3
4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	4	4
5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	5	5
6	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	6	6
7	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	7	7
8	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	8	8
9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	9	9
10	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	10	10
11	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	11	11
12	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	12	12
13	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	13	13
14	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	14	14
15	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	15	15
16	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	16	16
17	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17	17
18	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	18	18
19	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	19	19
20	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	20	20
21	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	21	21
22	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	22	22
23	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	23	23
24	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	24	24
25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	25	25
26	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	26	26
27	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	27	27
28	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	28	28
29	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	29	29
30	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	30	30
31	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	31	31
MEAN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MEAN	MEAN
MAX	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MAX	MAX
MIN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MIN	MIN
AC FT.	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	AC FT.	AC FT.

WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

- DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME
1.1		1.1	1.1	11	14	1.1	1.1	1.1	1.1	1.1	1.1

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
40 26 32	122 30 57	WALL 30N 6N	1.1	1.1	1.1	NOV 56-DATE	NOV 56-DATE		1.1	1.1	1.1
Station located at county road bridge, 4.4 miles E of 120, 0.5 mi. SE of Ono. Tributary to Sacramento River via Cottonwood Creek. Drainage area is 85.7 sq. mi.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1951	10-7	ANY FIVE MINUTE DISCHARGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1
2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2
3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3
4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4
5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	5
6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	6
7	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	7
8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	8
9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	9
10	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	10
11	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	11
12	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	12
13	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	13
14	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	14
15	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	15
16	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	16
17	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	17
18	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	18
19	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	19
20	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20
21	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21
22	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	22
23	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23
24	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24
25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	25
26	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	26
27	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	27
28	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	28
29	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	29
30	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	30
31	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31
MEAN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	MEAN
MAX	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	MAX
MIN	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	MIN
AC. FT.	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR

OBSERVATION OF FLOW MADE THIS DAY

- - E AND \*

MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	ACRE FEET
1.0	1.0	1.0	1	1	1.0	1.0	10	1	1.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FRDM TO	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
33° 17' 27"	107° 17' 27"	14 SEC T & R M D B & M	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	LOCAL

Station located on the right bank, 10.7 mi. from Cottonwood, tributary to the Colorado River via the Fort Park Cottonwood Irrigation Channel. The channel is 10.7 mi. long.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO.		STATION NAME									
1967		1000		GUTH PARK COTTONWOOD CREEK NEAR COTTONWOOD									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	4.5	1.7	1.0	1.0	1.0	1
2	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.0 E	0.0	1.5	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.0 E	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.0 E	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	-1	0.0	0.0	5
6	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	6
7	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	7
8	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	9
10	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	11
12	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	12
13	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	13
14	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	1.5 E	0.7	1.7	0.0	0.0	0.0	31
MEAN	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	0.0 E	0.0	0.0	0.0	0.0	0.0	MEAN
MAX	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	0.0 E	0.0	0.0	0.0	0.0	0.0	MAX
MIN	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	0.0 E	0.0	0.0	0.0	0.0	0.0	MIN
AC. FT.	0.0	0.0	0.0	0.0 E	0.0 E	0.0 E	0.0 E	0.0	0.0	0.0	0.0	0.0	AC. FT.

## WATER YEAR SUMMARY

E = ESTIMATED

NR = NO RECORD

\* = DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- = END \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	ACRE FEET	
0.0		13,800	13.0	12	26/64	0.0		10	1	0000	131,800

LOCATION			MAXIMUM DISCHARGE				PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC. T. & R. M.D.B. & M.	OF RECORD				DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF. DATUM
			CFs	GAGE HT.	DATE					FROM	TO	
36° 40' N	122° 05' W	NES 28N 5E	13,800	13.0	12 26/64		APR 58-DATE	APR 58-DATE		1958		LOCAL
Station located on downstream side of Bowman Road bridge, 11 mi. SW of Cottonwood. Tributary to Sacramento River via Cottonwood Creek. Drainage area is 218 sq. mi.												
Revised figures of discharge, in cubic feet per second for the water year 1965, superseding those published in Bulletin 36-6. W. H. "Neenah" College, Ag. 1. B. Surface Water Measurements.												

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1955	A-5595	SOUTH FORK COTTONWOOD CREEK NEAR COTTONWOOD

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.7	1.5	5	1	5	1	1	6	1	E	1	1	1
2	1.7	1.5	5	1	5	1	1	6	1	E	1	1	2
3	1.7	1.5	5	1	5	1	1	6	1	E	1	1	3
4	1.7	1.5	5	1	5	1	1	6	1	E	1	1	4
5	1.7	1.5	5	1	5	1	1	6	1	E	1	1	5
6	1.7	1.5	5	1	5	1	1	6	1	E	1	1	6
7	1.7	1.5	5	1	5	1	1	6	1	E	1	1	7
8	1.7	1.5	5	1	5	1	1	6	1	E	1	1	8
9	1.7	1.5	5	1	5	1	1	6	1	E	1	1	9
10	1.7	1.5	5	1	5	1	1	6	1	E	1	1	10
11	1.7	1.5	5	1	5	1	1	6	1	E	1	1	11
12	1.7	1.5	5	1	5	1	1	6	1	E	1	1	12
13	1.7	1.5	5	1	5	1	1	6	1	E	1	1	13
14	1.7	1.5	5	1	5	1	1	6	1	E	1	1	14
15	1.7	1.5	5	1	5	1	1	6	1	E	1	1	15
16	1.7	1.5	5	1	5	1	1	6	1	E	1	1	16
17	1.7	1.5	5	1	5	1	1	6	1	E	1	1	17
18	1.7	1.5	5	1	5	1	1	6	1	E	1	1	18
19	1.7	1.5	5	1	5	1	1	6	1	E	1	1	19
20	1.7	1.5	5	1	5	1	1	6	1	E	1	1	20
21	1.7	1.5	5	1	5	1	1	6	1	E	1	1	21
22	1.7	1.5	5	1	5	1	1	6	1	E	1	1	22
23	1.7	1.5	5	1	5	1	1	6	1	E	1	1	23
24	1.7	1.5	5	1	5	1	1	6	1	E	1	1	24
25	1.7	1.5	5	1	5	1	1	6	1	E	1	1	25
26	1.7	1.5	5	1	5	1	1	6	1	E	1	1	26
27	1.7	1.5	5	1	5	1	1	6	1	E	1	1	27
28	1.7	1.5	5	1	5	1	1	6	1	E	1	1	28
29	1.7	1.5	5	1	5	1	1	6	1	E	1	1	29
30	1.7	1.5	5	1	5	1	1	6	1	E	1	1	30
31	1.7	1.5	5	1	5	1	1	6	1	E	1	1	31
MEAN	3.6	1.9	77.7	405	411	267	387	157	87	1	1	1	MEAN
MAX	7.3	890	35	43	1020	514	540	5	1	1	1	1	MAX
MIN	1.6	1.3	1	1	1	1	1	1	1	1	1	1	MIN
AC FT	133	1570	1000	2188	1170	1220	1170	1170	1170	1170	1170	1170	AC FT

WATER YEAR 1955

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
— E AND \*

MEAN	MAXIMUM	MINIMUM	TOTAL
DISCHARGE	DISCHARGE	GAGE HT	ACRE FEET
1.7	1.7	1.7	1.7

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
40° 15' N	100° 15' W	W 1/2 Sec 36	100	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7

Station located on south fork of Cottonwood Creek, 1.4 mi. S of Cottonwood. Tributary to Cottonwood River. Drainage area is 116 sq. mi.

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE (IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO.		STATION NAME									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT													AC. FT

WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
— E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM	TO	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE						



TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	A-3460	RED BANK CREEK NEAR RED BLUFF

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			14	15		14	11	45	7.7	0.0	0.0	0.0	1
2		1	17	13	41	11	41	41	7.1	0.0	0.0	0.0	2
3					20	11	41	41	6.5	0.0	0.0	0.0	3
4			15	27	20	11	1	37	6.4	0.0	0.0	0.0	4
5			13	37	41	11	1	35	5.9	0.0	0.0	0.0	5
6			11	7.4	20	14	14	34	5.0	0.0	0.0	0.0	6
7			14.5	44	20	13	13	31	4.3	0.0	0.0	0.0	7
8			6.6	1.1	26	12	146	24	5.2	0.0	0.0	0.0	8
9			7.4	29	7	11	130	24	5.4	0.0	0.0	0.0	9
10			7.4	2.3	14	14	46	26	5.4	0.0	0.0	0.0	10
11			7.4	204	14	14	231	24	4.7	0.0	0.0	0.0	11
12			7.4	1.3	14	14	174	23	4.4	0.0	0.0	0.0	12
13			5.5	1.3	14	14	141	11	4.0	0.0	0.0	0.0	13
14			27	193	14	14	127	11	4.4	0.0	0.0	0.0	14
15			27	144	14	14	254	1	4.3	0.0	0.0	0.0	15
16			23	138	17	11	21	17	4.3	0.0	0.0	0.0	16
17			13	153	11	11	154	16	4.1	0.0	0.0	0.0	17
18			14	124	10	11	240	1	4.7	0.0	0.0	0.0	18
19			15	117	14	14	15	15	4.4	0.0	0.0	0.0	19
20			14	114	14	14	104	14	3.7	0.0	0.0	0.0	20
21			14	104	14	14	14	14	3.2	0.0	0.0	0.0	21
22			14	7	14	14	17	16	4.4	0.0	0.0	0.0	22
23			14	183	14	14	14	11	4.4	0.0	0.0	0.0	23
24			14	147	14	14	147	11	4.4	0.0	0.0	0.0	24
25			14	103	14	14	14	14	4.4	0.0	0.0	0.0	25
26			14	74	14	11	7	11	4.4	0.0	0.0	0.0	26
27			14	6	17	14	63	11	4.4	0.0	0.0	0.0	27
28			14	60	14	14	54	14	4.4	0.0	0.0	0.0	28
29			14	153	14	14	94	14	4.4	0.0	0.0	0.0	29
30			14	143	14	14	44	14	4.4	0.0	0.0	0.0	30
31			14	46	14	14	44	14	4.4	0.0	0.0	0.0	31
MEAN	0.0	27.4	3.4	46	4.7	11.4	23	11.2	3.8	0.0	0.0	0.0	MEAN
MAX.	4.4	7.7	14.5	204	20	14	184	4	7.7	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.
AC FT.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
- E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	MINIMUM	TOTAL
7.7	7.7	20.4	0.0	28.1
		MO. DAY TIME	MO. DAY TIME	ACRE FEET
		1 1 1967	1 1 1967	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MO B & N	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	FROM	TO	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE							
		45.41N	7.7	14.5	1967	FEB 4-JUL 4 8 MAY 2-MAY 2 NOV 20-DATE	FEB 4-JUL 4 8 MAY 2-MAY 2 NOV 20-DATE					LOCAL
Station located at Red Bank Creek, 0.1 mi. S of Red Bluff												
M - Irrigation measurement												



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	1.0	7.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	1
2	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	2
3	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	3
4	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	4
5	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	5
6	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6
7	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7
8	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8
9	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9
10	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10
11	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	11
12	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	12
13	0.0	0.0	1.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	13
14	0.0	15.0	0.0	81	67	47	45	1.0	1.0	1.0	1.0	1.0	14
15	0.0	15.0	0.0	73	67	42	1	1.0	1.0	1.0	1.0	1.0	15
16	0.0	290	7.0	7.7	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	16
17	0.0	413	7.0	7.4	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	17
18	0.0	7.3	7.8	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	18
19	0.0	12.0	7.9	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	19
20	0.0	0.0	7.6	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	20
21	0.0	0.0	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	21
22	0.0	0.0	7.7	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	22
23	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	23
24	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	24
25	0.0	0.0	14	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	25
26	0.0	18	1.0	7.7	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	26
27	0.0	15	11	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	27
28	0.0	14	17.3	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	28
29	0.0	0.0	7	67	67	67	67	67	67	67	67	67	29
30	0.0	0.0	15.0	67	67	67	67	67	67	67	67	67	30
31	0.0	0.0	0.0	67	67	67	67	67	67	67	67	67	31
MEAN	0.0	110	10.9	07	140	37.7	11.0	1.4	0.0	0.0	0.0	0.0	MEAN
MAX.	0.0	186	173	2100	900	73	1.0	0.0	0.0	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.
AC FT.	0.0	0.0	0.0	10715	10715	10715	10715	10715	10715	10715	10715	10715	AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM	TOTAL			
	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY
0.0	0.0	0.0	11	10	10.0	0.0	0.0	0.0	0.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M D B & M	OF RECORD		DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT				FROM	TO		
40 00' 00"	120 00' 00"	2500 2600 2700	700	10.00	10.00	FEB 05-JUL 05 MAY 05-MAY 05 NOV 05-DATE	FEB 05-JUL 05 MAY 05-MAY 05 NOV 05-DATE	10.00	0.00	0.00	0.00
Station located at Red Bank Road bridge, 11 mi. N. of Los Angeles.											
B — Irrigation season only.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR		STATION NO	STATION NAME											
1961		10000	SACRAMENTO RIVER AT VINE BRIDGE											
FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY						
11800	11800	11800	11800	10600	11800	10600	10600	1						
11800	11800	11800	11800	11800	11800	11800	11800	2						
11800	11800	11800	11800	11800	11800	11800	11800	3						
11800	11800	11800	11800	11800	11800	11800	11800	4						
11800	11800	11800	11800	11800	11800	11800	11800	5						
11800	11800	11800	11800	11800	11800	11800	11800	6						
11800	11800	11800	11800	11800	11800	11800	11800	7						
11800	11800	11800	11800	11800	11800	11800	11800	8						
11800	11800	11800	11800	11800	11800	11800	11800	9						
11800	11800	11800	11800	11800	11800	11800	11800	10						
11800	11800	11800	11800	11800	11800	11800	11800	11						
11800	11800	11800	11800	11800	11800	11800	11800	12						
11800	11800	11800	11800	11800	11800	11800	11800	13						
11800	11800	11800	11800	11800	11800	11800	11800	14						
11800	11800	11800	11800	11800	11800	11800	11800	15						
11800	11800	11800	11800	11800	11800	11800	11800	16						
11800	11800	11800	11800	11800	11800	11800	11800	17						
11800	11800	11800	11800	11800	11800	11800	11800	18						
11800	11800	11800	11800	11800	11800	11800	11800	19						
11800	11800	11800	11800	11800	11800	11800	11800	20						
11800	11800	11800	11800	11800	11800	11800	11800	21						
11800	11800	11800	11800	11800	11800	11800	11800	22						
11800	11800	11800	11800	11800	11800	11800	11800	23						
11800	11800	11800	11800	11800	11800	11800	11800	24						
11800	11800	11800	11800	11800	11800	11800	11800	25						
11800	11800	11800	11800	11800	11800	11800	11800	26						
11800	11800	11800	11800	11800	11800	11800	11800	27						
11800	11800	11800	11800	11800	11800	11800	11800	28						
11800	11800	11800	11800	11800	11800	11800	11800	29						
11800	11800	11800	11800	11800	11800	11800	11800	30						
11800	11800	11800	11800	11800	11800	11800	11800	31						
11800	11800	11800	11800	11800	11800	11800	11800	MEAN						
11800	11800	11800	11800	11800	11800	11800	11800	MAX						
11800	11800	11800	11800	11800	11800	11800	11800	MIN						
11800	11800	11800	11800	11800	11800	11800	11800	AC FT.						

## WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN DISCHARGE		MAXIMUM DISCHARGE				MINIMUM DISCHARGE				TOTAL ACRE FEET	
DISCHARGE	DATE	DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	DATE
11800	10/1	11800	11.8	1	1	11800	11.8	1	1	11800	10/1

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	DATE	PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE				FROM	TO	
38° 45' N	121° 15' W	10000	11800	11.8	10/1	11800	11.8	10/1	10/1	10/1	11.8
SACRAMENTO RIVER AT VINE BRIDGE, SACRAMENTO COUNTY, CALIF.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1954	11700	GLANIELLA BRIDGE NE OF HAMILTON CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	1
2	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	2
3	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	3
4	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	4
5	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	5
6	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	6
7	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	7
8	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	8
9	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	9
10	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	10
11	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11
12	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	12
13	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	13
14	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	14
15	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	15
16	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	16
17	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	17
18	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	18
19	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	19
20	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	20
21	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	21
22	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	22
23	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	23
24	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	24
25	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	25
26	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	26
27	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	27
28	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	28
29	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	29
30	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	30
31	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	31
MEAN	7863	12450	14030	21920	14110	11140	11700	9980	9000	11230	10410	7100	MEAN
MAX	8120	12600	14900	24000	14000	14000	11700	9980	10100	12000	10800	8180	MAX
MIN	7400	11700	13000	14000	11000	11000	11700	7500	7500	9900	9330	6860	MIN
AC FT	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	11500	AC FT

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — — E AND F

MEAN	DISCHARGE	MAXIMUM	GAGE HT.	MO	DAY	TIME	MINIMUM	GAGE HT.	MO	DAY	TIME	TOTAL	ACRE FEET
11500	7863	24000	14.0	1	2	30.0	6860	10.0	11	10.0		11500	11500

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CF5	GAGE HT	DATE				FROM	TO	
37° 10' N	121° 10' W	NE20 22N 1E	500000 E	12.0	12/13/61	APR 45-DATE	47-DATE		1927	1945	USED
			151000 E	49.0					1945		USED
											USCGS

Station Located at Gianella Bridge, State Highway 36, 1.0 mi. NE of Hamilton City.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1967	44-01	RED CREEK @ CHICO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC FT													AC FT

WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT	MO	DAY	TIME	DISCHARGE	MINIMUM GAGE HT	MO	DAY	TIME	TOTAL ACRE FEET
11.0	11.0 E	1.0	1	1	1.00						71.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
36° 17' N	104° 04' W	14 SEC T & R M D B & M				NOV 1967 - DEC 1967	NOV 1967 - DEC 1967	1.00		0.00	14.00
Station located on Red Creek, 0.9 mile upstream from its confluence with the Missouri River at Chico, Montana. Tributary to Missouri River via the Chico River.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	4-0000	Mud Creek, 1.1 mi. S. of Chilo

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.0	4.0	4.1	5	1.0 *	2	1.0	1.0	1	1	1	1	1
2	1.0	2.0	4.1	11	1	1	1	1	1	1	1	1	2
3	1.0	2.0	4.0	17	1	1	1	1	1	1	1	1	3
4	0.0	1.0	3.7	11	1	1	1	1	1	1	1	1	4
5	0.0	1.0	2.0	12	1	1	1	1	1	1	1	1	5
6	1.0	3.0	5	1.7	1	1	1	1	1	1	1	1	6
7	1.0	4.0	3.1	7.1	1	1	1	1	1	1	1	1	7
8	1.0	4.0	3.1	7.1	1	1	1	1	1	1	1	1	8
9	1.0	0.0	3.1	2	1	1	1	1	1	1	1	1	9
10	1.0	0.0	3.1	2	1	1	1	1	1	1	1	1	10
11	1.0	1.0	2.0	2	1	1	1	1	1	1	1	1	11
12	1.0	1.0	1	1	1	1	1	1	1	1	1	1	12
13	1.0	1.0	1	18	1	1	1	1	1	1	1	1	13
14	1.0	1.0	7.1	1.7	1	1	1	1	1	1	1	1	14
15	1.0	56	6.1	14	1	1	1	1	1	1	1	1	15
16	0.0	1.6	1	1	1	1	1	1	1	1	1	1	16
17	1.0	108 *	4.6	11 *	1	1	1	1	1	1	1	1	17
18	0.0	1.0	4.3	1.0	1	1	1	1	1	1	1	1	18
19	1.0	56	4.6	11	1	1	1	1	1	1	1	1	19
20	1.0	22	4.0	1	1	1	1	1	1	1	1	1	20
21	1.0	12	4.0	1	1	1	1	1	1	1	1	1	21
22	1.0	7.0	4.3	1.0	1	1	1	1	1	1	1	1	22
23	1.0	6.0	4.3	1.0	1	1	1	1	1	1	1	1	23
24	1.0	11	7.8	7.0	1	1	1	1	1	1	1	1	24
25	0.0	13	1	6.0	1	1	1	1	1	1	1	1	25
26	1.0	2.0	1	1	1	1	1	1	1	1	1	1	26
27	1.0	1.0	1	1	1	1	1	1	1	1	1	1	27
28	1.0	6.0	157	4.0	1	1	1	1	1	1	1	1	28
29	1.0	6.0	157	157	1	1	1	1	1	1	1	1	29
30	1.0	5.0	1	1	1	1	1	1	1	1	1	1	30
31	1.0	1	1	1	1	1	1	1	1	1	1	1	31
MEAN	1.0	21.1	16.0	76.0	36.0	4.1	1	1	1	1	1	1	MEAN
MAX	1.0	157	157	157	157	21	1	1	1	1	1	1	MAX
MIN	0.0	1	1	1	1	1	1	1	1	1	1	1	MIN
AC. FT.	0.0	15.0	10.0	7.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	AC. FT.

WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT	MO	DAY	TIME	DISCHARGE	MINIMUM GAGE HT	MO	DAY	TIME	TOTAL ACRE FEET
1.0	1.0	1.0	1	1	1	1.0	1.0	1	1	1	1.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R MO B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE
			CF5	GAGE HT.	DATE			FROM	TO	
35 -7 01	121 55 04	SE 22N 1E				NOV 64-DATE	NOV 64-DATE	1		LOG. D
Station located .1 mi. above Mud Creek Bridge, .1 mi. S. of Chilo. Tributary to Sacramento River via San Carlos Creek.										

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1965	40000	MUD CREEK DIVERSION AT CHICO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			NR	NR									1
2			NR	NR									2
3			NR	NR									3
4			NR	NR									4
5			NR	NR									5
6			NR	NR									6
7			NR	NR									7
8			NR	NR									8
9			NR	NR									9
10			NR	NR									10
11			NR	NR									11
12			NR	NR									12
13			NR	NR									13
14			NR	NR									14
15			NR	NR									15
16			NR	NR									16
17			NR	NR									17
18			NR	NR									18
19			NR	NR									19
20			NR	NR									20
21			NR	NR									21
22			NR	NR									22
23			NR	NR									23
24			NR	NR									24
25			NR	NR									25
26			NR	NR									26
27			NR	NR									27
28			NR	NR									28
29			NR	NR									29
30			NR	NR									30
31			NR	NR									31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC FT													AC FT

## MONTHLY YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

- DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND NR

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
34° 11' N	101° 11' W	1000000				NOV 1965	NOV 1965	NOV 1965	NOV 1965	LOCAL	LOCAL

Station located on Mud Creek Diversion, 1.1 mi. NE of Chico. This is the diversion from Silver Channel, during periods of high water.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
WATER YEAR		STATION NO		STATION NAME									
1961		10148		WILCOX AVENUE BRIDGE, CHICAGO, ILL.									
DAILY MEAN DISCHARGE													
[IN CUBIC FEET PER SECOND]													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT													AC FT

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY.  
 — — E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39 45 42	101 48 06	SW16 NW 1E				NOV -- DATE	NOV -- DATE	1961			LOCAL
Station located .4 mi. above Wilcox Avenue Bridge, .4 mi. NE of Chicago. This is flow inverted from L.L. Channel, looking south of high water.											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC. FT.													AC. FT.

WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

— E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	DF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE NT	DATE						
								FROM TO			



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	2990	LINEA CHANNEL NEAR CHICO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													12
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													20
31													21
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT.													AC. FT.

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

— E AND \*

MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	ACRE FEET
29.0	29.0	14.5	1	4	0.0	1.0	1	1	1.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MDB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT	DATE						
39° 21'	121° 54' 41"	NW31 22N 1E	2990	14.5	1 4 50	JAN 50-DATE	JAN 56-DATE	1956	128.42	USED	
Station located 100 ft. below Grape Way bridge, 4.0 mi. W of Chico. Tributary to Sacramento River via Big Chico Creek. For total flow of Big Chico Creek near Mouth, combine the flow of Big Chico Creek at Chico.											

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1900	A-1000	GRINDSTONE CREEK NEAR LAK. CREEK

[illegible]

# A YEAR JOURNEY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
= — E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
1.0		1.0	10.0	1		1.0	1.0	10.0	1		1.0	17	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECDRD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 4 SEC T & R M D B & M	OF RECDRD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO DN GAGE	REF DATUM
			CFS	GAGE HT	DATE			FRDM	TD		
33 11	106 05	SL. BRIDGE				JUN 2 -JUL 2 AUG 2-OCT 2 OCT 2-NAVD	JUN 2-JUL 2 AUG 2-NAVD AUG 2-NAVD				
Station located on main channel below bridge, 1/2 mi. downstream. Tributaries to segment shown via Study Canal.											
Notes: 1. Station is located on main channel.											

TABLE B-5 (Cont.)  
DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1967	11-1	ELK CREEK, 1.2 MILES S. OF STONY CREEK

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.1 E	1.1	13	25	18								1
2	0.1 E	0.1 E	12	30	77								2
3	0.1 E	0.1 #	12	57	67								3
4	0.1 E	0.1 E	11	151	440*								4
5	0.1 E	0.1 E	11	497*	202								5
6	0.1 E	0.1 E	10	10	10								6
7	0.1 E	0.1 E	10	10	10								7
8	0.1 E	0.1 E	9.7*	100	75								8
9	0.1 E	0.1 E	24	10	61								9
10	0.1 E	0.1 E	5.0	20	21								10
11	0.1 #	0.1 E	9.7	7*	40								11
12	0.1 E	0.1 E	12	50	21								12
13	0.1 E	100 E	10	20	10								13
14	0.1 E	200 E	9.5	47	40								14
15	0.1 E	337 #	8.9	40	5								15
16	0.1 E	50 E	8.2	10	10								16
17	0.1 E	100 E	8.6	10	10								17
18	0.1 E	100 E	8.5	10	10								18
19	0.1 E	52 E	8.2	10	10								19
20	0.1 E	30 E	8.2	10	10								20
21	0.1 E	20 E	8.2	10	10								21
22	0.1 E	15 E	8.5	10	36								22
23	0.1 E	15 E	8.5	10	30								23
24	0.1 E	29 #	22	10	50								24
25	0.1 E	25	20	10	20								25
26	0.1 #	20	16	10	10								26
27	0.1 E	0	16	10	10								27
28	0.1 E	16	72	61	10								28
29	0.1 E	100	68	77	10								29
30	0.1 E	15	41	58	10								30
31	0.1 E		47	40	10								31
MEAN	0.1	58.6	17.3	134	91.7								MEAN
MAX	0.1 E	337 E	72	1251	440								MAX
MIN	0.1	0.1	8.2	61	10								MIN
AC FT	0.6	311	100	8260	4400								AC FT

WATER YEAR SUMMARY

E — ESTIMATED  
# — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
— — E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
100	7	1.0	1	17	00	10	1.0	1	17	00	1000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39° 13' N	100° 12' W	NELB 200 ft. ON	100	1.0	1/1/66	NOV 60-DATE	NOV 60-DATE	10	10	10	100.0
Station located 1.2 miles south of Elk Creek, 100 ft. downstream from Elk Creek - Stony Creek bridge. Triangulation point via Stony Creek.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1971	A 271	SACRAMENTO RIVER AT JRD FERRY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	1
2	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	2
3	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	3
4	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	4
5	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	5
6	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	6
7	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	7
8	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	8
9	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	9
10	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	10
11	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	11
12	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	12
13	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	13
14	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	14
15	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	15
16	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	16
17	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	17
18	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	18
19	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	19
20	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	20
21	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	21
22	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	22
23	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	23
24	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	24
25	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	25
26	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	26
27	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	27
28	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	28
29	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	29
30	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	30
31	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	31
MEAN	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	MEAN
MAX	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	MAX
MIN	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	MIN
AC FT.	1070	1050	1030	1040	1070	1120	10700	870	813	10800	11200	8800	AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND \*

MEAN	MAXIMUM	MINIMUM	TOTAL
DISCHARGE	DISCHARGE	GAGE HT	ACRE FEET
10700	10700	10700	1070000
1	1	1	1
6	6	6	6
1115	1115	1115	1115

LOCATION		MAXIMUM DISCHARGE				PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MOD B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM		
			CFS	GAGE HT	DATE							
34° 17' N	121° 07' W	14 SEC T & R MOD B & M	10700	10700	10700	10700	10700	10700	10700	10700	10700	USED
Station located on the Sacramento River at Jrd Ferry. A - Flow measured daily.												

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MEAN
MAX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MAX
MIN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN
AC FT.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC FT.

## ANNUAL YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
0.0	0.0	0.0	1	1	0.0	0.0	0.0	1	1	0.0	0.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
30° 23' 10"	100° 01' 10"	SEL: 17N 25				JAN 1 - DATE	JAN 25 - DATE				
Station located east of south end of weir, 1/4 mi. S. Princeton. Located at weir about 400 ft. S. U. S. G. G. station. Length of crest is 500 ft.											
* - Flood season only.											

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN MAX MIN AC. FT													MEAN MAX MIN AC. FT

E — ESTIMATED  
NR — NO RECORD  
" — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
= — E AND ?

[illegible][illegible]

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)																																	
DAILY MEAN DISCHARGE																																	
(IN CUBIC FEET PER SECOND)																																	
<table><tr><th colspan="4">WATER YEAR</th><th colspan="2">STATION NO</th><th colspan="4">STATION NAME</th></tr><tr><td colspan="4">1 4 SEC T &amp; R M D B &amp; M</td><td colspan="2">1 4 SEC T &amp; R M D B &amp; M</td><td colspan="4">1 4 SEC T &amp; R M D B &amp; M</td></tr></table>														WATER YEAR				STATION NO		STATION NAME				1 4 SEC T & R M D B & M				1 4 SEC T & R M D B & M		1 4 SEC T & R M D B & M			
WATER YEAR				STATION NO		STATION NAME																											
1 4 SEC T & R M D B & M				1 4 SEC T & R M D B & M		1 4 SEC T & R M D B & M																											
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY																				
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1																				
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2																				
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3																				
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4																				
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5																				
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6																				
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7																				
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8																				
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9																				
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10																				
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11																				
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12																				
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13																				
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14																				
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15																				
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16																				
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17																				
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18																				
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19																				
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20																				
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21																				
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22																				
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23																				
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24																				
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25																				
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26																				
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27																				
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28																				
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29																				
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30																				
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31																				
MEAN	0.0	0.0	0.0	155.0	207.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MEAN																				
MAX.	0.0	0.0	0.0	22700	3560	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MAX.																				
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.																				
AC FT.	0.0	0.0	0.0	55000	11470	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC FT.																				

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — = E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	ACRE FEET	
147		0.0		1	1	0.0		1	1	1730	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT	OATE						
34° 00' N	118° 00' W	11470	11470	11470	11470	JAN - DATE #	JAN 1 - DATE #	1930	0.00	USED	
Station located at head of weir, 2.5 mi. N of main. Elevation of weir crest is 61.00 ft. U.S.D. datum; length of crest is 1.50 ft.											
Flow gauge only.											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A0410	LITTLE CHICO CREEK DIVERSION NEAR CHICO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT.													AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

— E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD DF RECDRD		DATUM DF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO		STATION NAME									
1957		1031		LITTLE CHICK CREEK, DURHAM									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	75	41	23	40	50	60	70	80	90	100	110	120	1
2	64	17	231	40	50	60	70	80	90	100	110	120	2
3	59	2	243	41	50	60	70	80	90	100	110	120	3
4	61	2	283	40	50	60	70	80	90	100	110	120	4
5	65	2	417	26	40	50	60	70	80	90	100	110	5
6	74	47	412	19	50	60	70	80	90	100	110	120	6
7	74	2	208	2070	50	60	70	80	90	100	110	120	7
8	74	13	409	351	50	60	70	80	90	100	110	120	8
9	74	75	209	354	50	60	70	80	90	100	110	120	9
10	74	3	411	75	50	60	70	80	90	100	110	120	10
11	74	26	413	650	50	60	70	80	90	100	110	120	11
12	74	2	448	501	50	60	70	80	90	100	110	120	12
13	74	15	432	50	50	60	70	80	90	100	110	120	13
14	74	470	426	500	510	60	70	80	90	100	110	120	14
15	74	427	426	430	50	60	70	80	90	100	110	120	15
16	52	236	427	470	50	60	70	80	90	100	110	120	16
17	52	297	427	460	50	60	70	80	90	100	110	120	17
18	51	1030	426	460	50	60	70	80	90	100	110	120	18
19	49	618	426	413	50	60	70	80	90	100	110	120	19
20	50	50	231	398	47	50	60	70	80	90	100	110	20
21	50	363	234	371	50	60	70	80	90	100	110	120	21
22	49	370	237	375	50	60	70	80	90	100	110	120	22
23	51	270	214	361	50	60	70	80	90	100	110	120	23
24	72	543	280	343	50	60	70	80	90	100	110	120	24
25	65	483	453	352	427	50	60	70	80	90	100	110	25
26	56	362	356	321	473	50	60	70	80	90	100	110	26
27	56	314	315	311	411	50	60	70	80	90	100	110	27
28	59	424	463	307	394	50	60	70	80	90	100	110	28
29	49	271	781	252	50	60	70	80	90	100	110	120	29
30	40	255	610	62	50	60	70	80	90	100	110	120	30
31	43		523	470	50	60	70	80	90	100	110	120	31
MEAN	57.7	257	280	635	40	50	60	70	80	90	100	110	MEAN
MAX	77	1030	781	2640	50	60	70	80	90	100	110	120	MAX
MIN	27	17	208	307	40	50	60	70	80	90	100	110	MIN
AC FT	3552	1030	17740	4050	4050	4050	4050	4050	4050	4050	4050	4050	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 - - END -

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
40.1	40.1	40.1	40.1	40.1	40.1	40.1	40.1	40.1	40.1	40.1	17000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	DF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		ZERO ON GAGE
			CF5	GAGE HT	DATE				FROM	TO	
37° 57'	46° 30'	NW 1/4 24 N 2E	12500	12.50	6/1/64	JAN 20-DATE	JAN 20-DATE		12500		101.01
Station located 0.1 mi. below Ord-Chico Highway bridge, 0.6 mi. NW of Durham. Tributary to Little Chock Creek.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1960	10000	LITTLE CHIEF CREEK, NEAR GAGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													12
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX.
MIN													MIN.
AC FT													AC FT

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN DISCHARGE	MAXIMUM GAGE HT.	NO	DAY	TIME	MINIMUM GAGE HT.	NO	DAY	TIME	TOTAL ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
						JAN 50-DATE	DEC 50-DATE			UNITED

Discharge listed does not include this diversion.

(IN CUBIC FEET PER SECOND)

[illegible]

E - ESTIMATED  
NR - NO RECORD  
- DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
- E AND S

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
66.5	46.15	9.80	1	5	0120	1.2	3.03	4	21	1145	478.5

LOCATION			MAXIMUM DISCHARGE		PERIOD OF RECORD		DATING OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R N D B A M	OF RECORD		DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT			DATE	FROM	
39 27 53	121 44 37	HK34 10E 2E	15000 E 7650	13.80 11.25	10/13/62 1/ 5/65	JUL 66-1962	JUL 66-1962	1/60	86.20 USGS
Station located on Butte City Road Bridge, 2.1 mi. S of Richvale. Backwater from Cherokee Dam weir, 1.05 mi. below station, at times affects the stage-discharge relationship. Weir has 13 bays and is operated by the Richvale Irrigation District.									

Station located on Butte City Road Bridge, 2.1 mi. S of Richvale. Backwater from Cherokee Dam weir, 1.05 mi. below station, at times affects the stage-discharge relationship. Weir has 13 bays and is operated by the Richvale Irrigation District.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1997	W-27	BUTTE SLOUGH AT OUTFALL GATE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.1	1.1	2.1	5.1	1.1	2.1	1.1	1.1	1.1	1.1	1.1	1.1	1
2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	2
3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	3
4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	4
5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	5
6	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	6
7	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	7
8	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	8
9	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	9
10	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	10
11	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	11
12	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	12
13	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	13
14	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	14
15	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	15
16	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	16
17	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17
18	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	18
19	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	19
20	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	20
21	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	21
22	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	22
23	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	23
24	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	24
25	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	25
26	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	26
27	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	27
28	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	28
29	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	29
30	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	30
31	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	31
MEAN	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MEAN
MAX	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MAX
MIN	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MIN
AC. FT.	1.1	1.1	1.1	NR	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	AC. FT.

WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR

OBSERVATION OF FLOW MADE THIS DAY

- - E AND NR

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
NR	NR					NR					NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
39 11 N	121 30 W	NE35 1st 1st				JUN 2 - OCT 30 1997 JAN 3 - DATE	JUN 2 - DATE			1.00	USED
Station located 4.0 mi. E of Colusa, 5.7 mi. N of Meridian. Tributary to Sacramento River. Flow regulated by gravity culverts. These flows, together with the flow of Butte Slough at Watson Bridge and Wadsworth Canal near Sutter area, during the summer months, made up almost entirely of return water from lands irrigated by Feather River diversions.											
8 - Irrigation season only.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR STATION NO. STATION NAME													
1950-1951													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1						1200	1100	700	700	800	800	800	1
2						1200	1100	700	700	800	800	800	2
3						1200	1100	700	700	800	800	800	3
4						1200	1100	700	700	800	800	800	4
5						1200	1100	700	700	800	800	800	5
6						1200	1100	700	700	800	800	800	6
7						1200	1100	700	700	800	800	800	7
8						1200	1100	700	700	800	800	800	8
9						1200	1100	700	700	800	800	800	9
10						1200	1100	700	700	800	800	800	10
11						1200	1100	700	700	800	800	800	11
12						1200	1100	700	700	800	800	800	12
13						1200	1100	700	700	800	800	800	13
14						1200	1100	700	700	800	800	800	14
15						1200	1100	700	700	800	800	800	15
16						1200	1100	700	700	800	800	800	16
17						1200	1100	700	700	800	800	800	17
18						1200	1100	700	700	800	800	800	18
19						1200	1100	700	700	800	800	800	19
20						1200	1100	700	700	800	800	800	20
21						1200	1100	700	700	800	800	800	21
22						1200	1100	700	700	800	800	800	22
23						1200	1100	700	700	800	800	800	23
24						1200	1100	700	700	800	800	800	24
25						1200	1100	700	700	800	800	800	25
26						1200	1100	700	700	800	800	800	26
27						1200	1100	700	700	800	800	800	27
28						1200	1100	700	700	800	800	800	28
29						1200	1100	700	700	800	800	800	29
30						1200	1100	700	700	800	800	800	30
31						1200	1100	700	700	800	800	800	31
MEAN						1200	1100	700	700	800	800	800	MEAN
MAX						1200	1100	700	700	800	800	800	MAX
MIN						1200	1100	700	700	800	800	800	MIN
AC FT.						700000	700000	700000	700000	700000	700000	700000	AC FT.

WATER YEAR SUMMARY

E - ESTIMATED NR - NO RECORD * - DISCHARGE MEASUREMENT OR OBSERVATION OF FLOW MADE THIS DAY - E AND *	MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	NR	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	14-DATE	PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
					1 7 52	500					USED
Station located 100 ft. below Meridian Bridge, State Highway 40, immediately N.W. of Meridian. Flow estimates for irrigation season only.											
8 - Irrigation season only.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	ACQ-65	RECLAMATION DISTRICT TO DRAINAGE TO SACRAMENTO RIVER

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	5.4	0.0	0.0	34	36	11	0.0	30	18	31	61	1
2	5.4	5.4	0.0	26	23	37	0.0	8.0	17	16	40	48	2
3	30	5.4	0.0	11	0.0	11	0.0	35	10	15	47	59	3
4	22	5.4	0.0	0.0	24	0.0	0.0	48	7.0	15	31	44	4
5	16	5.4	0.0	22	57	0.0	0.0	57	12	15	32	31 E	5
6	11	20	27	0.0	57	0.0	0.0	51	24	15	34	39 E	6
7	11	0.0	11	25	41	36	0.0	45	31	16	35	21 E	7
8	11	23	14	17	30	37	0.0	44	31	17	37	22 E	8
9	11	19	20	0.0	31	11	0.0	41	44	18	35	25 E	9
10	11	0.0	11	0.0	34	0.0	0.0	36	55	17	20	33 E	10
11	11	0.0	12	0.0	36	0.0	0.0	43	40	18	36	31 E	11
12	11	0.0	20	22	11	0.0	27	52	24	33	20	28 E	12
13	11	0.0	20	32	0.0	0.0	11	69	18	30	26	28 E	13
14	11	0.0	0.0	33	26	26	0.0	61	10	21	25	25 E	14
15	11	19	0.0	10	37	37	0.0	50	0.0	20	34	25 E	15
16	11	0.0	0.0	0.0	37	11	0.0	35	0.0	20	28	22 E	16
17	11	0.0	0.0	0.0	11	0.0	26	53	0.0	20	11	22 E	17
18	11	0.0	0.0	0.0	0.0	0.0	11	31	0.0	31	24	22 E	18
19	11	0.0	0.0	25	26	0.0	37	33	2.8	16	11	22 E	19
20	5.4	0.0	0.0	35	37	26	18	25	6.2	33	16	18 E	20
21	0.0	0.0	21	30	24	37	5.0	21	1.5	16	25	13 E	21
22	5.4	0.0	23	0.0	0.0	29	4.0	24	0.0	19	18	13 E	22
23	11	0.0	0.0	0.0	0.0	0.0	0.0	17	3.2	16	22	18 E	23
24	11	14	0.0	18	26	0.0	0.0	7.0	50	42	30	22 E	24
25	11	0.0	0.0	28	37	0.0	0.0	0.0	26	21	30	22 E	25
26	5.4	27	16	5.6	11	0.0	0.0	19	21	21	46	13 E	26
27	5.4	11	13	0.0	0.0	0.0	7.0	32	16	41	36	13 E	27
28	5.4	0.0	0.0	0.0	0.0	0.0	31	24	15	46	43	22 E	28
29	5.4	0.0	0.0	0.0	0.0	0.0	0.0	32	19	19	46	25 E	29
30	5.4	0.0	0.0	16	0.0	0.0	0.0	34	20	35	54	25 E	30
31	5.4	0.0	0.0	36	0.0	0.0	0.0	33	43	47	47	25 E	31
MEAN	9.8	5.3	6.7	13	23	10	6.3	34	17	23	30	27	MEAN
MAX.	30	27	27	36	57	37	37	67	59	46	54	61	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	11	13	MIN.
AC FT.	602	117	410	781	1260	447	472	2100	1000	1534	1050	1600	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

- E AND \*

MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	NO.	DAY	DISCHARGE	GAGE HT.	NO.	DAY	ACRE FEET
17.3	NR				NR				12500

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
39 24 00	121 51 43	NE16 14-N 1E				MAY 24-OCT 38 E JAN 39-DATUM				

Plant located 1.7 mi. E of Grimes. This is drainage returned by pumping and gravity. Plant also discharges to irrigation canals.

E - Irrigation season only.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)														WATER YEAR		STATION NO.		STATION NAME	
DAILY MEAN DISCHARGE														1966		A00960		TISDALE WEIR SPILL TO SUTTER BYPASS	
(IN CUBIC FEET PER SECOND)																			
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY						
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1						
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2						
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3						
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4						
5	0.0	0.0	0.0	223	3919	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5						
6	0.0	0.0	0.0	8473	5356	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6						
7	0.0	0.0	0.0	11020	4700	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7						
8	0.0	0.0	0.0	8304	3185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8						
9	0.0	0.0	0.0	6861	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9						
10	0.0	0.0	0.0	5880	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10						
11	0.0	0.0	0.0	3750	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11						
12	0.0	0.0	0.0	1172	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12						
13	0.0	0.0	0.0	172	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13						
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14						
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15						
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16						
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17						
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18						
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19						
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20						
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21						
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22						
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23						
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24						
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25						
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26						
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27						
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28						
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29						
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30						
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31						
MEAN	0.0	0.0	0.0	1479	621	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MEAN						
MAX.	0.0	0.0	0.0	11020	5356	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MAX.						
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.						
AC. FT.	0.0	0.0	0.0	90052	34463	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC. FT.						

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY.  
 — — E AND °

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACR. FEET	
175		11500	48.24	1	7	0600						125400	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	FROM	TO	ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE							
39 01 36	121 49 16	HE35 14W 12	25700	53.3	3/1/40	JAN 40-DATE #	JAN 35-DATE #	1935			0.00	USED
Station located W of N end of weir, 5.0 mi. SE of Grimes. See Sacramento River at Tisdale Weir for stage records. Elevation of weir crest is 45.45 ft. U.S.E.D. datum; length of crest is 1,155 ft. Backwater from Sutter Bypass at times affects stage-discharge relationship. Maximum gage height listed does not necessarily indicate maximum discharge. # — Flood season only.												



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A-50	SACRAMENTO RIVER ABOVE RECLAMATION DISTRICT 108 PUMPING PLANT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	100					100	100	100	100	100	100	100	1
2	100					100	100	100	100	100	100	100	2
3	100					100	100	100	100	100	100	100	3
4	100					100	100	100	100	100	100	100	4
5	100					100	100	100	100	100	100	100	5
6	100					100	100	100	100	100	100	100	6
7	100					100	100	100	100	100	100	100	7
8	100					100	100	100	100	100	100	100	8
9	100					100	100	100	100	100	100	100	9
10	100					100	100	100	100	100	100	100	10
11	100					100	100	100	100	100	100	100	11
12	100					100	100	100	100	100	100	100	12
13	100					100	100	100	100	100	100	100	13
14	100					100	100	100	100	100	100	100	14
15	100					100	100	100	100	100	100	100	15
16	100					100	100	100	100	100	100	100	16
17	100					100	100	100	100	100	100	100	17
18	100					100	100	100	100	100	100	100	18
19	100					100	100	100	100	100	100	100	19
20	100					100	100	100	100	100	100	100	20
21	100					100	100	100	100	100	100	100	21
22	100					100	100	100	100	100	100	100	22
23	100					100	100	100	100	100	100	100	23
24	100					100	100	100	100	100	100	100	24
25	100					100	100	100	100	100	100	100	25
26	100					100	100	100	100	100	100	100	26
27	100					100	100	100	100	100	100	100	27
28	100					100	100	100	100	100	100	100	28
29	100					100	100	100	100	100	100	100	29
30	100					100	100	100	100	100	100	100	30
31	100					100	100	100	100	100	100	100	31
MEAN	100					100	100	100	100	100	100	100	MEAN
MAX	100					100	100	100	100	100	100	100	MAX
MIN	100					100	100	100	100	100	100	100	MIN
AC FT.	100					100	100	100	100	100	100	100	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

- - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
38° 45' N	121° 45' W	14 SEC. T & R M D B & M				MAR 55-DATE 8	FEB 55-DEC 55 FEB 55-MAY 55 NOV 55-DATE			

Notes: 1. The flow was measured at the 14 sec. T & R M D B & M District drainage pumping plant, 6.5 mi. W of Robbins. Flow is reported for 14 sec. T & R only should it be considered to have the same degree of accuracy as other records published in this report.

2. - Irrigation canal only.



TABLE B-5 (Cont.)  
DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO.		STATION NAME									
1981		1000		SACRAMENTO RIVER AT ROBBINS									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	26.0	17.0	11.0	14.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	1
2	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	2
3	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	3
4	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	4
5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	5
6	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	6
7	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	7
8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	8
9	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9
10	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10
11	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	11
12	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	12
13	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	13
14	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	14
15	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	15
16	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	16
17	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	17
18	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	18
19	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	19
20	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	20
21	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	21
22	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	22
23	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	23
24	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	24
25	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	25
26	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	26
27	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	27
28	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	28
29	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	29
30	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	30
31	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	31
MEAN	26.0	17.0	11.0	14.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	MEAN
MAX	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	MAX
MIN	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	MIN
AC FT	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	AC FT

WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
± — E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
10.0		NR					NR					10.0	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T. & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 31.45	121 47 00	N230 12N 2E				APR 24-OCT 30 81 JAN 30-DATUM					
Plant located 4.5 mi. E. of Robbins. This is arid zone returns by pumping. Pumping hours vary and figures shown are not necessarily daily flows. See Sacramento River near Rough and Ready Bend for stage in river. Additional water is sometimes returned to Colusa Basin Drain.											
8 - Irrigation season only.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	12555	RECLAMATION DISTRICT 787 DRAINAGE TO SACRAMENTO RIVER

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN	3.4	3.4	6.3	9.0	11.7	5.0	11.4	70.8	43.6	43.6	46.7	17.8	MEAN
MAX.													MAX.
MIN.													MIN.
AC FT	210	202	384	553	663	310	677	4354	2995	2646	2874	1058	AC FT

RECORDS SUFFICIENT TO COMPUTE ONLY DAILY FLOWS

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

- DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

- E AND NR

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
42.7	NR					NR					16530

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M. D. B. & A.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 50 47	121 43 46	NE 3/4 12N 2E				MAY 10-DATE					
Plant located 2.1 mi. SW of Robbins. This is drainage returned by pumping. Daily distribution of flows is not available since the plant operates on an automatic float switch. Additional water returned to Colusa Basin Drain.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	AGC-76	COLUMBA BASIN DRAIN AT HIGHWAY 20

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	306	265	192	358	491	299	527 E	268	629	283	801	1390	1
2	304	235	177	333	897	167 E	517 E	535	614	272	777	1290	2
3	267	225	172	319	794	196 E	507 E	751	593	273	636	1220	3
4	262	270	159	1690	183	183	497 E	791	598	301	645	1170	4
5	262	280	154	1370	2000	180 E	487 E	1120	584	327	647	1120	5
6	296	278	149	1380	1800	179 E	374 E	1160	657	323	660	1120	6
7	296	302	146	952	1570	175 E	259 E	1130	714	325	647	1170	7
8	248	382	146	713	1650	178 E	277 E	1160	753	373	677	1560	8
9	231	364	160	611	753	172 E	245	1240	779	321	647	1000	9
10	220	354	HR	522	552	170 E	325	1440	706	475	781	936	10
11	219	321	HR	502	421	169 E	400	1610	666	461	708	851	11
12	201	330	HR	433	337	167 E	350	1630	668	536	698	810	12
13	202	459	HR	383	302	164 E	234	1530	517	580	726	751	13
14	221	657	HR	HR	298	162 E	168	1370	381	599	743	668	14
15	207	1030	HR	HR	278	160 E	105	1200	322	647	747	616	15
16	196	1140	HR	HR	251	159 E	97	1060	182 *	677	621	572	16
17	197	1120	197 #	HR	227 *	157 E	125	890	244	668	664	595	17
18	185	1260 *	201	HR	217	155 E	201	800	299	641	698 *	517	18
19	179	1250	196	216	251	154 E	230	657	306	593	734	521	19
20	193	933	215	200	288	152 E	145 *	498	299	572	741	444 *	20
21	194	621	206	189	251	151 E	68	461	254	585	723	383	21
22	193	486	201	175	240	149 E	106	499	316	612	760	323	22
23	217	411	178	160	288	147 #	199	534	363	568	773	270	23
24	233	346	182	158	294	189 E	196	489	405	523	862	277	24
25	290 *	319	218	150	272	236 E	189	499	408	546	913	266	25
26	277	282	192	150	259	282 E	538	491 *	346	525 *	567	253	26
27	265	189	143	143	251	330 E	1520	460	345	513	1010	250	27
28	264	227	270	202	244	381 E	649	488	333	546	1030	218	28
29	296	210	696	132	132	432 E	152	520	302	587	1050	206	29
30	253	196	519	272	474	463 E	141	598	273	567	1120	197	30
31	265		417	474		438 E		604		704	1220		31
MEAN	233	500	HR	HR	593	217	327	860	461	406	746	680	MEAN
MAX.	306	1260	HR	HR	2000	598 E	1520	1630	763	704	1220	1330	MAX.
MIN.	179	196	HR	HR	217	147 E	97	266	182	272	645	197	MIN.
AC. FT.	14350	20770	HR	HR	22440	12960	15480	52960	27430	24270	48920	40430	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY.  
 # - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL	
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE	FEET
HR	HR					HR					HR	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	1:4 SEC. T. & R. M.D.B. & S.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE				FROM	TO		
39 11 44	122 03 34	NE34 16N 2M	3140	51.93 49.38	2/21/58 1/ 8/65	JUN 24-DEC 40 E MAY 41-DATE	JUN 24-DEC 40 F MAY 41-DATE		1957	1957	37.09 0.00	USED USED

Station located at State Highway 20 bridge, 3.0 mi. W of Columba. Flow is return water in main drain of Reclamation District 2047, chiefly drainage from irrigation districts.

E - Irrigation season only.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	111N 25	COLLIER'S DRAIN AT KNIGHTS LANDING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT.													AC. FT.

WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
31											100

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO DH GAGE	REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
38° 47' 20"	121° 43' 20"	SNL 111N 25	31	5.0	2/1/62	MAY 26-OCT 31 JAN 1-DATE	MAY 26-OCT 31 JAN 1-DATE		1.0	1.0	USNG
Station located at Knights Landing Outfall Gates, 1.5 mi. W of Knights Landing. Tributary to Sacramento River. Flow regulated by outfall gates. An undetermined amount of flow is diverted to Yli Byways via Ridge Cut at Knights Landing. For total flow to Sacramento River, combine the flow of Reclamation District 774 to Colusa Basin Drain; maximum flow Knight lists does not indicate maximum discharge.											
* — Irrigation season only.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1960		REGIMENTAL DAM SITE - 1/2 MILE S. OF KNIGHTS LANDING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MEAN
MAX.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.
AC. FT.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC. FT.

RECORD SUFFICIENT TO COMPUTE DAILY MONTHLY FLOWS

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND \*

MEAN DISCHARGE	MAXIMUM DISCHARGE	MAXIMUM GAGE HT.	MO.	DAY	TIME	MINIMUM DISCHARGE	MINIMUM GAGE HT.	MO.	DAY	TIME	TOTAL ACRE FEET
NR	NR	NR				NR	NR				NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
33° 43' 30"	121° 43' 45"	N 1/4 Sec. 2E				JAN 1 - DATE					
Plant located 0.3 mi. W. of Knights Landing. This is a power plant returned by pumping between Knights Landing, Gravel Gulch, and Sacramento River. Daily distribution of flows is not available since the plant operates on an automatic flow switch. Additional water is returned to Sacramento River.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A02930	FREMONT WEIR SPILL TO YOLO BYPASS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MEAN
MAX.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.
AC. FT.													AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

S - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
0.0	0.0		1	1	0000	0.0		10	1	0000	0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
			294000		12/23/55	JAN 35-DATE		FROM TO			

See Sacramento River at Fremont Weir, East End, and Sacramento River at Fremont Weir, West End, for stage records and locations. Elev. of weir crest is 33.50 ft. USED datum: length of crest is 9,120 ft.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	180	136	342	1180	1110	682	414	313	50	206	225	NR	1
2	180	127	225	1180	1160	470	415	303	200	209	235	NR	2
3	194	116	209	1027	1230	375	417	325	265	219	260	NR	3
4	130	110	260	247	1300	299	399	375	54	227	279	NR	4
5	122	111	273	1070	1400	248	349	460	267	201	276	NR	5
6	117	112	272	2540	2120	292	276	502	28	219	269	NR	6
7	112	111	264	12600	2330	249	240	524	240	218	276	NR	7
8	112	113	254	12000	2570	254	222	475	241	223	277	NR	8
9	107	118	256	2180	2440	257	275	589	304	221	280	NR	9
10	104	128	247	5800	2220	292	247	512	260	221	291	NR	10
11	103	131	232	4090	1710	437	305	452	269	232	243	NR	11
12	104	130	240	3360	1380	674	371	469	254	279	279	NR	12
13	103	141	250	2840	1070	634	361	401	254	259	274	NR	13
14	107	181	242	2420	309	527	341	487	266	286	252	NR	14
15	100	248	267	2020	774	539	243	466	71	331	219	NR	15
16	108	350	274	1710	670	559 *	209	422	278 *	298	223	NR	16
17	103	561	281	1530	592 *	611	435	391	252	301	221	NR	17
18	114	654 *	277	1300	481	669	370	370	233	321	226 *	NR	18
19	120	855	276	1200	427	695	414	345	238	322	225	NR	19
20	127 *	1000	292	1210	420	767	473	583	245	307	149	NR	20
21	127	1088	295	1120	628	807	299	239	252	304	221	NR	21
22	127	976	291	1040	513	784	227	220	253	312	249	NR	22
23	126	849	281 *	962	389	753	216	218	228	314	253	NR	23
24	126	741	274	903	362	705	242	218	212	311	NR	NR	24
25	125	561	277	849 *	471	648	246	182 *	190	276	NR	NR	25
26	124	982	299	792	774	648	227	233	272	260 *	NR	NR	26
27	126	1002	327	739	916	444	347	259	321	255	NR	NR	27
28	128	960	367	682	841	434	397	259	271	256	NR	NR	28
29	129	902	501	639		473	311 *	252	233	259	NR	NR	29
30	121	738	853	680		436	302	238	210	274	NR	NR	30
31	133		1100	955		452		228		271	NR	NR	31
MEAN	124	488	327	2564	1122	515	311	399	260	263	NR	NR	MEAN
MAX.	108	1068	1100	12800	2570	807	417	589	321	331	NR	NR	MAX.
MIN.	103	110	209	639	252	222	209	182	150	201	NR	NR	MIN.
AC. FT.	7650	20050	20050	157700	22300	31600	16200	20000	15470	16100	NR	NR	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION OF FLOW MADE THIS DAY.

- E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
NR		14500	54.76	1	7	2040	NR					NR	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	14 SEC. T & R M.D.R. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT.	DATE			FROM	TO			
39 11 14	121 54 28	SW 34 16N 1E				JAN 29-DATE	NOV 34-MAY 37 #	1934		0.00	USED	
Station located at West Butte-Meridian Highway bridge, 3.0 mi. N of Meridian. Tributary to Butte Bypass. Flow affected by gate operation. Flow during summer months is made up almost entirely of return water from lands irrigated by Feather River diversions. During flood periods, Sacramento River water enters Butte Basin above Butte City by bank spill and spill over Moulton and Colusa Weirs.												
# - Flood season only.												



(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	17	13	10	10	10	10	10	10	10	10	10	10	1
2	17	13	10	10	10	10	10	10	10	10	10	10	2
3	17	13	10	10	10	10	10	10	10	10	10	10	3
4	17	13	10	10	10	10	10	10	10	10	10	10	4
5	17	13	10	10	10	10	10	10	10	10	10	10	5
6	17	13	10	10	10	10	10	10	10	10	10	10	6
7	17	13	10	10	10	10	10	10	10	10	10	10	7
8	17	13	10	10	10	10	10	10	10	10	10	10	8
9	17	13	10	10	10	10	10	10	10	10	10	10	9
10	17	13	10	10	10	10	10	10	10	10	10	10	10
11	17	13	10	10	10	10	10	10	10	10	10	10	11
12	17	13	10	10	10	10	10	10	10	10	10	10	12
13	17	13	10	10	10	10	10	10	10	10	10	10	13
14	17	13	10	10	10	10	10	10	10	10	10	10	14
15	17	13	10	10	10	10	10	10	10	10	10	10	15
16	17	13	10	10	10	10	10	10	10	10	10	10	16
17	17	13	10	10	10	10	10	10	10	10	10	10	17
18	17	13	10	10	10	10	10	10	10	10	10	10	18
19	17	13	10	10	10	10	10	10	10	10	10	10	19
20	17	13	10	10	10	10	10	10	10	10	10	10	20
21	17	13	10	10	10	10	10	10	10	10	10	10	21
22	17	13	10	10	10	10	10	10	10	10	10	10	22
23	17	13	10	10	10	10	10	10	10	10	10	10	23
24	17	13	10	10	10	10	10	10	10	10	10	10	24
25	17	13	10	10	10	10	10	10	10	10	10	10	25
26	17	13	10	10	10	10	10	10	10	10	10	10	26
27	17	13	10	10	10	10	10	10	10	10	10	10	27
28	17	13	10	10	10	10	10	10	10	10	10	10	28
29	17	13	10	10	10	10	10	10	10	10	10	10	29
30	17	13	10	10	10	10	10	10	10	10	10	10	30
31	17	13	10	10	10	10	10	10	10	10	10	10	31
MEAN MAX. MIN. AC. FT.	185 180 7 1018	175 170 4 1718	165 160 3 1618	155 150 2 1518	145 140 1 1418	135 130 0 1318	125 120 -1 1218	115 110 -2 1118	105 100 -3 1018	95 90 -4 918	85 80 -5 818	75 70 -6 718	MEAN MAX. MIN. AC. FT.

INTER YEAR 2006-07

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY  
— — F.A.D. 7

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL
	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
1.0	1.0					1.0					1.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
35 00 10	102 44 00	WELLS FARGO RD	1110	11.00	11-10-50	1948-11-50	1948-11-50	1-11	1-11	11.00	11.00

Station located on downstream bank of Santa Rita Res. Branch, 1/4 mile S of center. Tributary to Sutter System. Measurements were not taken here but necessarily indicate maximum discharge. This station was one of several constructed on the right bank of canal. This flow was caused by water from Sutter By-pass and by water Feather River contributed to the main channel. This record, January 1948 to March 1950, will not site approximately 100 ft. upstream.



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961-62	100	FEARLESS RIVER, 1.5 MI. GRAVITY GAGE, 1.5 MI. S. OF YUBA CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC FT.													AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED  
 NR — NO RECORD  
 \* — DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY  
 — E AND R

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
7.1	40	1.0				1.1	1.0	10	1	10	1.1

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE				FROM	TO	
39° 11' 27"	121° 14' 35"	INLET L&N 2E				MAY 24-DATE					USED
Plant located .9 mi. SW of Yuba City, 0.5 mi. E of Grimes. This is drainage returned by gravity.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	AC0243	RECLAMATION DISTRICT 1660 DRAINAGE TO TIDALE BYPASS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	39	0.0	15	13	50	13	5.4	23	25	24	24	25	1
2	28	0.0	21	22	31	19	0.2	28	23	15	24	20	2
3	26	0.0	23	31	41	21	2.1	40	29	25	24	33	3
4	22	0.0	21	31	53	20	2.1	36	23	27	24	25	4
5	19	5.4	18	31	61	18	2.1	37	30	20	24	26	5
6	24	5.4	19	29	62	20	2.2	28	35	15	24	33	6
7	21	5.4	16	28	62	18	2.3	29	30	21	24	32	7
8	20	5.4	16	58	60	17	2.5	35	36	21	24	30	8
9	20	5.4	16	49	53	16	5.0	36	29	21	24	29	9
10	19	16	16	42	52	16	13	41	22	24	24	30	10
11	19	10	16	45	44	16	14	41	30	23	26	23	11
12	19	9.2	18	41	46	13	13	39	22	15	21	26	12
13	19	5.2	17	41	35	12	9.3	36	22	24	24	23	13
14	16	2.7	17	36	31	15	11	23	20	26	20	29	14
15	16	1.7	17	34	42	14	10	26	20	24	24	26	15
16	16	1.7	17	29	28	11	5.9	25	11*	24	29	23	16
17	0.0	19	16	33	0.0	12	6.4	26	21	24	26	23	17
18	5.1	13	16	36	26	12	4.8	26	21	24	26	21	18
19	1.7	10	16	31	23	12	6.9	21	32	24	24	16	19
20	1.7	2.7	16	24	24	12	9.9	25	23	24	16	20	20
21	1.8	10	16	24	23	11	18	24	22	19	21	21	21
22	1.6	12	16	24	18	11	39	35	23	17*	26	21	22
23	9.5	14	15	20	20	12	20	28	23	22	21	19	23
24	8.7	16	16	29	19	12	18	23	29	24	27	14	24
25	5.2	18	16	20	19	15	20	24	15	16	23	15	25
26	5.4	18	15	21	17	22	20	24	21	21	23	15	26
27	5.4	15	15	21	12	1.5	43	31	22	23	26	14	27
28	0.0	13	16	21	11	9.8	18	25	35	23	26	12	28
29	0.0	14	20	0.0		9.1	23	26	23	24	22	14	29
30	0.0	15	19	16		5.2	27	31	20	24	22	14	30
31	0.0		18	17		6.0		30		24	24*		31
MEAN	12.4	8.7	17.0	29.1	34.2	13.0	12.7	29.6	25.7	21.0	23.0	22.5	MEAN
MAX.	30	19	23	58	62	22	43	41	36	27	28	33	MAX.
MIN.	0.0	0.0	15	0.0	0.0	1.5	2.1	21	15	1.1	16	12	MIN.
AC. FT.	762	520	1045	1791	1888	837	754	1832	1531	1349	1414	1327	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR  
 OBSERVATION OF FLOW MADE THIS DAY.  
 - E AND \*

MEAN DISCHARGE	MAXIMUM	MINIMUM	TOTAL
AC. FT.	DISCHARGE GAGE HT. MO. DAY TIME	DISCHARGE GAGE HT. MO. DAY TIME	AC. FT.
15070			15070

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R N O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
33° 01' 44"	121° 46' 53"	SE30 14N 22E				JAN 25-DATE				
Plant located on north levee of Tisdale Bypass, 2.1 mi. E of Tisdale Weir, 6.3 mi. SE of Grimes. This is drainage returned by pumping and gravity.										

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	AG-200	RECLAMATION DISTRICT 1500 DRAINAGE TO SACRAMENTO SLOUGH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	107	25	0.0	111	108	61	26	0.0	264	280	322	431	1
2	120	33	46	119	108	58	29	169	266	285	280	121	2
3	101	45	41	92	127	56	17	248	272	281	359	363	3
4	82	18	41	124	191	44	0.0	0.0	280	285	452	668	4
5	95	81	45	111	154	57	0.0	138	274	278	500	575	5
6	91	25	39	93	161	49	0.0	313	269	269	348	543	6
7	87	30	39	115	164	53	0.0	363	232	251	344	504	7
8	79	19	37	121	159	49	28	665	399	250	351	428	8
9	75	21	37	128	155	43	30	478	371	236	336	715	9
10	71	0.0	37	120	137	52	52	492	356	226	330	427	10
11	66	63	26	133	118	51	59	557	197	213	316	533	11
12	69	77	120	121	119	48	89	521	217	196	327	351	12
13	55	13	43	15	108	47	56	453	248	164	319	302	13
14	57	0.0	36	116	97	48	53	314	280	148	425	297	14
15	0.0	0.0	43	116	85	52	47	353	306	104	353	46	15
16	20	0.0	43	105	82	56	16	292	312	154	398	0.0	16
17	24	0.0	46	86	78	56	80	316	324	109	341	169	17
18	141	39	41	48	80	56	65	325	326	233	260	153	18
19	59	119	60	72	88	48	57	363	319	154	284	157	19
20	51	63	30	64	64	48	65	334	308	155	310	175	20
21	45	71	41	156	72	65	65	297	315	210	391	157	21
22	43	56	39	84	76	32	92	297	311	210	262	147	22
23	38	52	36	80	58	48	78	130	364	219	258	110	23
24	44	64	34	72	68	222	95	276	297	228	322	86	24
25	42	80	39	72	64	22	62	306	294	253	270	85	25
26	37	64	38	80	62	0.0	49	523	299	292	270	69	26
27	42	60	41	83	59	0.0	280	235	286	352	332	61	27
28	39	60	92	64	59	0.0	165	231	287	371	381	67	28
29	37	60	48	65	65	0.0	111	231	288	364	332	31	29
30	34	48	103	155	52	0.0	0.0	237	283	292	389	30	30
31	51	111	111	92	26	26	258	258	213	213	407	31	31
MEAN	61.4	42.9	47.8	97.2	104	40.3	58.9	316	292	236	342	261	MEAN
MAX.	120	119	120	156	191	222	280	665	399	371	500	715	MAX.
MIN.	0.0	0.0	0.0	15	58	0.0	0.0	0.0	197	260	260	0.0	MIN.
AC. FT.	2773	2551	2940	6276	5770	2940	2553	17450	17500	14610	21050	15540	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
- - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
- - E AND NR

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRES FEET
159	DISCHARGE	GAGE HT.	MO	DAY	DISCHARGE	GAGE HT.	MO	DAY	115400
	HR				HR				

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.					FROM	TO	
38 47 05	121 39 18	NE20 11N 3E				APR 30-OCT 38 E					
						JAN 30-DATUM					
Plant located on west levee of Sutter Bypass, 3.7 mi. SE of Knights Landing. This is drainage returned by pumping and gravity.											
8 - Irrigation season only.											
Note: Portions of gravity flows computed from estimated gage heights.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	2-000	LACRAMBERT, LACRAMBERT RIVER

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1							7.4	77		7	77	124	1
2							8	75		7	77	124	2
3							8	75		7	77	124	3
4							8	75		7	77	124	4
5							8	75		7	77	124	5
6							8	75		7	77	124	6
7							8	75		7	77	124	7
8							8	75		7	77	124	8
9							8	75		7	77	124	9
10							8	75		7	77	124	10
11							8	75		7	77	124	11
12							8	75		7	77	124	12
13							8	75		7	77	124	13
14							8	75		7	77	124	14
15							8	75		7	77	124	15
16							8	75		7	77	124	16
17							8	75		7	77	124	17
18							8	75		7	77	124	18
19							8	75		7	77	124	19
20							8	75		7	77	124	20
21							8	75		7	77	124	21
22							8	75		7	77	124	22
23							8	75		7	77	124	23
24							8	75		7	77	124	24
25							8	75		7	77	124	25
26							8	75		7	77	124	26
27							8	75		7	77	124	27
28							8	75		7	77	124	28
29							8	75		7	77	124	29
30							8	75		7	77	124	30
31							8	75		7	77	124	31
MEAN							11.6	100	7.5	1.77	11.6	12.4	MEAN
MAX							11.6	100	7.5	1.77	11.6	12.4	MAX
MIN							11.6	100	7.5	1.77	11.6	12.4	MIN
AC FT							11.6	100	7.5	1.77	11.6	12.4	AC FT

E - ESTIMATED

NR - NO RECORD

- DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

- E AND R

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
											7.5

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MO B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	OATE						
						JUN - OCT - 11 JAN - DATE	APR - 5 - DEC - 8 APR - 5 - DATE				
Station located at Lacrambert, 11 mi. N. of Lacrambert Landing. During this record, combined flows of latter Bygonia and Lacrambert Rivers. During this time (shown on map) the 14 sec. is entirely submerged at its base within the bygonia area. Station is on Lacrambert River at its mouth or negative flow. 1 - 14 sec. measurement is negative flow. 2 - 14 sec. 3 - 14 sec. measurement is negative flow. Note: Particulars regarding station construction are on file.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR														STATION NO.		STATION NAME	
1966														455424		LITTLE LAST CHANCE CREEK FLOW FRENCHMAN DAM	
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY				
1	8.4	4.4	2.0	2.0	2.0	2.0	2.0	13	4.7	2.1	1.7	2.0	1				
2	9.8	4.2	2.0	2.0	2.0	2.0	2.0	25	4.9	2.0	1.1	2.0	2				
3	8.9	4.2	2.0	2.0	2.0	2.0	2.0	32	4.9	2.0	7.6	2.0	3				
4	8.2	4.2	2.0	2.0	2.0	2.0	2.0	32	4.6	2.0	6.0	2.0	4				
5	7.9	4.2	2.0	2.0	2.0	2.0	2.0	32	4.2	2.0	4.3	2.0	5				
6	7.4	4.2	2.0	2.0	2.0	2.0	1.8	32	4.1	2.0	7.0	2.0	6				
7	5.7	4.2	2.0	2.0	2.0	2.0	4.8	32	4.1	2.0	2.0	2.0	7				
8	5.7	4.2	2.0	2.0	2.0	2.0	4.8	32	6.6	2.0	2.0	2.0	8				
9	3.4	4.2	2.0	2.0	2.0	2.0	4.8	4.3	8.3	2.0	2.0	2.0	9				
10	2.7	5.0	2.0	2.0	2.0	2.0	4.8	5.0	8.3	2.0	2.0	2.0	10				
11	2.1	2.0	2.0	2.0	2.0	2.0	4.8	32	8.3	2.0	1.9	2.0	11				
12	7.2	2.0	2.0	2.0	2.0	2.0	4.8	1.9	8.2	2.0	1.9	2.0	12				
13	1.0	2.0	2.0	2.0	2.0	2.0	4.7	37	8.2	2.0	1.9	2.0	13				
14	9.6	2.0	2.0	2.0	2.0	2.0	4.7	27	9.2	2.0	1.9	2.0	14				
15	9.0	2.0	2.0	2.0	2.0	2.0	5.0	2.0	9.8	2.9	1.3	2.0	15				
16	8.0	2.0	2.0	2.0	2.0	2.0	5.3	1.6	8.8	3.8	9.2	2.0	16				
17	7.0	2.0	2.0	2.0	2.0	2.0	5.3	6.8	7.7	3.8	9.1	2.0	17				
18	8.4	2.0	2.0	2.0	2.0	2.0	5.9	8.7	7.1	3.8	8.7	2.0	18				
19	7.1	2.0	2.0	2.0	2.0	2.0	5.2	8.7	5.2	3.8	8.6	2.0	19				
20	1.1	2.0	2.0	2.0	2.0	2.0	5.2	9.2	2.7	5.0	8.6	0.7	20				
21	1.0	2.0	2.0	2.0	2.0	2.0	4.2	9.5	2.7	7.0	8.6	0.0	21				
22	9.2	2.0	2.0	2.0	2.0	2.0	3.5	9.5	2.7	9.2	8.6	0.0	22				
23	8.7	2.0	2.0	2.0	2.0	2.0	4.8	11.3	2.7	11.1	8.6	0.0	23				
24	8.3	2.0	2.0	2.0	2.0	2.0	4.8	13.1	2.2	11.0	8.6	0.0	24				
25	7.7	2.0	2.0	2.0	2.0	2.0	4.4	13.1	1.1	11.0	8.6	0.0	25				
26	7.7	2.0	2.0	2.0	2.0	2.0	3.0	13.1	1.1	14.4	8.6	0.0	26				
27	7.9	2.0	2.0	2.0	2.0	2.0	1.4	13.0	1.0	16.4	8.6	0.0	27				
28	7.4	2.0	2.0	2.0	2.0	2.0	1.4	9.3	1.0	16.3	8.4	0.0	28				
29	7.3	2.0	2.0	2.0	2.0	2.0	1.4	6.3	1.0	16.2	8.2	1.2	29				
30	7.7	2.0	2.0	2.0	2.0	2.0	1.3	6.3	5.4	16.1	8.2	2.3	30				
31	7.3	2.0	2.0	2.0	2.0	2.0		6.2		12.2	4.5		31				
MEAN	7.7	2.7	2.0	2.0	2.0	2.0	34.1	61.5	68.8	48.6	22.7	1.4	MEAN				
MAX	11	5.4	2.0	2.0	2.0	2.0	5.3	13.1	9.8	16.4	10.2	2.3	MAX				
MIN	2.1	2.0	2.0	2.0	2.0	2.0	2.0	1.3	5.4	2.0	4.5	0.0	MIN				
AC. FT.	470	163	123	123	111	123	2031	3779	2905	2986	1398	84	AC FT.				

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLOW MADE THIS DAY

- E AND \*

MEAN		MAXIMUM						MINIMUM						TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO	DAY	TIME		DISCHARGE	GAGE HT.	MO	DAY	TIME		ACRE FEET	
19.7		164	2.92	7	26	0840		0.0		10	10	0840		14200	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B & N.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
36° 11' N	111° 11' W	N. 111° 11' W. E.	1.0			1000	11.0				
Station located at top of Frenchman Dam, 1.1 miles upstream from Little Last Chance Creek. At times, extremely heavy rainfall in this area has caused the dam to overflow and contribute additional flow.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A55520	LITTLE LAST CHANCE CREEK NEAR CHILCOOT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	8.0E	5.3	2.1E	1.8E	1.9	1.9E	3.8	14	64	1.6	95	1.7	1
2	9.8E	4.1	2.1E	1.8E	1.9E	1.9E	3.7	24	44	1.7	94	1.6	2
3	9.5E	3.8	2.1E	1.9E	2.0	1.8E	3.4	33	53	1.7	73	1.6	3
4	8.8E	4.1	2.1E	2.0E	2.1	1.9E	3.2	33	51	1.7	56	1.7	4
5	8.4E	4.1	2.1E	2.0E	2.1	2.0	3.0	33	46	1.5	43	1.8	5
6	6.7	4.1	2.1E	2.1E	2.0E	2.1	16	33	45	1.4	20	1.8	6
7	6.7	4.1	2.1E	2.1	1.9E	2.5	48	33	45	1.5	19	1.8	7
8	5.3	4.1	2.1E	2.1	1.9E	2.7	48	33	71	1.7	19 E	1.8	8
9	4.1	4.1	2.1E	2.0E	2.0E	2.9	48	43	93	1.5	19 E	1.8	9
10	2.9	3.6	2.1E	1.9E	2.0E	3.4	48	52	93	1.7	19 E	1.8	10
11	2.3	2.3	2.1E	1.9E	1.9E	3.4	48	36	92	1.7	19 E	1.8	11
12	4.7	2.1	2.1E	1.9E	1.9E	3.8	48	17	51	1.8	19 E	1.8	12
13	8.8	2.3	2.1E	1.9E	1.9E	4.7	48	27	41	1.8	19 E	1.9	13
14	8.3	2.5	2.0E	1.9	1.9E	4.4	49	27	100	1.8	18 E	1.9	14
15	7.9	2.1	1.9E	1.9	1.9E	3.8	51	21	106	2.1	12 E	1.8	15
16	7.5	2.3	1.9E	1.9E	1.9E	3.4	53	16	96	3.9	7.9E	1.9	16
17	6.7	2.5	1.9E	1.9E	1.9E	3.0E	56	64	79	4.0	7.9	1.7	17
18	7.9	2.9	1.9E	1.9E	1.9E	2.9	53	89	79	3.7	7.9	1.9	18
19	6.0	2.5	1.9E	1.9	1.9E	2.9	53	89	58	3.6	7.9	1.9	19
20	9.7	2.3	1.9E	1.9E	1.9E	2.9	53	92	28	42	7.9	1.6	20
21	8.8	2.3	1.9E	1.9E	2.0	2.9	45	95	28	67	7.9	1.1	21
22	7.9	2.3	1.9E	1.9E	2.2	2.9	35	45	28	84	7.9	1.0	22
23	7.5	2.3	1.9E	1.9E	2.2	2.7	49	112	28	103	7.6	1.1	23
24	7.5	2.3	1.9E	1.9E	2.1E	2.7	44	139	24	103	7.5	1.1	24
25	7.1	1.9	1.9E	1.9E	1.9E	2.7	46	139	9.8	103	7.1	1.2	25
26	7.1	2.1E	1.9E	1.9E	1.9E	2.9	33	139	9.1	139	7.1	1.3	26
27	7.9	2.1E	1.9E	1.9	1.9E	3.1	14	139	8.4	139	6.9	1.4	27
28	7.5	2.1E	2.0E	1.9E	1.9E	3.1	14	106	8.3	147	6.7	1.4	28
29	7.1	2.1E	1.9E	2.0E	2.0	3.1	14	69	8.3	147	6.7	2.2	29
30	6.7	2.1E	1.9E	2.0	2.0	3.1	14	69	5.3	147	6.9	2.4	30
31	6.3		1.9E	1.9	1.9	3.4		69		116	4.8		31
MEAN	7.1	2.9	2.0	1.9	2.0	2.9	34.0	63.9	53.1	64.5	21.3	1.7	MEAN
MAX.	9.8E	5.3	2.1E	2.1E	2.2	4.7	54	146	106	149	94	2.5	MAX.
MIN.	2.3	1.9	1.9E	1.8E	1.9	1.8E	3.0	14	5.3	1.4	4.8	1.0	MIN.
AC. FT.	439	172	122	119	109	180	2079	1923	3158	2737	1312	99	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

/ - E AND \*

MEAN DISCHARGE	MAXIMUM DISCHARGE	MINIMUM DISCHARGE	TOTAL
20.0	DISCHARGE 15.4 GAGE HT. 4.42 MO. 7 DAY 16 TIME 2000	DISCHARGE NR GAGE HT. NR DAY NR TIME NR	ACRE FEET 14450

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T. & R. M.D.B.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE				FROM	TO		
47° 05' 10"	120° 10' 05"	NE10 E3N 16S				4/40-7/54 @ 7/54-DATE	4/40-7/54 @ 7/54-DATE		1954	1959	10.00	LOCAL
											7.30	LOCAL

Station located 400 ft. below county road bridge, 5.8 mi. N. of Chilcoot. Tributary to Middle Fork Feather River. Stage-discharge relationship at times affected by ice. Drainage area is 64.2 sq. mi.

@ - Maintained by watermaster service for irrigation season only

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	455620	SMITHNECK CREEK NEAR LOYALTON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	5.0E	6.2	5.0E	5.0	6.3*	7.5E	17	6.8	4.8	4.0	3.3	3.5E	1
2	5.0E	5.9	5.5E	5.5	6.5E	7.5E	17	6.7	4.7	4.1	4.3	3.6#	2
3	5.0E	5.7	6.3	5.8	6.5E	7.5E	16	6.6	4.6	4.1	6.0	3.7E	3
4	5.0E	5.7	6.4	5.9	7.0E	7.5E	15	6.7	4.6	4.0	4.7	3.7E	4
5	5.0#	5.5	6.5	6.1	8.0E	7.5E	15	6.6	4.6	3.9	4.3	3.7E	5
6	5.0E	5.4	6.3	6.6	10 E	8.5E	15	6.5	5.0	3.8	4.0	3.8#	6
7	5.0E	5.4	6.2	6.7	10 E	8.5E	14	6.3	5.2	3.7	3.8	3.8E	7
8	5.0E	6.1	5.9*	7.5	9.0E	8.5E	14	6.4	5.1	4.0	4.0	3.8E	8
9	5.0E	5.3	6.3	7.3	8.5E	8.5E	13	6.9	5.1	4.2	4.0	3.8E	9
10	5.0E	5.1	6.2	7.0	8.0E	11 #	13	9.6	4.7	4.0	3.9	3.8E	10
11	6.0E	5.0	6.1	6.8	8.0E	11	13	7.0	4.5	4.0	3.8	3.8E	11
12	6.0E	5.0	6.5	6.7E	8.0E	12	13	6.4	4.3	4.1	3.8	3.8E	12
13	6.0E	5.1	5.0E	6.6	8.0E	16	12	6.3	4.1	4.0	3.6	3.8E	13
14	6.0E	7.4	5.0E	6.0#	8.0E	16	11	6.2	4.3	4.0	3.7	3.8E	14
15	6.0E	5.8	5.0E	6.0E	8.0E	15	10	6.0	4.5	3.6	3.8	3.8E	15
16	6.0E	5.2	5.0E	6.0E	7.7 #	14	9.7	5.7E	4.4*	3.6	3.8*	4.2E	16
17	6.0E	7.5*	4.0E	6.0E	7.7	13	9.9	5.4E	4.4	3.4	3.4	4.2E	17
18	6.0E	11	5.0E	6.0E	7.5	12	10	5.3E	4.3	3.4	3.4	4.2E	18
19	6.0E	7.2	5.0E	6.0E	7.6	13	9.8	5.2E	4.4	3.4	3.6	4.2E	19
20	7.0	6.0	5.0E	6.0E	7.6	12	8.9	5.1E	4.3	3.2	3.6	4.2E	20
21	6.7	5.4	5.0	6.0E	7.8	12	8.3*	5.1E	4.4	3.1	3.6	4.5#	21
22	6.1	5.2	5.3	6.0E	8.3	12	8	5.1E	4.3	3.3	3.5	4.5E	22
23	6.7	4.6	4.7	6.0E	8.7	12	7.6	5.1E	4.4	3.2	3.4	4.5E	23
24	6.0	5.9	5.0	6.0E	8.2	14	7.3	5.1E	4.6	3.0	3.3	4.5E	24
25	5.6	5.5	5.2	6.0	8.0E	15	7.2	5.1E	4.5	3.1	3.3	4.5E	25
26	5.7	5.4	5.0	6.0	8.0E	16	7.1	4.9*	4.4	3.3	3.7	4.5E	26
27	6.4	5.0E	5.3	6.0	8.0E	16	7.1	4.9	4.2	3.3	3.6	4.5E	27
28	6.3	4.8	4.4	5.9	8.0E	17	7.2	4.8	4.1	3.3	3.4	4.5E	28
29	6.1	5.0E	4.8	6.0		16	6.9	4.9	4.1	3.3	3.5E	4.5E	29
30	6.1	5.0E	5.6	6.0		16	6.7	5.2	4.1	3.6	3.5E	4.5E	30
31	6.2		5.8	6.0		16		4.9		3.8	3.5E		31
MEAN	5.8	5.8	5.5	6.2	8.0	12.2	11.0	5.9	4.5	3.6	3.8	4.1	MEAN
MAX.	7.0	11	6.5	7.5	10 E	17	17	9.6	5.2	4.2	6.0	4.5E	MAX.
MIN.	5.0E	4.8	4.7	5.0	6.3	7.5E	6.7	4.0	4.1	3.0	3.3	3.5E	MIN.
AC. FT.	354	346	340	380	442	751	654	365	268	224	232	242	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT.	MO.	DAY	TIME	DISCHARGE NR	MINIMUM GAGE HT.	MO.	DAY	TIME	TOTAL ACRES FEET
6.3	21	4.64	3	28	2020						4595

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CF5	GAGE HT	DATE			FROM	TO		
39 37 52	120 11 54	1N 33 21N 16E				4/40-7/54 & 8/54-DATE	4/40-7/54 & 7/54-DATE	1954		0.00	LOCAL
Station located 100 ft. W of county road, 4.5 mi. SE of Loyalton. Tributary to Middle Fork Feather River. Stage-discharge relationship at times affected by ice. Record listed is not considered to have the same degree of accuracy as other records published in this report due to excessive shifting of the control. Drainage area is 11.6 sq. mi.											
+ - Maintained by watermaster service for irrigation season only											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE.

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	455720	MILLER CREEK NEAR SATTLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	8.4E	8.0	7.9E	7.1	6.2*	5.8	18	20	14	7.7	6.4	4.6	1
2	8.4E	7.9	8.4E	7.1	6.2	5.8	10	22	14	7.4	6.5	4.6	2
3	8.4E	7.9	8.4	7.1	6.3	5.8E	18	23	13	7.1	6.4	4.6	3
4	8.4E	8.0	8.6	7.1	6.3	5.8E	18	26	13	7.0	6.9	4.6	4
5	8.4E	7.9	8.6	7.9	6.6	5.8	19	29	13	6.7	6.8	4.6	5
6	8.1	7.8	8.6	9.8	6.6	6.1	21	26	13	6.4	6.7	4.6	6
7	8.3	8.0	8.6	8.1	6.4	6.4	21	27	13	6.4	6.7	4.6	7
8	8.1	11	8.2*	7.4	6.4	6.3	21	30	13	6.2	6.8	4.6	8
9	8.1	8.8	8.4	7.1	6.1	6.9	20	35	12	6.4	6.7	4.6	9
10	8.1	8.7	8.4	7.1	5.8	8.4*	20	46	11	6.4	6.6	4.6	10
11	7.8	8.5	7.7	6.9	5.7	7.7	16	33	10	6.3	6.4	4.8	11
12	8.2	8.9	7.8	6.6	5.7	7.4	14	29	10	6.2	6.3	4.8	12
13	8.1	9.2	7.6	6.6	5.8	10	13	28	9.8	6.1	6.2	4.8	13
14	9.3	15	7.4	6.6*	6.0	9.3	15	27	9.7	6.7	6.2	4.8	14
15	9.8	12	6.5E	6.6	6.0	8.4	17	35	9.7	6.4	6.2	4.8	15
16	8.9	10	6.5E	6.6	5.0	7.6	20	24	9.4*	6.6	6.1	4.6*	16
17	8.9	16	6.5E	6.6	6.0	7.2	24	23	9.2	6.4	6.1	4.6	17
18	8.8	15	6.5E	6.3	6.0	7.0*	18	23	9.1	6.3	6.0	4.8	18
19	8.2	11	6.5E	6.3	5.7	7.1	15	21	8.8	6.6	6.8	5.1	19
20	7.9	11	6.4E	6.3	4.8	6.8	14	71	4.2	6.4	4.8	5.1	20
21	7.9	10	6.4E	6.2	4.8	6.8	15	71	8.2	6.4	6.9	4.9	21
22	8.4	9.8	6.4E	6.1	5.9	6.8	14	20	8.2	6.4	6.6	5.1	22
23	9.2	9.9	5.5E	6.5	6.0	6.9	16	19	8.4	6.3	6.6	5.1	23
24	8.9	8.6	6.5E	6.7	6.2	7.2	15	18	8.6	6.2	6.3	5.1	24
25	8.5	8.0E	6.4E	6.6	6.2	7.3	22	18	8.4	6.1	6.6	5.1	25
26	8.4	7.5E	6.5E	6.6	6.0	8.2	22	17	8.0	6.8	6.7	4.6	26
27	8.3	7.4E	6.4E	6.6	6.0	9.2	10	17	7.7	6.3	6.8	4.9	27
28	8.7	7.5E	6.9	6.3	5.0	11	19	17	7.4	6.5	6.8	4.9	28
29	8.3	7.4E	7.2	6.3		12	18	16	7.4	6.3	6.7	4.9	29
30	8.5	7.5E	7.1	6.3		14	20	16	6.8	6.6	6.7	4.8	30
31	8.2		7.1	6.3		15		15		6.7	6.8		31
MEAN	8.4	9.5	6.9	6.8	6.1	7.9	18.2	23.6	10.1	6.5	6.2	4.8	MEAN
MAX	9.8	16	8.6	9.8	6.6	15	24	46	14	7.3	6.6	5.1	MAX
MIN	7.5	7.5E	6.4E	6.1	5.7	5.8	13	15	6.8	6.5	6.3	4.3	MIN
AC FT.	5.18	5.64	6.23	4.19	3.37	4.88	10.83	14.52	6.01	3.99	3.21	2.83	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLDW MADE THIS DAY

- E AND \*

MEAN	MAXIMUM				MINIMUM				TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY
9.5						NR			
									6887

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
								FROM	TO		



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A55420	MIDDLE FORK PEATHER RIVER NEAR PORTOLA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	25	35	72 E	NR	NR	146	472	54	28	4.1	0.2 *	0.1	1
2	26	35	67 E	NR	NR	135	451	50	24	3.0	0.6	0.1	2
3	26	33	62 E	NR	NR	124	395	40	21	2.9	0.3	0.1	3
4	25	32	63 E	NR	NR	110	352	39	18	2.6	0.3	0.1	4
5	25	34	66 E	NR	NR	95	323	41	10	2.1 *	0.3	0.2	5
6	26	33	67 E	NR	NR	100	309	43	15	1.9	0.2	0.2	6
7	27	34	68 E	NR	NR	135	291	41	12	2.3	0.1	0.2	7
8	27	37	70 E	NR	NR	232	160	39	11	1.9	0.1	20	8
9	26	39	70 E	NR	NR	529	191	58	9.4	1.6	0.1	12	9
10	24	41	70 E	NR	NR	1320	362	255	8.4	1.2	0.1	1.6	10
11	25	41	72 E	NR	NR	1590 *	337	127	7.3	1.1	0.1	0.7	11
12	25	43	79 E	NR	NR	1650	291	110	6.2	0.9	0.1	0.5	12
13	25	46	77	NR	NR	1700	262	106	5.9	0.8	0.1	0.5	13
14	26	52	67 #	NR	NR	1790	244	107	6.4	0.9	0.1	0.5	14
15	26	63	64 E	NR	NR	1050	209	107	6.4	0.5	0.1	0.5	15
16	30	61	55 E	NR	NR	705	189	92	6.0	0.4	0.1	0.5	16
17	32	65	39 E	NR	NR	542	184	69	5.7	0.4	0.1	0.4	17
18	34	114	33 E	NR	NR	462 *	245	58	5.9	0.3	0.0	0.3	18
19	36	135	27 E	NR	NR	414	182	46	5.5	0.3	0.0	0.4	19
20	37	132	24 E	NR	NR	376	155	42	5.9	0.2	0.0	0.4	20
21	39	121	24 E	NR	NR	333	140	40	5.0	0.3	0.0	0.2	21
22	38	142		NR	NR	298	134	36	5.2	0.2	0.0	0.2	22
23	38	131		NR	NR	250	121	31	5.3	0.1	0.0	0.2	23
24	38	126		NR	NR	248	112	29	4.9	0.2	0.0	0.1	24
25	37	99 E		NR	NR	261	106	26	4.7	0.1	0.0	0.2	25
26	36	86 E	24 E	NR	NR	289	99	24	5.6	0.1	0.0	0.1	26
27	35	78 E	24 E	NR	NR	310	79	21	24	0.1	0.1	0.1	27
28	35	69 E	24	NR	NR	351	69	20	16	0.1	0.1	0.1	28
29	34	66 E	22	NR	NR	390	62	18	11	0.1	0.1	0.1	29
30	35	75 E	22	NR	NR	422	57	19	7.1	0.1	0.1	0.2	30
31	35		23	NR	NR	445		25		0.2	0.2		31
MEAN	30.9	70.3	47.4	69.1	88.9	529	221	58.7	10.5	1.1	0.1	1.4	MEAN
MAX	39	142	79 E	NR	NR	1700	472	255	28	5.1	0.3	20	MAX
MIN	24	32	22	NR	NR	95	57	18	4.7	0.1	0.0	0.1	MIN
AC. FT.	1898	4187	2918	4248	4928	32560	13150	7610	622	66	6	81	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
94.3	2140	5.58	3	11	2110	0.0		8	12	1710	68260

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MO B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	OATE				FROM	TO	

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A54470	INDIAN CREEK NEAR BOULDER CREEK GUARD STATION

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	10	9.8	9.8	9.8	9.8	10	11	77	17	14	9.9	9.8	1
2	10	9.8	9.8	9.8	9.8	10	11	76	21	9.8	9.9	9.8	2
3	10	9.8	9.8	9.8	9.8	10	11	74	21	9.8	9.8	9.8	3
4	10	9.8	9.8	9.8	9.8	10	11	72	20	9.8	9.7	9.8	4
5	10	9.8	9.8	9.8	9.8	10	11	75	20	9.7	9.7	9.8	5
6	10	9.8	9.8	9.8	10	10	23	70	20	9.8	9.7	9.8	6
7	10	9.8	9.8	9.8	10	10	23	64	20	9.8	9.7	9.8	7
8	10	10	9.8	10	10	11	27	60	20	9.7	9.7	9.8	8
9	10	9.8	9.8	10	10	11	23	58	20	9.7	9.8	9.8	9
10	10	9.8	9.8	10	10	11	24	72	20	9.7	9.7	9.8	10
11	10	9.8	9.8	10	10	11	23	65	20	9.7	9.7	9.8	11
12	10	9.8	9.8	10	10	11	23	56	20	9.7	9.7	9.8	12
13	10	9.8	9.8	10	9.8	12	22	48	20	9.5	9.8	7.4	13
14	11	10	9.8	10	9.8	12	22	43	20	9.4	9.8	3.7	14
15	11	9.8	9.8	10	9.8	12	36	38	20	9.4	9.8	3.7	15
16	11	9.8	9.8	10	9.8	11	58	34	20	9.4	9.7	3.7	16
17	11	11	9.8	9.8	10	11	86	30	20	9.4	9.8	3.7	17
18	11	11	9.8	9.8	10	11	113	27	20	9.4	9.8	3.7	18
19	11	10	9.8	9.8	10	11	114	25	20	9.3	9.9	7.6	19
20	11	10	9.8	9.8	10	11	104	23	20	9.2	10	11	20
21	11	9.8	9.8	9.8	10	11	100	21	20	9.2	10	11	21
22	11	9.8	9.8	9.8	10	11	96	19	20	9.4	10	11	22
23	11	10	9.8	9.8	10	11	94	17	20	9.5	9.9	11	23
24	11	10	9.8	9.8	10	11	98	18	20	9.5	9.8	11	24
25	11	10	9.8	9.8	10	11	106	19	20	9.4	9.8	11	25
26	11	10	9.8	9.8	10	11	90	17	20	9.5	9.8	10	26
27	11	10	9.8	9.8	10	11	89	17	20	9.6	9.8	10	27
28	10	10	9.8	9.8	10	11	84	18	20	9.7	9.8	10	28
29	10	9.8	9.8	9.8	10	11	81	16	20	9.7	9.8	10	29
30	10	9.8	9.8	9.8	10	12	79	15	20	9.6	9.8	10	30
31	10									9.7	9.8		31
MEAN	10.5	9.9	9.8	9.9	9.9	10.9	56.7	41.2	20.0	9.7	9.8	8.9	MEAN
MAX.	11	11	9.8	10	10	12	114	77	21	10	10	11	MAX.
MIN.	10	9.8	9.8	9.8	9.8	10	11	13	17	9.2	9.7	3.7	MIN.
AC. FT.	443	407	403	404	457	672	3376	2533	1188	597	693	530	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

- E AND \*

MEAN	MAXIMUM	MINIMUM	TOTAL
DISCHARGE	DISCHARGE	DISCHARGE	ACRE FEET
17.3	142	2.5	12490
	GAGE HT. 4.73	GAGE HT. 3.20	
	MO. 4	MO. 4	
	DAY 6	DAY 12	
	TIME 1400	TIME 1350	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC. T. & R. M.O.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
40 13 N	120 30 W	2627 27N 12E				JUN 61-DATE	JUN 61-DATE	1961	0.00	LOCAL	
Station located 1.2 mi. S of Boulder Creek Guard Station, 11 mi. NE of Genesee. Tributary to East Branch North Park Feather River. Stage-discharge relationship at times affected by ice. Flow regulated by Antelope Lake. Drainage area is 70.5 sq. mi.											

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A54455	RED CLOVER CREEK, ABOVE ABBEY BRIDGE DAMSITE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	3.4	3.8	6.9	6.5 E	6.0 E	11 E	196	22	6.2	2.1	1.0	1.1	1
2	3.3	3.6	7.2	6.5 E	6.0 E	10 E	185	21	5.7	1.9	1.9	1.0	2
3	3.3	3.6	7.3	6.5 E	6.0 E	9.0 E	152	19	5.5	1.8	3.6	1.1	3
4	3.4	3.6	8.4	8.0 E	6.0 E	11 E	124	17	5.4	1.7	1.9	1.1	4
5	3.6	3.4	8.4	12 E		14	111	18	4.8	1.7	1.5	1.2	5
6	3.6	3.5	7.5 E	15 E		15	107	18	5.0	1.5	1.2	1.1	6
7	3.5	3.7	6.9 E	15 E		19	101	16	6.1	1.5	1.2	1.1	7
8	3.1	5.7	7.0 E	14 E		26	93	16	5.7	1.5	1.3	1.1	8
9	3.0	5.1	7.5 E	13 E		35	87	32	5.5	1.6	1.4	1.1	9
10	2.8	4.2	7.5 E	11		63	173	113	4.9	1.8	1.4	1.1	10
11	3.0	3.9	7.2	9.0 E	*	80	139	37	4.4	1.8	1.3	1.1	11
12	2.9	4.1	7.7	8.0 E		101	102	27	3.9	1.7	1.2	1.2	12
13	3.2	4.6	7.7	7.5 E	7.0 E	270 E	82	24	3.6	1.6	1.2	1.3	13
14	3.9	9.6	6.5 E	7.5 E		360	72	21	3.8	1.6	1.2	1.4	14
15	3.3	7.4	5.5 E	7.0 E		250	67	19	3.9	1.8	1.3	1.4	15
16	3.6	5.6	5.5 E	6.5 E		120	64	17	3.9	1.4	1.2	1.4	16
17	3.7	7.7	5.5 E	6.5 E		127	66	16	3.5	1.4	1.0	1.2	17
18	3.6	29	5.5 E	6.5 E		127	81	15	3.3	1.4	1.0	1.4	18
19	3.7	15	5.5 E	6.5 E		144	61	14	3.1	1.3	1.1	1.6	19
20	3.5	9.8	5.5 E	6.5 E		142	53	13	2.9	1.4	1.2	1.6	20
21	3.6	8.0	5.5 E	6.8 E	8.0 E	133	49	11	2.9	1.2	1.2	1.4	21
22	3.6	6.7	6.5 E	7.0 E	10 E	132	44	10	2.9	1.2	1.1	1.3	22
23	3.5	7.7	5.5 E	6.5 E	12	135	35	8.8	2.6	1.1	1.0	1.4	23
24	3.6	6.8	6.5 E	6.0 E	12	181	33	6.3	2.8	0.9	0.9	1.9	24
25	3.6	4.7	6.5 E	6.0 E	11	201	34	6.7	2.6	1.1	0.7	1.9	25
26	3.5	7.3	6.0 E	6.0 E	10 E	213	33	7.0	2.5	1.0	0.6	1.6	26
27	3.5	8.2	6.0 E	6.0 E	10 E	221	31	6.2	2.4	0.9	0.7	1.6	27
28	3.7	7.6	8.0 E	6.0 E	10 E	220	28	6.1	2.2	0.9	0.8	1.6	28
29	3.7	7.1	7.0 E	6.0 E		218	27	6.0	2.2	0.9	0.7	1.5	29
30	3.6	7.7	7.0 E	6.0 E		208	27	6.7	2.1	0.9	0.7	1.5	30
31	3.7		7.0 E	6.0 E		201		6.4		1.2	0.8		31
MEAN	3.5	7.0	6.7	8.0	7.8	129	81.9	18.6	3.9	1.4	1.2	1.3	MEAN
MAX.	3.9	29	8.4	15 E	12	360	196	113	6.2	2.1	3.6	1.9	MAX.
MIN.	2.8	3.4	5.5 E	6.0 E	6.0 E	9.0 E	27	6.0	2.1	0.9	0.6	1.0	MIN.
AC FT	212	414	412	491	434	7928	4873	1143	231	87	74	80	AC FT

**WATER YEAR SUMMARY**

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
- E AND \*

MEAN	DISCHARGE	MAXIMUM	GAGE HT.	NO.	DAY	TIME	MINIMUM	DISCHARGE	GAGE HT.	NO.	DAY	TIME	TOTAL
22.6	580 E	6.64	3	13	1950			NR					16780

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & A.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39 56 05	120 31 09	SE 4 24N 13E	4400E	11.96	12/25/50	DEC 62-DATE	DEC 62-DATE	1952		0.00	LOCAL

Station located above bridge on Forest Service road, 1 1/2 mi. E. of Genesee, 11 1/2 mi. N. of Portola.  
Stage-discharge relationship at times affected by ice. Drainage area is 87.9 sq. mi.

(IN CUBIC FEET PER SECOND)

WATER YEAR SUMMARY

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
38.7	1570 E	7.42	12	22	1600	0.0		10	1	0810	28050

80

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR						STATION NO		STATION NAME					
1966						A54750		LAST CHANCE CREEK AT DIXIE REFUGE DAMSITE					
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.1	1.1	NR	NR	NR	2.0 F	29	6.8	1.3	0.0 *	0.0 *	0.0 *	1
2	1.0	1.1	NR	NR	NR	2.5 #	29	6.2	1.1 *	0.0	0.0	0.0	2
3	1.0	1.1	NR	NR	NR	2.0 E	26	5.8 *	1.0	0.0	0.0	0.0	3
4	1.0	1.2	NR	NR	NR	2.0 E	23	5.4	0.9	0.0	0.0	0.0	4
5	1.0	1.2	NR	NR	NR	3.0 E	22	5.6	0.8	0.0	0.0	0.0	5
6	1.0	1.2	NR	NR	NR	6.2	22	4.9	0.9	0.0	0.0	0.0	6
7	1.0 *	1.2	NR	NR	NR	12	22	4.7	1.0	0.0	0.0	0.0	7
8	1.0	1.9	NR	NR	NR	15	21	4.2	1.1	0.0	0.0	0.0	8
9	1.0	2.1	NR *	NR	NR	18	20	7.0	1.0	0.0	0.0	0.0	9
10	0.9	1.6	NR	NR	NR	36	34	23	0.8	0.0	0.0	0.0	10
11	0.9	1.6	NR	NR	NR *	79	27	8.4	0.7	0.0	0.0	0.0	11
12	0.9	1.6	NR	NR	NR	83	21	5.9	0.5	0.0	0.0	0.0	12
13	1.0	1.9	NR	NR	NR	162	18	4.8	0.4	0.0	0.0	0.0	13
14	1.1	3.5	NR	NR	NR	120	16	4.4	0.3	0.0	0.0	0.0	14
15	1.1	3.1	NR	NR	NR	80	15	3.9	0.2	0.0	0.0	0.0	15
16	1.2	2.4	NR	NR	NR	36	15	3.3	0.2	0.0	0.0	0.0	16
17	1.2	3.0	NR	NR	NR	36	15	3.0	0.2	0.0	0.0	0.0	17
18	1.2	10	NR	NR	NR	40	18	2.5	0.2	0.0	0.0	0.0	18
19	1.3	5.4	NR	NR	NR	42	15	2.4	0.1	0.0	0.0	0.0	19
20	1.4	3.6	NR	NR	NR	39	13	2.3	0.1	0.0	0.0	0.0	20
21	1.3	2.7	NR	NR	NR	35	12	2.1	0.1	0.0	0.0	0.0	21
22	1.2	2.3	NR	NR	NR	31	11	1.9	0.1 *	0.0	0.0	0.0	22
23	1.2	2.2	NR	NR	NR	30	10	1.8	0.1	0.0	0.0	0.0	23
24	1.2		NR	NR	NR	27	9.7	1.7	0.1	0.0	0.0	0.0	24
25	1.2		NR	NR	NR	29	9.2	1.5	0.1	0.0	0.0	0.0	25
26	1.2		NR	NR	NR	28	8.6	1.4	0.1	0.0	0.0	0.0	26
27	1.2	2.0 E	NR	NR	NR	28	8.3	1.3	0.1	0.0	0.0	0.0	27
28	1.2		NR	NR	NR	27	8.0	1.1	0.1	0.0	0.0	0.0	28
29	1.2		NR	NR	NR	28	7.3	1.3	0.0	0.0	0.0	0.0	29
30	1.2		NR	NR	NR	28	7.2	1.8	0.0	0.0	0.0	0.0	30
31	1.2		NR	NR	NR	28 *		1.5		0.0	0.0		31
MEAN	1.1	2.7	1.5	2.2	1.8	36.6	17.1	4.3	0.5	0.0	0.0	0.0	MEAN
MAX	1.4	10	NR	NR	NR	163	34	23	1.3	0.0	0.0	0.0	MAX
MIN	0.9	1.1	NR	NR	NR	2.0 E	7.2	1.1	0.0	0.0	0.0	0.0	MIN
AC. FT.	69	199	95	138	100	2253	1016	262	27				AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 # - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET	
5.7		217	5.91	3	13	1340	0.0		6	28	2400	4116	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT, ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
31° 11' N	105° 02' W	2007 20N 04 W				EXT 64-1475	201 64-1475	1961		2.00	1880
Station located on left bank bridge on subject Indian Road, 2.5 mi. S of Milford, tributary to Indian River, near Paul Miller house. Stage-measurements made at times affected by ice.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	454370	INDIAN CREEK NEAR TAYLORSVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	69	56	86	88	91	106	791	140	111	60	63	31	1
2	68	56	87	79	88	99	806	133	113	52	43	30	2
3	59	55	85	69	92	88	724	143	104	49	41	28	3
4	58	56	90	107	92	91	643	158	99	48	41	27	4
5	57	56	88	161	97	105	596	187	96	46	40	26	5
6	46	49	85	184	101	100	600	186	95	47	19	26	6
7	54	49	83	176	98	115	606	152	102	46	37	31	7
8	44	71	83	172	89	131	581	139	100	45	36	33	8
9	53	68	85	170	103	153	554	152	101	45	36	32	9
10	54	66	85	157	97	244	717	629	94	46	35	32	10
11	54	62	83	146	85	281	721	500	101	46	37	32	11
12	46	64	85	133	99	320	611	189	87	44	36	32	12
13	46	67	86	131	81	594	526	140	85	44	35	32	13
14	54	91	76	125	90	863	479	301	83	43	35	33	14
15	56	90	68	124	91	793	475	280	82	44	35	31	15
16	56	83	71	119	86	580	509	263	78	44	35	30	16
17	55	109	66	112	89	413	565	240	77	43	35	30	17
18	56	208	70	112	91	413	627	216	80	43	34	29	18
19	46	171	75	111	92	497	545	199	77	43	33	31	19
20	57	124	67	87	91	432	490	189	74	43	32	34	20
21	56	104	70	104	90	428	458	185	69	41	33	37	21
22	54	94	83	111	95	451	435	179	69	42	32	38	22
23	55	93	69	100	100	420	417	163	69	42	31	37	23
24	44	119	84	98	109	484	409	143	70	42	32	36	24
25	53	110	86	95	102	465	428	147	65	39	32	36	25
26	53	96	83	96	102	418	439	138	64	39	31	37	26
27	44	97	81	91	98	681	403	132	62	40	31	37	27
28	55	86	90	87	101	719	374	127	63	39	31	37	28
29	56	90	85	95		741	353	120	62	39	30	35	29
30	57	93	88	95		759	346	116	62	39	31	36	30
31	56		85	91		766		115		42	32		31
MEAN	55.9	88.4	80.8	118	94.4	420	541	268	82.8	44.0	35.0	32.5	MEAN
MAX.	69	208	90	184	109	843	806	629	113	60	43	38	MAX.
MIN.	53	54	66	79	81	86	346	115	62	39	30	26	MIN.
AC FT.	3439	5262	4969	7236	5240	25850	32210	16490	4927	2705	2150	1936	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

E - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	MINIMUM	TOTAL
155	996	GAGE HT. 7.59 MO DAY TIME 3 15 0700	DISCHARGE 26 GAGE HT. 4.51 MO DAY TIME 9 5 0000	112400

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B RM	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT	DATE						
40 00 N	100 40 W	MALE ON 101 300 E	10.00	10.00	10.00	7.59	4.51	1000	1000	1000	LOCAL
Station located 1.5 mi. above Montgomery Creek, 2.5 mi. SE of Taylorsville. Maximum discharge listed is at site and datum. When in use, drainage area is 5.5 sq. mi. (revised).											
* - Maintained by watermaster service for irrigation season only											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A56910	PALEOMO CANAL AT OROVILLE DAM

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1
2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	2
3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	3
4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	4
5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5
6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	6
7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	7
8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	8
9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	9
10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	10
11	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11
12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	12
13	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	13
14	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	14
15	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	15
16	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	16
17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	17
18	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	18
19	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	19
20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	20
21	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	21
22	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	22
23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	23
24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	24
25	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	25
26	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	26
27	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	27
28	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	28
29	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	29
30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	30
31	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	31
MEAN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MEAN
MAX.	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MAX.
AMPL.	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	AMPL.
AC. FT.	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
- DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
E - E AND "

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	INO	DAY	TIME	DISCHARGE	GAGE HT.	INO	DAY	TIME	ACRE FEET
NR	NR					NR					NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.O.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39 32 00	121 28 55	SW 1 19N 4E	292	1.32	1/20/64	APR 64-DATE	APR 64-DATE	1-63		1.00	LOCAL

Station is located at the outlet of the relocation tunnel of Palermo Canal. On completion of Oroville Dam, it will be located 50 ft. SE of toe of the Dam. This is water diverted by the Oroville-Wyndotte Irrigation District from the South Fork Feather River near Fortbestown. Overflow from batching plant which enters the channel between the tunnel and the station is included. Since May 1, 1965, the tunnel has been blocked with ...

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1955	AC 117	KOLLEY RIDGE TUNNEL TO PALESTINE CANAL NEAR CROMWELL DAM

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN						5.1							MEAN
MAX						6.4							MAX
MIN						0.4							MIN.
AC FT.						1.7							AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 † - E AND \*

MEAN DISCHARGE	MAXIMUM DISCHARGE	GAGE HT	NO	DAY	TIME	MINIMUM DISCHARGE	GAGE HT	NO	DAY	TIME	TOTAL ACRE FEET
1.7	1	6.4				0.4	0.4				8933

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO.		STATION NAME									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN	107	445	706	1051	1076	1080	980	437	308	1710	2235	1111	MEAN
MAX.	107	445	706	1051	1076	1080	980	437	308	1710	2235	1111	MAX.
MIN.	107	445	706	1051	1076	1080	980	437	308	1710	2235	1111	MIN.
AC. FT.	107	445	706	1051	1076	1080	980	437	308	1710	2235	1111	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET	
												1190	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT DMLY	PERIOD	ZERO ON GAGE	REF DATUM		
			CF5	GAGE HT	DATE							
107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11
107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11
107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11	107 11

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A05165	FEATHER RIVER NEAR GRIDLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2960	3240	3580	4030	4430	3410	8530	3440	270	463	771	425	1
2	2870	3200	3500	3760	3650	3360	8470	3140	290	486	772	413	2
3	2600	3140	3480	3580	3420	3300	9470	3310	193	491	653	647	3
4	2520	3310	3440	4100	3350	3200	8770	3430	164	527	605	468	4
5	2580	3300	3440	11600	3840	3170	8280	3800	165	614	612	452	5
6	2690	3070	3440	10200	4080	3180	8250	4060	162	711	604	587	6
7	2540	3010	3400	7400	3980	3240	8200	4190	172	649	572	511	7
8	2490	3040	3390	6510	3660	3380	8100	4100	237	640	597	589	8
9	2560	2810	3370	5000	3400	3400	7880	4070	176	643	654	526	9
10	2480	2760	3370	5300	3390	4500	10600	4000	145	645	593	550	10
11	2390	2830	3400	4830	3250	5780	11100	4760	135	668	702	550	11
12	2050	2910	3500	4450	3110	6320	10300	4500	131	686	713	549	12
13	2000	3140	3520	4290	3120	7810	8870	4180	122	670	727	511	13
14	2010	3830	3450	4120	3040	10700	7760	3740	376	679	727	560	14
15	2280	4600	3380	3870	3020	9300	7350	3460	239	666	770	719	15
16	2730	4140	3280	3780	2960	8720	7010	2840	150	683	703	766	16
17	2870	3950	3330	3800	2940	7260	7170	2610	136	690	473	821	17
18	2910	8760	3290	3760	2920	6310	7190	2400	142	690	429	817	18
19	2910	7910	3210	3760	3010	5750	6640	2720	166	650	295	816	19
20	3090	6820	3190	3780	3300	5410	5640	2090	145	690	261	851	20
21	3050	5990	3220	3710	3150	5150	4550	1840	160	680	236	857	21
22	2990	5140	3200	3620	3170	4810	4260	1640	159	678	238	891	22
23	2760	4680	3260	3600	3210	4540	3960	1310	150	645	206	927	23
24	2860	4960	3290	3540	3420	4260	3930	1080	126	636	218	909	24
25	2800	4900	4370	3500	3620	4780	4000	820	123	659	278	917	25
26	2900	5700	3940	3430	3710	4570	4360	499	118	668	278	896	26
27	2930	5210	3540	3350	3470	5110	4240	570	117	653	294	829	27
28	2900	4830	3530	2840	3500	5660	4070	656	158	647	323	820	28
29	2970	4490	4750	2790		6350	3650	374	191	689	379	756	29
30	2950	3930	4680	3640		7560	3650	263	268	689	381	821	30
31	3000		4370	3590		5130		212		718	526		31
MEAN	2699	4352	3552	4529	3377	5423	6915	2570	176	647	503	693	MEAN
MAX.	3090	8760	4750	11600	4080	10700	11100	4760	376	719	770	927	MAX.
MIN.	2000	2760	3190	2790	2920	3170	3650	212	117	463	206	413	MIN.
AC FT.	166000	259000	218400	278500	187300	333400	411500	158000	10450	39780	30940	41210	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

ME - NO RECORD

- DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

- E AND ME

MEAN DISCHARGE	DISCHARGE	MAXIMUM	GAGE HT.	MO	DAY	TIME	MINIMUM	DISCHARGE	GAGE HT.	MO	DAY	TIME	TOTAL
2968	14009	31460		1	5	1310		106	23495	6	27	1230	2134000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.S. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39 28 02	121 38 43	SW33 18N 3E		100.25	12/24/55	1/4-DATUM	3/29-5/37 1/37-7/39 11/39-7/40 10/40-7/43 10/43-DATUM	1929 1929		100 -1.91	ACE SEDS
Station located at highway bridge, 4.7 mi. E of Gridley. Subsequent to 1962, tabulations include all left bank overflow. Records of discharge published prior to 1962 listed only that water in the main channel. Drainage area is 3,676 sq. mi. (Revised).											
# - Flood season only											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1900	A05775	NORTH HONCUT CREEK NEAR BANGOR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.7	4.6	7.4	46	290	46	10	5.2	2.5	0.0	1.1	1.2	1
2	2.0	5.1	10	36	192	77	10	4.8	2.4	0.0	0.9	1.2	2
3	2.9	7.1	9.8	31	64	77	8.9	4.6	2.1	0.1	0.6	1.1	3
4	2.6	5.5	7.7	44.3	98	33	8.2	4.6	2.0	0.3	0.7	0.9	4
5	3.3	3.3	7.5	1080	106	31	7.5	4.9	2.1	0.4	0.1	0.8	5
6	3.7	2.2	7.3	267	70	29	7.1	4.8	2.6	0.2	0.0	1.1	6
7	3.8	2.0	7.1	154	54	32	3.1	4.6	5.9	0.2	0.0	1.6	7
8	4.3	2.4	6.8	122	44	29	3.7	4.5	4.5	0.5	0.0	1.4	8
9	4.4	2.2	6.6	101	38	28	7.7	4.5	2.8	0.8	0.0	1.5	9
10	4.9	2.5	6.2	53	33	44	7.7	5.3	3.4	1.0	0.0	2.0	10
11	5.3	2.2	6.8	42	29	35	24	5.7	3.1	0.9	0.0	2.0	11
12	5.6	2.4	6.3	14	27	31	28	5.0	2.5	0.8	0.0	2.1	12
13	5.5	2.3	16	31	24	39	23	4.3	2.0	1.0	0.0	1.9	13
14	5.4	21	13	28	22	36	17	2.6	1.8	1.5	0.0	2.7	14
15	6.0	18	11	26	21	32	14	2.3	1.5	1.7	0.0	2.6	15
16	6.0	11	10	23	20	32	12	3.1	1.1	1.4	0.0	1.9	16
17	4.7	4.5	8.9	21	20	28	11	3.0	1.0	1.1	0.0	1.5	17
18	4.8	13.5	7.9	19	19	26	10	2.6	1.1	0.9	0.0	1.5	18
19	4.7	39	8.1	18	24	32	9.8	2.4	1.1	0.9	0.0	1.9	19
20	4.7	20	8.7	17	44	30	8.7	2.5	0.9	0.8	0.0	1.8	20
21	4.3	13	8.7	16	31	26	9.2	2.5	1.0	0.6	0.0	1.4	21
22	3.8	10	8.4	15	28	23	8.7	2.6	1.2	0.7	0.0	1.1	22
23	3.7	9.7	7.6	14	30	21	7.9	2.6	1.3	1.0	0.0	1.2	23
24	4.2	72	7.9	13	40	20	7.5	2.8	1.2	0.6	0.1	1.2	24
25	3.5	45	128	13	79	19	6.9	2.8	0.8	0.4	0.0	1.4	25
26	3.5	24	40	12	135	17	6.7	2.4	0.6	0.2	0.0	1.7	26
27	3.4	16	27	12	72	16	6.6	2.3	0.3	0.0	0.1	1.5	27
28	3.8	13	205	11	55	15	6.4	2.2	0.2	0.0	0.4	1.1	28
29	4.1	10	369	17		14	6.8	2.2	0.0	0.0	0.4	0.8	29
30	4.4	9.7	99	450		12	5.6	2.4	0.0	0.0	0.5	0.8	30
31	4.3		82	107		11		2.6		0.2	0.9		31
MEAN	4.2	18.6	37.6	105.6	62.1	28.0	11.2	3.5	1.8	0.5	0.1	1.5	MEAN
MAX	6.0	135	369	1080	290	48	34	5.7	5.9	1.7	1.1	2.7	MAX
MIN	2.6	2.0	6.2	11	19	11	5.6	2.2	0.0	0.0	0.0	0.8	MIN
AC FT	260	1106	2312	6494	2449	1722	669	220	107	36	11	84	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 \* - E AND \*

MEAN  
DISCHARGE  
22.8

MAXIMUM  
DISCHARGE 1820  
GAGE HT 7.48  
MO DAY TIME 1 4 2330

MINIMUM  
DISCHARGE 0.0  
GAGE HT 6  
MO DAY TIME 29 1615

TOTAL  
ACRE FEET  
16480

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T & R MO B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		

(IN CUBIC FEET PER SECOND)

WATER YEAR SUMMARY

OF NO  
E AND

88

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A05120	FEATHER RIVER BELOW SHANGHAI BEND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	3080	3710	4460	6180	6510	5220	12400	5940	1170	370	830	641	1
2	3150	3640	4350	5390	7660	5060	13400	5830	1140	502	836	626	2
3	3040	3770	4290	4950	6670	4830	14000	5760	1110	586	779	606	3
4	3010	3810	4240	4970	5830	4640	13300	5900	980	626	704	719	4
5	2970	3700	4210	14100	6250	4490	12300	6300	923	657	673	641	5
6	3140	3560	4210	18700	7740	4450	12100	6830	927	716	673	653	6
7	3120	3540	4190	13900	8010	4470	12100	6910	899	768	653	780	7
8	3190	3640	4180	10900	6890	4760	12100	6810	880	725	634	743	8
9	3340	3570	4160	9670	6100	5090	11800	6840	896	724	643	810	9
10	3310	3320	4160	8560	5600	6020	14500	7120	820	747	676	779	10
11	3310	3380	4190	7640	5240	8750	18500	8270	733	802	717	792	11
12	3100	3450	4400	6840	4920	9280	17500	8150	699	786	715	808	12
13	2870	3650	4530	6360	4690	9810	15700	7220	674	783	738	793	13
14	2880	4130	4600	6060	4560	13800	13000	6460	595	787	757	774	14
15	2920	5100	4300	5810	4370	13600	11700	6040	749	787	780	840	15
16	3360	5070	4190	5540	4290	12900	11200	5410	639	786	803	949	16
17	3600	E 4740	4110	5490	4200	11500	11200	4710	537	795	713	978	17
18	3740	E 6650	4100	5380	4160	9780	11700	4420	498	822	609	1030	18
19	3690	E 9790	4050	5260	4240	8970	10900	4010	498	790	511	1030	19
20	3740	E 8100	3970	5210	4640	8500	9460	3740	554	786	481	1030	20
21	3770	E 7120	3960	5170	4790	7880	7760	3670	513	768	451	1030	21
22	3630	6240	3940	5090	4650	7340	6950	3420	521	758	435	1030	22
23	3530	5690	3960	5020	4630	6880	6510	3090	477	750	405	1080	23
24	3440	5710	4100	4980	5020	6570	6440	2740	379	731	376	1140	24
25	3490	6690	4930	4940	5710	6490	6630	2390	336	713	366	1110	25
26	3460	6630	5540	4910	5980	6800	7090	2040	343	733	377	1110	26
27	3530	6180	4740	4880	6010	7360	1870	347	724	724	399	1000	27
28	3510	5690	4690	4590	5920	8280	6880	1880	374	694	444	1010	28
29	3550	5360	7540	4260	9260	6390	1740	308	730	730	508	1000	29
30	3570	4960	7910	6570	10600	6200	1460	293	729	510	997	30	30
31	3550		7210	7700		11700	1280		789		448		31
MEAN	3342	5020	4617	6933	5531	7906	10900	4782	659	775	605	887	MEAN
MAX	3770	E 9790	7910	18700	8010	13800	18500	8270	1170	822	839	1140	MAX.
MIN.	2870	3320	3940	4260	4160	4450	6200	1280	293	370	366	606	MIN.
AC FT.	205500	298700	283900	426300	307200	486100	648700	294000	39200	44580	37220	52760	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT.	MO	DAY	TIME	DISCHARGE	MINIMUM GAGE HT.	MO	DAY	TIME	TOTAL ACRE FEET
4315	20700	64.12	1	6	0310	293	30.98	6	29	2400	3124000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CF5	GAGE T	DATE				FROM	TO	
36° 44' N	121° 40' W	NW 1/4 Sec 10			11-14-23	11,400	11.40	#			
						11,400	11.40	#			
						11,400	11.40	#			
						11,400	11.40	#			
Station located on the Feather River, about 10 miles below the mouth of the Feather River, near the mouth of the Feather River, near the mouth of the Feather River.											
Drainage area about 10,000 acres.											
# - Irrigation gage only											
# - Fl 1 gage only											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	465250	WOLF CREEK NEAR WOLF

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	18	18	40	744	704	107	48	24	21	11	10	14	1
2	18	19	18	155	240	96	48	23	19	18	8.4	14	2
3	16	21	76	121	167	81	44	25	20	15	6.0	14	3
4	16	20	76	474	177	74	42	24	19	12	12	13	4
5	17	18	76	1670	274	72	42	23	17	13	6.8	13	5
6	18	20	E	77	639	483	70	41	24	19	6.9	13	6
7	17	21	E	70	206	278	93	41	21	24	6.7	12	7
8	16	42	E	20	217	149	80	39	20	23	4.5	12	8
9	14	51	E	33	164	147	93	29	23	21	4.9	13	9
10	16	40	E	72	139	121	231	108	37	18	4.9	12	10
11	18	37	E	77	119	90	142	118	31	19	10	12	11
12	15	39	E	47	106	91	120	163	26	18	7.8	12	12
13	19	46	E	47	88	82	196	95	26	16	6.7	14	13
14	23	172	E	44	78	40	119	74	21	13	7.5	13	14
15	38	94	E	37	73	76	85	58	20	12	7.3	13	15
16	29	44	E	36	67	70	125	60	19	12	7.2	12	16
17	27	156	E	34	65	68	94	44	19	14	7.1	12	17
18	22	349	E	37	60	67	102	45	18	12	6.9	12	18
19	18	118	E	27	46	92	152	78	16	12	6.8	13	19
20	20	41	E	20	53	81	116	31	18	13	6.8	14	20
21	20	47	E	30	51	69	101	31	17	14	6.8	14	21
22	21	42	E	30	54	68	91	25	18	16	8.3	14	22
23	19	87	E	10	57	83	82	22	18	14	9.7	14	23
24	18	746	E	80	51	114	76	76	16	15	9.5	14	24
25	17	164	E	640	49	117	69	25	17	14	8.3	14	25
26	17	91	E	147	48	180	63	24	19	12	9.4	10	26
27	14	63	E	87	48	178	60	29	18	13	10	15	27
28	16	43	E	500	45	111	57	27	20	11	9.9	11	28
29	16	46	E	759	111	111	47	25	20	10	10	12	29
30	16	41	E	604	754	56	27	20	10	8.6	12	10	30
31	16	*	E	580	704	49	49	20	20	11	14	10	31
MEAN	18.8	40.2	137	208	147	97.2	40.0	21.3	15.6	11.7	8.4	11.2	MEAN
MAX	38	766	E	753	1670	583	231	163	24	16	14	15	MAX
MIN	14	18	E	29	45	67	49	22	16	10	4.9	10	MIN
AC. FT.	1158	4772	E	8396	12810	8186	5974	2914	1311	930	514	785	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
66.9		2370	14.32	1	5	0910	4.9	8.52	8	9	0000	48470	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT	DATE						

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)[illegible]

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF HQ FLOW MADE THIS DAY  
# - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
1.0	1.0	1.0	1	1	1	1.0	1.0	1	1	1	1.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1.4 SEC. T & R M.D. & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
			210 CFS	4.5	6-10	1-1-50					

on segment River at segment weir stage 2.0 ft. 1.4 sec. T & R  
1.4 sec. T & R; elevation of weir crest (top of structure) is 4.5 ft. at 1.4 sec. T & R. Length  
1.4 sec. T & R.

\* Two 1.4 sec. surveys. First 1.4 sec. at 1.4 sec. T & R. Second 1.4 sec. at 1.4 sec. T & R.



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR		STATION NO		STATION NAME									
1961-62		A-1		ST. JOHN RIVER, ILL.									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1
2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	2
3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	3
4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	4
5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5
6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	6
7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	7
8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	8
9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	9
10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	10
11	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11
12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	12
13	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	13
14	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	14
15	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	15
16	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	16
17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	17
18	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	18
19	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	19
20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	20
21	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	21
22	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	22
23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	23
24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	24
25	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	25
26	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	26
27	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	27
28	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	28
29	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	29
30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	30
31	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	31
MEAN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MEAN
MAX	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MAX
MIN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MIN
AC. FT.	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

: - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO.	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
11.5	12					11					12

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM	
			CFS	GAGE NT	DATE						



**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	29	6 <sup>2</sup>	52	208	114	00	11	49	17	18	12	11	1
2	29	87	53	210	109	57	00	48	19	17	11	12	2
2	28	79	55	597	105	55	54	49	18	16	11	13	2
4	29	65	53	827	103	54	50	51	18	14	9.9	13	4
5	30	55	47	751	145	53	53	51	25	14	9.2	14	5
6	30	50	45	1890	136	53	52	49	24	10	8.7	16	6
7	29	47	45	766	109	04	52	49	28	8.4	8.3	18	7
8	29	44	45	325	100	55	91	45	22	9.2	8.5	18	8
9	28	127	44	238	95	50	241	39	20	9.1	9.8	19	9
10	29	162	45	200	86	48	463	37	17	8.9	11	16	10
11	30	107	45	213	83	48	198	32	13	10	24	19	11
12	31	107	47	196	79	89	139	25	11	11	49	20	12
13	29	75	46	173	81	100	156	34	10	9.7	43	25	13
14	29	62	40	164	87	59	128	41	13	8.3	26	21	14
15	29	54	40	158	80	48	108	33	14	7.3	21	21	15
16	29	48	46	147	79	44	555	32	11	9.0	17	20	16
17	27	44	46	179	75	38	213	33	9.9	8.8	18	20	17
18	25	41	48	133	78	37	155	25	16	9.2	19	25	18
19	23	40	45	172	74	34	145	23	16	8.7	18	23	19
20	21	38	46	215	67	34	126	26	14	7.4	20	22	20
21	18	39	826	147	66	34	121	30	12	6.0	19	21	21
22	16	30	2030	132	62	36	107	33	16	9.5	19	21	22
23	18	30	2100	216	57	33	96	34	18	9.5	18	19	23
24	31	38	824	376	34	37	87	20	11	11	16	18	24
25	26	45	383	158	52	35	72	22	23	12	15	20	25
26	29	46	608	140	42	43	60	19	22	17	15	23	26
27	31	44	678	127	85	234	18	20	17	13	25	27	27
28	35	32	310	123	84	122	56	18	20	16	21	25	28
29	37	47	505	122	73	40	15	19	14	11	23	29	29
30	84	44	534	117	62	44	14	17	13	12	19	30	30
31	68		331	114	71		15		14	9.7			31
MEAN	21.5	60.5	337	305	85.3	59.9	125	32.5	26.4	11.5	16.6	19.4	MEAN
MAX	81	153	2160	186	145	234	241	51	28	15.9	25	25	MAX
MIN	18	38	44	114	42	31	44	17	9.9	7.2	8.3	11	MIN
AC FIC	1940	3600	20710	18750	4735	3683	7638	2001	1035	704	1018	1154	AC

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET	
92.6		2800 E	12.73	12	23	0020	6.2	0.82	7	20	1630	67030	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATE OF GAGE		
LATITUDE	LONGITUDE	1:4 SEC. T. & R. N.D.S.E.M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD		LAST DATE
			CFS	GAUGE HT.	DATE			FROM	TO	
38 44 04	121 23 05	SELO 10N 6E				JUL 49-DATE	JUL 49-DATE	1957		
								100.00		
								100.00		
								100.00		
								100.00		
								100.00		

Station is located at the Pacific Railroad bridge, 3.0 mi. below State Highway 65 bridge, immediately NW of Roseville. Also known as "Dry Creek near Roseville". Tributary to Sacramento River via Back Barrow Pit of Reclamation District 1000.

(IN CUBIC FEET PER SECOND)

94

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR		STATION NO.		STATION NAME									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	1
2	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	2
3	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	3
4	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	4
5	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	5
6	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	6
7	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	7
8	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	8
9	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	9
10	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	10
11	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	11
12	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	12
13	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	13
14	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14
15	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	15
16	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	16
17	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	17
18	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	18
19	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	19
20	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	20
21	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	21
22	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	22
23	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	23
24	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	24
25	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	25
26	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	26
27	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	27
28	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	28
29	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	29
30	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	30
31	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	31
MEAN	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	MEAN
MAX.	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	MAX.
MIN.	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	MIN.
AC. FT.	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	AC. FT.

WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
? - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
14700		14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	14700	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE			FROM	TO	
34° 12' N	114° 12' W	14700	14700	14700	14700	14700	14700	14700	14700	14700
Station located 1.5 mi. N. of 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700.										
Station-discharge related to 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700.										
Station built by 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700.										
1 - Irrigation, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700, 14700.										

DAILY MEAN DISCHARGE

WATER YEAR	STATION NO.	STATION NAME
1966	A81810	MIDDLE CREEK NEAR UPPER LAKE

WATER YEAR SUMMARY

- E AND \*

TOTAL  
ACRE FEET  
46130

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
41 22 N	120 54 W	104 130 20				104 130 20	104 130 20				

Information furnished hereon is preliminary and is subject to change without notice. It is not to be used for any purpose other than the one for which it was prepared. It is not to be published in any report.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A32491	2.50 FEET ABOVE SPAN, PEAR RIVER LAKE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	0.0	0.0	1.37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1
2	0.0	0.0	0.0	0.0	1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0	1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0	3.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5
6	0.0	0.0	0.0	4.7	124	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6
7	0.0	0.0	0.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7
8	0.0	0.0	0.0	1.0	76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31
MEAN	0.0	0.0	0.0	1.66	6.00	22.0	2.0	0.0	0.0	0.0	0.0	0.0	MEAN
MAX.	0.0	0.0	0.0	1.00	3.00	76	14	0.0	0.0	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	MIN.
AC. FT.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 † - NO FLOW MADE THIS DAY  
 ‡ - E AND \*

MEAN	MAXIMUM					MINIMUM				
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME
0.0	30.0	6.0	1	4	1900	0.0	0.0	1	1	0000

TOTAL
ACRE FEET
14500

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF. DATUM
			CF5	GAGE HT.	DATE				FROM	TO	
43° 10' 33"	122° 54' 00"	25 S 2 1/2 N 9 W	0.0	7.0	1.0	NOV 09-DATE	NOV 09-DATE	195	1.0	1.0	LOCAL
Station located 1.1 above Lake Pillsbury Road bridge, 0.3 mi. N of Upper Lake. Tributary to Clear Lake via Middle Creek.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961	81100	CLOVER CREEK AT UPPER LAKE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			1.1	2.1	5.2	5.3	11	7.0	3.4	0.6	0.1	0.0	1
2			3.1	2.0	5.1	5.3	11	7.0	3.1	0.1	0.0	0.0	2
3			1.1	1.0	1.0	1.5	11	6.8	2.3	0.4	0.0	0.0	3
4			1.1	1.0	1.0	1.1	11	7.1	0.2	0.0	0.0	0.0	4
5			1.1	1.0	1.0	1.1	11	7.0	1.6	0.0	0.0	0.0	5
6			1.0	1.0	1.0	1.1	11	7.5	0.2	0.0	0.0	0.0	6
7			1.4	1.0	1.0	1.1	11	7.7	0.2	0.0	0.0	0.0	7
8			1.5	1.0	1.0	1.1	11	7.2	0.2	0.0	0.0	0.0	8
9			1.0	1.0	1.0	1.1	11	7.0	1.0	0.0	0.0	0.0	9
10			1.0	1.0	1.0	1.1	11	7.5	1.0	0.1	0.0	0.0	10
11			1.3	1.0	1.0	1.1	11	7.3	1.3	0.1	0.0	0.0	11
12			1.3	1.0	1.0	1.1	11	7.7	1.0	0.1	0.0	0.0	12
13			1.5	1.0	1.0	1.1	11	7.1	1.3	0.1	0.0	0.0	13
14			1.0	1.0	1.0	1.1	11	6.7	0.6	0.0	0.0	0.0	14
15			1.0	1.0	1.0	1.1	11	6.8	1.0	0.1	0.0	0.0	15
16			1.0	1.0	1.0	1.1	11	6.4	0.7	0.0	0.0	0.0	16
17			1.0	1.0	1.0	1.1	11	6.5	0.7	0.0	0.0	0.0	17
18			1.0	1.0	1.0	1.1	11	6.4	1.0	0.0	0.0	0.0	18
19			1.0	1.0	1.0	1.1	11	5.9	0.8	0.0	0.0	0.0	19
20			1.0	1.0	1.0	1.1	11	4.6	0.8	0.0	0.0	0.0	20
21			1.0	1.0	1.0	1.1	11	5.0	0.5	0.0	0.0	0.0	21
22			1.0	1.0	1.0	1.1	11	5.2	0.4	0.0	0.0	0.0	22
23			1.1	1.0	1.0	1.1	11	4.9	0.4	0.0	0.0	0.0	23
24			1.0	1.0	1.0	1.1	11	4.5	0.4	0.0	0.0	0.0	24
25			1.0	1.0	1.0	1.1	11	4.4	0.4	0.0	0.0	0.0	25
26			1.0	1.0	1.0	1.1	11	4.2	0.2	0.0	0.0	0.0	26
27			1.0	1.0	1.0	1.1	11	4.0	0.3	0.0	0.0	0.0	27
28			1.0	1.0	1.0	1.1	11	3.8	0.2	0.0	0.0	0.0	28
29			1.0	1.0	1.0	1.1	11	4.0	0.5	0.0	0.0	0.0	29
30			1.0	1.0	1.0	1.1	11	4.0	0.4	0.0	0.0	0.0	30
31			1.0	1.0	1.0	1.1	11	3.8	0.0	0.0	0.0	0.0	31
MEAN	1.0	2.4	11.7	11.6	5.2	12.6	10.2	6.0	1.2	0.1	0.0	0.0	MEAN
MAX	1.0	2.4	11.7	11.6	5.2	12.6	10.2	6.0	1.2	0.1	0.0	0.0	MAX
MIN	1.0	2.4	11.7	11.6	5.2	12.6	10.2	6.0	1.2	0.1	0.0	0.0	MIN
AC. FT.	1.0	2.4	11.7	11.6	5.2	12.6	10.2	6.0	1.2	0.1	0.0	0.0	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

- E AND \*

MEAN	DISCHARGE	MAXIMUM	DISCHARGE	MINIMUM	DISCHARGE	TOTAL
5.4	3.0	5.37	1	4	10.0	304.5

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R. M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT	DATE						
50° 10' N	122° 04' W	NW 1/4 Sec 36	10.0	5.0	10.1.01	JAN 10-DATE	JAN 10-DATE	1.00	13.0	13.0	13.0
Station located at Warden Bridge, 1/4 mi. above confluence with Middle Creek, 1/4 mi. below bypass channel. Tributary to Clear Lake via Middle Creek. See total contribution of Clover Creek to Clear Lake and to above. Clover Creek bypass near Upper Lake. Flow partially controlled by head gates.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A81850	SCOTTS CREEK NEAR LAKEPORT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	25 E	247	566 E	99	24 F	9 E	0.2 E	0.0	0.0	0.0	1
2	0.0	0.0	19 E	182	370 E	86	22 E	9 E	0.2 E	0.0	0.0	0.0	2
3	0.0	0.0	15 E	268	542 E	73	20 E	8 E	0.2 E	0.0	0.0	0.0	3
4	0.0	0.0	11 E	3840 E	1525 *	62	18 E	8 E	0.1 E	0.0	0.0	0.0	4
5	0.0	0.0	10 E	2190 E	745 *	62	17 E	7 *	0.0	0.0	0.0	0.0	5
6	0.0	0.0	9 E	702	467	64 E	19 E	7 E	0.0	0.0	0.0	0.0	6
7	0.0	0.0	8 E	398	318	60 E	20 *	8 E	0.0	0.0	0.0	0.0	7
8	0.0	0.0	8 E	270	258	58 E	22 E	8 E	0.0 *	0.0	0.0	0.0	8
9	0.0	0.0	8 E	200	173	107	25 E	9 E	0.0	0.0	0.0	0.0	9
10	0.0	0.0	7 E	172	129 *	176	26 E	9 E	0.0	0.0	0.0	0.0	10
11	0.0	0.0	9 E	126	98	124	62	8 *	0.0	0.0	0.0	0.0	11
12	0.0	0.0	12 E	96	93 *	107	91	8 E	0.0	0.0	0.0	0.0	12
13	0.0	10 E	11 E	85	74	106	43	8 E	0.0	0.0	0.0	0.0	13
14	0.0	76 E	9 E	72	63	91	33 *	7 E	0.0	0.0	0.0	0.0	14
15	0.0	134 E	8 E	67	62 E	96	25 E	7 E	0.0	0.0	0.0	0.0	15
16	0.0	45 E	8 E	52	61 E	108	24 E	6 E	0.0	0.0	0.0	0.0	16
17	0.0	54 E	7 E	60	60 E	91	22 E	6 E	0.0	0.0	0.0	0.0	17
18	0.0	250 E	7 E	45 E	60 E	83	21 E	5 E	0.0	0.0	0.0	0.0	18
19	0.0	156 E	7 E	40 E	159	90	19 E	5 E	0.0	0.0	0.0	0.0	19
20	0.0	70 E	7 E	35 E	96	71	16 E	4 E	0.0	0.0	0.0	0.0	20
21	0.0	43 E	7 E	32 E	71	74	17 *	3 E	0.0	0.0	0.0	0.0	21
22	0.0	32 E	7 E	30 E	69	65	16 E	2 E	0.0	0.0	0.0	0.0	22
23	0.0	29 E	6 E	27 E	69	60	15 E	1.5 E	0.0	0.0	0.0	0.0	23
24	0.0	265 E	78 E	25 E	88	54 E	14 E	1 E	0.0	0.0	0.0	0.0	24
25	0.0	255 E	227 E	24 E	105	48 E	13 E	0.7 E	0.0	0.0	0.0	0.0	25
26	0.0	153 E	135 E	23 E	146	43 E	13 E	0.4 E	0.0	0.0	0.0	0.0	26
27	0.0	108 E	96 E	22 *	122	39 E	12 E	0.3 E	0.0	0.0	0.0	0.0	27
28	0.0	66 E	479 E	20 E	108	36 E	11 *	0.2 *	0.0	0.0	0.0	0.0	28
29	0.0	48 E	450 E	200 E		32 E	10 E	0.2 E	0.0	0.0	0.0	0.0	29
30	0.0	34 E	330 E	670 E		29 E	10 E	0.2 E	0.0	0.0	0.0	0.0	30
31	0.0		372 E	370 E		27 E		0.2 E	0.0	0.0	0.0	0.0	31
MEAN	0.0	61	77	341	239	75	23	5.0	0.2	0.0	0.0	0.0	MEAN
MAX.	0.0	265 E	479 E	3840 E	1525 E	176	132	9 E	0.2 E	0.0	0.0	0.0	MAX.
MIN.	0.0	10	6	20	60	27	10	0.2 E	0.0	0.0	0.0	0.0	MIN.
AC. FT.		3269	4756	21003	13280	4607	1396	309	1.4				AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 NR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 E - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
68	10000 F	13.78	1	4	1950	0.0		10	1	0000	48620

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM	
			CF5	GAGE HT.	DATE						
44° 44'	122° 12' 55"	2324 14N 10W				CT 43-SEP 53 Mer DATE	CT 43-SEP 53	1-43		1.0	1000
Station located at Hartley Cemetery Road bridge, 0.1 mi. NW of Lakeport. Tributary to Clear Lake via Middle Branch. Record listed is not considered to have the same degree of accuracy as other records published in this report. Drainage area is 44.3 sq. mi.											



(IN CUBIC FEET PER SECOND)

WATER YEAR SUMMARY

2 - E AND



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	A81250	BEAR CREEK NEAR RUMSEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.2	1.6	11	48	153	44	16	8.8	7.3	1.0	1.1	1.3 E	1
2	1.2	1.7	10	26	90	40	16	8.4	3.2	1.7	1.1	1.2 E	2
3	1.3	1.8	9.4	62	240	37	18	8.2	3.2	1.8	1.1	1.0	3
4	1.3	1.7	8.9	1850	#	706	36	8.0	3.4	1.8	1.1	1.0	4
5	1.5	1.7	8.2	1410	#	190	27	17	7.6	3.3	1.0	0.9	5
6	1.5	1.8	7.7	289	122	28	17	7.6	3.5	1.7	1.0	0.8	6
7	1.5	2.0	7.1	157	92	35	17	7.5	4.0	1.7	1.0	0.9	7
8	1.6	2.4	7.2	119	79	32	16	7.6	3.7	1.7	1.0	1.1	8
9	1.6	2.6	7.3	95	68	35	17	8.0	3.2	1.8	1.2	1.2	9
10	1.5	2.1	7.0	83	62	40	22	9.8	3.0	1.9	1.2	1.2	10
11	1.7	2.1	7.0	71	55	36	21	9.2	2.8	1.8	1.2	1.2	11
12	1.7	2.1	11	64	53	33	20	8.2	2.9	1.8	1.2	1.2	12
13	1.7	8.0	11	58	48	32	18	7.9	2.6	1.8	1.3	1.3	13
14	1.7	3.4	9.1	54	48	31	16	5.9	2.5	1.8	1.4	1.4	14
15	1.8	4.1	7.6	51	46	30	16	5.2	2.7	1.8	1.4	1.4	15
16	1.7	20	6.9	46	43	30	16	4.7	2.6	1.7	1.3	1.3	16
17	1.5	16	6.3	42	42	27	15	4.3	2.4	1.6	1.3	1.3	17
18	1.5	88	5.8	41	41	27	14	4.1	2.2	1.6	1.3	1.3	18
19	1.6	50	5.7	39	105	27	13	4.0	2.1	1.6	1.5	1.5	19
20	1.6	23	5.4	36	72	26	12	3.9	2.0	1.5	1.9	1.9	20
21	1.6	15	5.7	35	50	25	12	3.8	2.0	1.5	1.6	1.6	21
22	1.6	11	6.0	35	47	25	11	3.9	2.2	1.4	1.4	1.4	22
23	1.5	9.0	5.4	24	54	24	9.5	3.8	2.2	1.4	1.2	1.2	23
24	1.6	71	20	32	61	24	9.1	3.8	2.3	1.3	1.2	1.2	24
25	1.6	72	84	21	53	24	8.9	3.7	2.1	1.3	1.2	1.2	25
26	1.7	20	27	31	66	23	8.6	3.5	1.9	1.3	1.3	1.3	26
27	1.7	21	18	30	48	23	7.9	3.4	1.9	1.2	1.3	1.3	27
28	1.7	17	426	28	44	22	8.9	3.6	1.8	1.2	1.0	1.0	28
29	1.7	15	283	73	21	21	9.7	3.5	1.7	1.2	0.9	0.9	29
30	1.7	13	105	235	21	21	9.3	3.5	1.7	1.2	1.0	1.0	30
31	1.6		84	82	20	20		3.5	1.1	1.1	1.3 #	1.3	31
MEAN	1.6	19.3	39.5	171	99.2	29.8	14.5	5.7	2.6	1.5	1.0	1.2	MEAN
MAX	1.8	88	426	1850	706	44	22	9.8	4.0	1.9	1.3 #	1.9	MAX
MIN	1.2	1.6	5.4	26	41	20	7.9	3.4	1.7	1.1	1.0	0.8	MIN
AC FT	96	1146	2427	10490	5510	1827	862	356	166	97	63	13	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN DISCHARGE
31.9

MAXIMUM				
DISCHARGE	GAGE HT	MO	DAY	TIME
4550	8.65	1	4	2130

MINIMUM				
DISCHARGE	GAGE HT	MO	DAY	TIME
0.6	0.88	9	6	1230

TOTAL
23110

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
39 56 22	100 0 24	2427	4550	8.65	1/4/2130	0.6	0.88	9	6	1230	
Station location is 1. NW of bridge, 1.5 mi. above bridge, 1.5 mi. from the bridge,											

DAILY MEAN DISCHARGE

WATER YEAR	STATION NO.	STATION NAME
1966	A81200	CACHE CREEK ABOVE RUMSEY

WATER YEAR SUMMARY

\* - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
573	23600	15.65	1	4	2310	8.6	0.76	11	2	1350	415000

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B S M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
33 52 N	112 14 W	MOBILE AL	175	11.0	1960	175-176 11.05-11.0	11.0	1960			LOCAL
Station is located on the Mobile River, 1.5 mi. N.W. of Mobile, Alabama. It is a low water stage gage. The gage is located on the Mobile River, 1.5 mi. N.W. of Mobile, Alabama. It is a low water stage gage.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	A95010	POFF CREEK NEAR POPE VALLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.1	0.2	11	149	562	78	21	8.2	2.5	0.0	0.0	0.0	1
2	0.1	0.2	9.6	100	260	69	20	8.8	2.9	0.0	0.0	0.0	2
3	0.1	0.2	8.0	121	458	61	19	7.3	2.7	0.4	0.0	0.0	3
4	0.1	0.2	7.2	2740	720	57	18	8.1	3.0	0.4	0.0	0.0	4
5	0.1	0.2	6.7	3680	315	54	18	7.6	2.7	0.3	0.0	0.0	5
6	0.1	0.2	6.5	786	210	52	17	7.7	3.5	0.2	0.0	0.0	6
7	0.1	0.2	6.4	365	163	49	17	7.6	4.0	0.2	0.0	0.0	7
8	0.1	0.3	6.1	243	134	46	16	6.9	3.7	0.2	0.0	0.0	8
9	0.1	0.4	6.2	178	115	51	18	7.3	3.2	0.2	0.0	0.0	9
10	0.1	0.4	5.7	129	95	138	30	8.3	2.8	0.2	0.0	0.0	10
11	0.1	0.4	6.4	115	84	80	27	7.6	2.5	0.2	0.0	0.0	11
12	0.1	0.7	8.8	99	79	63	47	7.0	2.2	0.2	0.0	0.0	12
13	0.1	3.2	8.1	87	71	62	30	6.4	2.2	0.2	0.0	0.0	13
14	0.1	121	6.8	79	65	56	22	6.0	2.2	0.2	0.0	0.0	14
15	0.1	73	6.3	72	60	51	19	5.7	1.8	0.2	0.0	0.0	15
16	0.1	23	5.7	64	54	49	17	5.1	1.6	0.2	0.0	0.0	16
17	0.1	64	5.4	60	52	45	16	4.8	1.6	0.2	0.0	0.0	17
18	0.1	125	5.2	57	50	43	16	4.2	1.5	0.1	0.0	0.0	18
19	0.1	49	5.2	52	196	41	14	4.1	1.3	0.2	0.0	0.0	19
20	0.1	24	5.2	47	117	38	14	3.7	1.1	0.2	0.0	0.0	20
21	0.1	15	5.1	43	81	35	13	3.6	1.0	0.3	0.0	0.0	21
22	0.1	11	4.7	43	73	33	13	3.8	0.9	0.2	0.0	0.0	22
23	0.1	8.9	4.7	41	88	31	12	3.6	0.8	0.2	0.0	0.0	23
24	0.1	127	74	40	91	30	11	3.3	0.9	0.2	0.0	0.0	24
25	0.1	82	166	38	109	28	11	2.8	0.8	0.2	0.0	0.0	25
26	0.1	37	67	37	162	27	10	2.1	0.7	0.2	0.0	0.0	26
27	0.1	27	41	37	104	25	9.8	2.4	0.6	0.1	0.0	0.0	27
28	0.1	20	792	36	87	24	9.8	2.6	0.7	0.1	0.0	0.0	28
29	0.1	16	412	251	24	24	9.5	3.0	0.2	0.1	0.0	0.0	29
30	0.2	13	245	491	23	23	9.3	3.6	0.4	0.1	0.0	0.0	30
31	0.2		317	195	22	22		3.1		0.0	0.0		31
MEAN	0.1	28.1	73.1	338	167	47.9	17.8	5.3	1.8	0.2	0.0	0.0	MEAN
MAX	0.2	127	792	2680	730	138	47	8.8	4.0	0.4	0.0	0.0	MAX
MIN	0.1	0.2	4.7	36	50	22	9.3	2.3	0.2	0.0	0.0	0.0	MIN
AC FT.	7	1671	4493	20800	9251	2945	1060	330	113	13			AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLOW MADE THIS DAY

E - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
55.9	7230	13.96	1	5	0510	0.0		7	21	1800	40460

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	DF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CF5	GAGE HT	DATE			FROM	TO	
34° 15' N	100° 15' W	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M	14 SEC T & R M D B & M

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	491160	PLEASANTS CREEK NEAR WINTERS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0*	0.0*	0.6*	7.4	24 *	5.7	2.3	1.0	0.3	0.0*	0.0*	0.0*	1
2	0.0	0.0	0.5	5.2	9.9	5.3*	2.2	0.9	0.2*	0.0	0.0	0.0	2
3	0.0	0.0	0.5	4.2*	4.9	4.9	2.1	0.8*	0.2	0.0	0.0	0.0	3
4	0.0	0.0	0.5	24.7 *	6.4	5.0	2.0*	0.8	0.2	0.0	0.0	0.0	4
5	0.0	0.0	0.6	4.0	21	4.9	2.0	0.8	0.2	0.0	0.0	0.0	5
6	0.0	0.0	0.6	61	16	4.7	2.0	0.8	0.2	0.0	0.0	0.0	6
7	0.0	0.0	0.5	26	13	4.4	1.9	0.8	0.3	0.0	0.0	0.0	7
8	0.0	0.0	0.6	19	12	4.3	1.8	0.8	0.2	0.0	0.0	0.0	8
9	0.0	0.1	0.6	15	10	4.3	2.2	0.8	0.2	0.0	0.0	0.0	9
10	0.0	0.1	0.7	13	9.0	4.6	4.1	0.9	0.1	0.0	0.0	0.0	10
11	0.0	0.1	1.5	12	8.3	4.3	2.3	0.9	0.1	0.0	0.0	0.0	11
12	0.0	0.1	1.3	10	7.9	4.2	2.2	0.8	0.1	0.0	0.0	0.0	12
13	0.0	0.5	1.1	9.6	7.4	4.0	1.9	0.7	0.1	0.0	0.0	0.0	13
14	0.0	0.5	0.9	8.7	7.0	3.9	1.8	0.6	0.1	0.0	0.0	0.0	14
15	0.0*	1.1	0.8	7.4	6.9	3.7	1.7	0.6	0.0	0.0	0.0	0.0	15
16	0.0	0.5	0.8	6.7	6.4	3.5	1.6	0.6	0.0	0.0	0.0	0.0	16
17	0.0	1.2	0.8	6.3	6.4	3.5	1.5	0.6	0.0	0.0	0.0	0.0	17
18	0.0	7.1	0.8	5.8	6.2	3.5	1.5	0.4	0.0	0.0	0.0	0.0	18
19	0.0	1.6	0.7	5.3	7.4	3.4	1.3	0.4	0.0	0.0	0.0	0.0	19
20	0.0	0.8	0.8	4.6	9.7	3.3	1.4	0.3	0.0	0.0	0.0	0.0	20
21	0.0	0.6	0.9	4.3	7.5	3.1	1.4	0.3	0.0	0.0	0.0	0.0	21
22	0.0	0.5	0.9	4.3	7.2	3.0	1.3	0.3	0.0	0.0	0.0	0.0	22
23	0.0	0.5	0.8	4.0	7.4	3.0	1.2	0.3	0.0	0.0	0.0	0.0	23
24	0.0	1.2	0.6	3.7	7.0	3.0	1.2	0.3	0.0	0.0	0.0	0.0	24
25	0.0	4.6	0.6	3.5	6.6	2.8	1.2	0.3	0.0	0.0	0.0	0.0	25
26	0.0	1.5	2.7	3.6	6.6	2.8	1.2	0.2	0.0	0.0	0.0	0.0	26
27	0.0	1.0	2.0	3.3	5.8	2.7	1.0	0.2	0.0	0.0	0.0	0.0	27
28	0.0	0.8	7.9	3.0	5.7*	2.6	1.0	0.2	0.0	0.0	0.0	0.0	28
29	0.0	0.7	2.8 *	16	2.6	1.0	0.2	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.7	1.6	18	2.6	1.0	0.2	0.0	0.0	0.0	0.0	0.0	30
31	0.0		1.7	7.2		2.5		0.2		0.0	0.0	0.0	31
MEAN	0.0	1.8	5.8	30.5	13.3	3.7	1.7	0.5	0.1	0.0	0.0	0.0	MEAN
MAX	0.0	12	7.9	400	64	5.7	4.1	1.0	0.3	0.0	0.0	0.0	MAX
MIN	0.0	0.0	0.5	3.0	5.7	2.5	1.0	0.2	0.0	0.0	0.0	0.0	MIN.
AC. FT.		110	358	1875	738	230	102	34	5				AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
4.8	951	6.82	1	4	2250	0.0		10	1	0000	34.51

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CF5	GAGE HT	DATE				FROM	TO	
					NOV 4-1966						
					OCT 27-1966						

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	409160	PUTAH CREEK BELOW WATERS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0*	0.0*	41	48	41	513	61	35	36	0.0*	64	0.0*	1
2	0.0	0.0	41	50	31	414	57	37	34	0.0	11	0.0	2
3	1*	0.0	41	50	43	440	53	36	34	0.0	0.0	0.0	3
4	2*	0.0	41	74	262	405	44	34	35	0.0	0.0	0.0	4
5	4.3	0.0	43	1930 E	88	393	41	34	35	5.1	0.0	0.0	5
6	0.0	0.0	41	144	62	378	45	35	34	35	0.0	0.0	6
7	0.0	0.0	17	50	102	374	43	34	5.2	38	0.0	1.7	7
8	0.0	0.0	10	41	142	366	41	33	0.0	38	0.0	2.6	8
9	0.0	0.0	9.6	41	193	340	44	33	0.0	38	43	3.0	9
10	0.0	0.0	4.7	42	236	325	42	33	0.0	39	64	31	10
11	0.0	0.0	9.7	42	265	324	41	32	0.0	33	67	29	11
12	0.0	0.0	11	40	288	329	41	31	0.0	2.0	65	29	12
13	0.0	0.0	11	40	309	330	45	30	0.0	0.0	68	6.1	13
14	0.0	0.0	37	41	308	331	44	29	0.0	0.0	70	0.0	14
15	0.0	26	40	39	332	325	40	29	74	0.0	67	0.0	15
16	0.0	35	62	38	321	302	41	29	46	0.0	14	0.0	16
17	0.0	41	43	38	296	246	44	28	59	0.0	0.0	0.0	17
18	0.0	41	44	39	312	246	41	28	58	0.0	1.0	0.0	18
19	0.0	37	46	41	366	256	38	28	53	0.0	0.0	0.0	19
20	0.0	36	44	38	461	222	40	28	45	0.0	0.0	0.0*	20
21	0.0	41	10	40	502	202	37	35	46	0.0	0.0	0.0	21
22	0.0	47	0.3	91	483	183	32	36	46	0.0	0.0	0.0	22
23	0.0	50	0.0	82	492	166	33	37	46	0.0	0.0	0.0	23
24	0.0	51	0.0	42	507	167	34	37	45	0.0	1.6	0.0	24
25	0.0	48	0.0	51	522	144	34	37	46	0.0	2.4	0.0	25
26	0.0	41	0.0	52	505	127	34	36	46	0.0	2.3	0.0	26
27	0.0	40	0.0	51	508	108	34	37	42	45	3.0	0.0	27
28	0.0	41	37	42	506	95	33	38	5.3	63	2.6	0.0	28
29	0.0	43	156	37	79	79	32	39	0.0	67	2.4	0.0	29
30	0.0	42	68	63	79	79	33	39	0.0	70	0.3	0.0	30
31	0.0	49	49	40	71	71	37	37	71	71	0.0	0.0	31
MEAN	1.3	22.0	30.2	98.9	303	271	40.7	33.7	27.5	17.6	17.8	5.0	MEAN
MAX	20	43	164	1530 E	522	514	61	39	61	71	70	31	MAX
MIN.	0.0	0.0	0.0	37	31	71	32	28	0.0	0.0	0.0	0.0	MIN
AC. FT.	82	1309	1859	6081	16830	16660	2424	2071	1635	1079	1097	299	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
 HR - NO RECORD  
 \* - DISCHARGE MEASUREMENT OR OBSERVATION  
 OF NO FLOW MADE THIS DAY  
 \* - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT.	MO.	DAY	TIME	DISCHARGE	MINIMUM GAGE HT.	MO.	DAY	TIME	TOTAL ACRE FEET
71.0	2610	11.42	1	5	0220	0.0	10	1	0000		5142.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T. & R. N D 8 & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
38 11 N	121 00 W	N 20.0 E N 10.0 E	11.42	11.42	1 5 0220	0.0	10	1	0000		
Station located at Putah Creek, 1.1 miles N of Colusa, Calif.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	409145	PUTAH CREEK ABOVE DAVIS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0*	0.0*	4.0 *	4.4	4.4 *	5.12	6.0	3.3	3.2	0.8*	5.7 *	0.0*	1
2	0.0	0.0	4.1	4.5	3.4	5.18	5.7	3.4	3.2 *	0.7	1.7	0.0	2
3	0.0	0.0	4.1	4.4	3.6	4.73	4.3	3.4	3.2	0.7	0.8*	0.0	3
4	0.0	0.0	4.0	5.2	2.44	4.16	4.3 *	3.0	3.1	0.7	0.0	0.0	4
5	1.7	0.0	4.1	14.50	10.9	4.04	4.0	3.0 *	3.1	0.6	0.0	0.0	5
6	0.2	0.0	4.0	2.13	6.0	3.89	4.1	3.0	3.2	1.1	0.0	0.0	6
7	0.0	0.0	2.0	6.0	8.4	3.85	4.1	3.0	1.6	2.5	0.0	0.0	7
8	0.0	0.0	7.5	4.5	14.3	3.79	3.7	2.9	3.8	2.2	0.0	0.0	8
9	0.0	0.0	6.8*	4.1	17.6	3.55	4.2	2.9	2.9	2.1	5.9	1.4	9
10	0.0	0.0	6.0	4.3	2.03	3.44	4.3	2.8	2.5	2.1	5.0	2.2	10
11	0.0	0.0	5.9	4.2	2.21	3.58	4.0	2.7	2.5	2.1	5.6	1.7	11
12	0.0	0.0	8.1	4.1	2.47	3.61	4.0	2.4	2.2	4.4	5.1	1.9	12
13	0.0	0.0	7.0	4.1	2.59	3.66	4.1	2.5	1.8	0.3	5.6	7.6	13
14	0.0	0.0	2.4	3.0	2.45	3.57	4.5	2.3	1.7	0.1	5.0	0.0	14
15	0.0	0.0	3.8	4.0	2.56	3.60	3.9	2.3	3.2	0.0	5.8	0.0	15
16	0.0	3.1	3.0	3.7	2.62	3.35	3.9	2.3	3.6	0.0	1.8	0.0	16
17	0.0	4.1	4.0	3.8	2.43	3.79	4.2	2.2	4.7	0.0	2.5	0.0	17
18	0.0	4.2	4.0	3.8	2.61	2.77	3.9	2.3	5.0	0.0	0.0	0.0	18
19	0.0	3.8	4.3	3.9	3.03	2.96	3.7	2.5	4.3	0.0	0.0	0.0	19
20	0.0	3.8	4.4	3.7	3.93	2.55	3.7	2.7	3.4	0.0	0.0	0.0*	20
21	0.0	3.9	1.6	4.0	4.40	2.28	4.0	3.2	3.2	0.0	0.0	0.0	21
22	0.0	4.0	3.1	0.1	4.60	2.17	3.1	3.1	3.3	0.0	0.0	0.0	22
23	0.0	4.2	1.3	0.1	4.55	1.90	3.3	2.9	3.4	0.0	0.0	0.0	23
24	0.0	4.4	0.8	4.0	4.78	1.97	3.3	3.0	3.2	0.0	0.0	0.0	24
25	0.0	4.2	0.7	4.6	4.96	1.77	3.4	3.0	3.2	0.0	0.0	0.0	25
26	0.0	4.0	0.7	4.6 *	4.92	1.53	3.3	3.1	3.2	0.0	0.0	0.0	26
27	0.0	3.9	0.6	4.8	5.06	1.24	3.3	3.2	3.1	1.0	0.0	0.0	27
28	0.0	4.1	0.7	4.2	5.17 *	1.03	3.2	3.3	3.0	4.8	0.0	0.0	28
29	0.0	4.2	14.9 *	3.7	8.3	8.3	3.1	3.4	1.3	5.3	0.0	0.0	29
30	0.0	4.2	7.0	6.3	8.3	8.3	3.2	3.6	0.5	5.7	0.0	0.0	30
31	0.0	4.6 *	4.5	4.5	7.4	7.4	3.2	3.5	5.9	5.9	0.0	0.0	31
MEAN	0.1	20.0	28.1	97.4	273	293	39.6	29.1	22.5	11.7	13.8	2.7	MEAN
MAX	1.7	4.4	14.9	145.0	51.2	51.8	6.0	3.6	5.0	5.9	5.9	2.2	MAX
MIN	0.0	0.0	0.6	2.7	3.4	7.4	3.1	2.2	0.6	0.0	0.0	0.0	MIN
AC FT.	4	1192	1726	4088	15150	18000	2356	1789	1338	501	848	162	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

† - E AND \*

MEAN	DISCHARGE	MAXIMUM	DISCHARGE	GAGE HT	MO	DAY	TIME	MINIMUM	DISCHARGE	GAGE HT	MO	DAY	TIME	TOTAL
DISCHARGE	68.0	DISCHARGE	2460	9.69	1	5	0440	DISCHARGE	0.0	1.0	1	0000	ACRE FEET	492.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1+ SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
								FROM	TO		

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	409115	SOUTH FORK PUTAH CREEK NEAR DAVIS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.5*	0.6*	27	35	30	524	63	30	21	0.2	39	0.2	1
2	2.1	0.2	26	34	29	524	67	34	20	0.2	22	0.6	2
3	4.9	0.1	26	36	23	493	49	27	19	0.1	2.0	0.2	3
4	3.3	0.1	26	39	298	433	39	23	18	0.1	0.7	0.6	4
5	1.6	0.3	27	1730	168	429	34	20	19	0.2*	0.3	0.7	5
6	0.7	0.3	28	273	56	413	33	21	19	0.1	0.0	0.6	6
7	0.0	0.1	19	69	74	408	36	20	18	0.1	0.1	0.2	7
8	0.0	0.2	3.0	43	164	406	29	19	4.0	7.2	0.2	0.0	8
9	0.1	0.3	0.3	32	205	381	36	23	0.3	12	0.1	1.2	9
10	0.4	0.2	0.1	35	242	374	49	32	0.0	12	0.3	2.0	10
11	0.9	0.2	0.0	33	264	378	48	22	0.0	13	21	5.3	11
12	0.8	0.2	0.0	32	286	380	40	15	0.0	6.7	32	5.1	12
13	0.7	0.0	0.1	30	304	378	46	14	0.1	0.6	32	7.4	13
14	0.3	0.0	0.4	29	288	371	64	13	0.0	0.0	39	3.4	14
15	0.5	0.0	24	31	298	369	48	13	0.2	0.1*	41	0.6	15
16	0.4	0.1	28	28	307	358	44	12	1.0E	0.0	21	0.2	16
17	0.4	0.2	29	28	296	318	48	14	18	0.0	1.2	0.0	17
18	1.0	14	29	29	301	304	45	15	30	0.2	0.4	0.0	18
19	0.9	20	29	30	334	338	36	19	28	0.0	0.1	0.2	19
20	0.9	19	31	32	406	291	30	18	23	0.4	0.0	1.3	20
21	2.6	20	19	30	455	259	37	20	21	0.1	0.0	1.0	21
22	2.0	22	1.5	74	453	245	26	20	22	0.0	0.1	0.2	22
23	1.4	24	0.0	193	468	230	25	17	25	0.0	0.3	0.7	23
24	1.0	28	0.0	52	480	222	25	20	25	0.0	0.4	0.0	24
25	0.8	26	0.0	38	504	206	26	20	30	0.1	0.1	0.0	25
26	0.7	24	0.0	44	502	179	26	21	29	0.2*	0.0	0.0	26
27	0.8	23	0.0	43	512	140	33	31	26	0.3	2.9	0.2	27
28	0.9	23	0.0	42	515	122	35	31	14	0.3	1.0	0.5	28
29	0.7	26	0.2	29		95	30	30	1.0	7.9	0.0	0.4	29
30	0.4	27	0.7	53		85	33	26	0.3	31	0.0	0.4	30
31	0.3	39		50		83		25		37	0.1		31
MEAN	1.1	10.0	18.8	103	292	314	38.9	21.5	14.4	4.2	8.3	1.1	MEAN
MAX.	4.9	28	87	1730	515	524	64	34	30	37	41	7.4	MAX.
MIN.	0.0	0.0	0.0	28	23	83	25	12	0.0	0.0	0.0	0.0	MIN.
AC FT.	67	595	1153	6319	16210	19290	2317	1319	857	258	510	65	AC FT.

## WATER YEAR SUMMARY

MEAN DISCHARGE	DISCHARGE	MAXIMUM	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	TOTAL
67.6	9060	9.05	1	5	0940							48960

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW MADE THIS DAY

E - E AND

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
33° 12' N	101° 45' W	NEAR BRIDGE	1-11	10.0	2-10-67	10.0	10.0	1-1-67	10.0		
Station located at Lusk Water Bridge, 1.1 mi. south of Highway 100 bridge, 1.1 mi. south of tributary to Lusk By-pass.											



(IN CUBIC FEET PER SECOND)

[illegible]

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT	MO.	DAY	TIME	DISCHARGE	GAGE HT	MO.	DAY	TIME	ACRE FEET
1.0	1.0	1.0	1	1	1.0	1.0	1.0	1	1	1.0	1.0

[illegible]



(IN CUBIC FEET PER SECOND)

[illegible]

E - ESTIMATED  
HR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
? - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO.	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
243		97	21.2	1	7	1:00	0					1:40	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37 43 34	121 17 51		7,000	44.51	10, 9, 55	7, 20-11, 55	100.1-100.7	1954	1955		
			1,340-2,000			1,340-2,000	100.1-100.7	1954	1955		
			5,000-DATUM			5,000-DATUM	100.1-100.7	1954	1955		

Station located on Rt. 100, above the large Perry Highway bridge, 4 mi. below the Canadian River, 1/4 mi. S. of Vernalis. Maximum discharge listed is 10,000 cfs when in use and present datum is 100 ft from station.

Drainage area is 1,340 sq. mi.

" " " "

" - Irrigation channel only

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	B00915	SOUTH SAN JOAQUIN I. D. DRAIN 11 NEAR MANTECA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	29	11	9.6	4.0	4.4	3.7	9.7	24			16	22	1
2	28	12	9.7 *	3.5	4.3	3.8	9.4	25			15	28	2
3	29	11	11	5.0	4.2 *	3.8	11	28		20	14	26	3
4	29	11	16	4.0	4.2	3.7 *	12	29			19	20	4
5	26	11	21	4.1	4.4	3.6	6.8 *	25 *			27	21	5
6	29	8.4	10		4.9	3.6	8.8	27		21	23	13	6
7	28	7.9	9.5		4.7	3.5	17	20		17	24	19 *	7
8	25	11	9.5		4.6	3.5	17	24		14	18	21	8
9	23	11	9.6		4.7	3.5	24	26		15	19	24	9
10	23	11	11		4.5	3.6	21	27	21	E	15	19	10
11	26	11	11		4.5	3.5	17	28		24	14	26	11
12	24	11	9.6		4.4	3.6	13	28		17	22	23	12
13	27	11	9.8	4.8 E	4.4	3.6	15			16	17	23	13
14	29	12	9.7		4.4	3.6	14			13	21	22	14
15	26	11 *	9.4		4.4	3.6	24	28 E		10	17	25	15
16	25	11	8.7		4.3	3.5	22		19	#	16	22	16
17	23	11	9.5		4.3	3.5	18	28	#		13	21	17
18	16	11	9.4		4.3	3.5	21			9.5	13	21	18
19	24	11	9.2		4.4	3.4	19			17	26	29	19
20	24	11	9.5		4.2	3.3	11	26 E		14	23	28	20
21	20	11	9.4	3.3	4.2	3.3	20			22	22	26	21
22	18	11	9.3	3.5	4.2	3.2	5.9			10	26	28	22
23	14	11	9.3	3.4	4.2	3.2	9.7			16	23	27	23
24	18	11	9.6	3.5	4.1	3.4	20	25	#	20	22	24	24
25	17	11	9.7	3.7	4.0	3.4	23			19	25	28	25
26	14	10		4.0	4.0	4.0	25			16	21	22	26
27	16	9.9	10	4.2	3.9	3.1	24			22	17	21	27
28	16	10	10	4.3	3.8	3.3	25	24	E	15	18	23	28
29	12	10	11	4.4		3.1	14			10	17	20	29
30	8.5	9.9	11	4.8		13	17			13	19	14	30
31	12		10	4.5		10		23	#	22	13		31
MEAN	22.0	10.7	10.4	4.8	4.3	4.2	16.1	25.8	20.5	16.4	16.8	22.6	MEAN
MAX	29	12	21	21	27	27	29	29	21	24	23	29	MAX
MIN	8.5	7.9	8.7	3.3	3.8	3.1	5.9	20	19	9.5	11	13	MIN
AC FT.	1350	677	638	298	240	258	963	1586	1218	1010	1158	1345	AC FT.

## WATER YEAR SUMMARY

E. - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLOW MADE THIS DAY

 $i = E$  AND "

MEAN  
DISCHARGE  
14.8

MAXIMUM				
DISCHARGE	GAGE HT	MO	DAY	TIME
NR				

MINIMUM				
DISCHARGE	GAGE HT	MO	DAY	TIME
NR				

TOTAL
ACRE FEET
10710

[illegible]



DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	20-07	LITTLE ROCK CREEK AT SA. 1000 ft.

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN MAX. MIN. AC. FT.													MEAN MAX. MIN. AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

HR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

— E AND —

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
0.8	1.2	7.5	JUN	15	10:00	0.6	7.2	JUN	15	10:00	1.4

[illegible]

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	77	5.2	27	1120	722	20	46	22	9.7	19	4.7	24	1
2	75	5.1	22	508	1060	19	33	18	12	15	10	29	2
3	70	3.4	19	304	472	17	46	24	18	22	15	49	3
4	80	2.9	16	275	356	16	53	38	24	19	11	71	4
5	85	2.8	14	200	165	15	37	34	18	18	9.8	61	5
6	81	2.7	12	250	343	14	59	33	28	20	8.6	55	6
7	74	2.3	7.6	205	722	13	70	23	53	21	12	53	7
8	60	2.3	6.0	142	821	11	60	35	60	18	11	54	8
9	64	2.3	4.6	110	319	9.0	42	46	43	24	20	62	9
10	88	2.1	3.6	90	275	8.0	46	58	48	19	11	81	10
11	83	2.1	2.8	75	163	7.0	67	82	44	29	11	73	11
12	81	2.3	4.2	64	107	6.0	70	78	31	29	8.8	62	12
13	85	7.7	4.3	61	82	6.0	72	84	15	22	15	62	13
14	84	11	3.1	57	79	6.0	43	73	11	22	9.8	68	14
15	76	21	2.7	48	60	6.0	29	76	8.4	18	5.0	64	15
16	77	20	2.6	39	53	5.0	30	77	9.3	21	4.6	51	16
17	53	31	2.6	34	42	4.0	25	68	11	18	14	63	17
18	42	63	2.6	29	37	4.0	35	50	12	32	9.8	67	18
19	39	63	2.6	26	33	3.5	26	49	15	8.4	18	54	19
20	31	33	2.6	24	31	3.5	20	35	13	8.6	16	51	20
21	34	26	2.4	23	27	10	15	30	24	12	16	35	21
22	41	21	2.3	22	25	4.0	6.9	30	23	11	7.9	43	22
23	44	28	2.3	21	23	6.0	22	19	11	11	10	57	23
24	42	86	2.3	20	27	6.0	22	30	10	9.6	11	61	24
25	16	77	2.3	19	31	2.8	25	19	18	6.0	7.0	58	25
26	7.7	73	7.4	18	29	8.1	5.8	18	36	6.9	8.1	55	26
27	7.3	72	20	17	23	21	8.2	29	29	9.4	12	56	27
28	5.0	57	25	16	22	36	18	4.5	20	6.9	17	39	28
29	6.8	45	288	16		45	12	19	17	11	16	23	29
30	35	34	610	279		40	26	23	19	17	17	23	30
31	6.3		1200	726		36		10		16	21		31
MEAN	53.2	26.8	75.0	156	219	131	35.7	38.9	23.3	16.2	11.8	52.5	MEAN
MAX	88	86	1200	1120	1060	45	72	84	60	32	21	61	MAX
MIN	5.0	2.1	2.3	16	22	2.8	5.8	2.5	8.4	6.0	4.6	23	MIN
AC FT	3273	1595	4609	9596	12180	8031	2122	2396	1389	1001	728	3128	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
- E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM GAGE HT	MO	DAY	TIME	DISCHARGE	MINIMUM GAGE HT	MO	DAY	TIME	TOTAL ACRES FEET
69.1	1270	6.99	12	31	0640	0.0		4	15	1500	50050

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
32° 33' N	121° 47' W	NE 1/4 Sec 16, T. 12 N., R. 12 E., S. 1	1270	6.99	12-31-0640	1270	6.99		12-31-0640	12-31-0640	12-31-0640
Station located at Airport near French Camp, Louisiana. During early 1960s when water from a temporary diversion dam at the top of the discharge station, a permanent water stage recorder, located 0.5 mi. upstream on the upper, is used for computations. Tributary to San Jacinto River. Maximum discharge observed at this station then in 1961.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	BO0907	S. S. J. I. D. MAIN DRAIN NEAR LATHROP

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	NR	7.2	4.9	5.1	NR	NR	18	14	14	15	1
2	NR	NR	NR	6.6	4.6	4.5	NR	NR	19	18	16	15	2
3	NR	NR	NR	5.6	4.0	4.8	NR	NR	28	20	21	21	3
4	NR	NR	NR	4.7	4.2	4.3	NR	NR	19	23	18	19	4
5	NR	NR	NR	4.4	4.5	4.1	NR	NR	16	18	16	29	5
6	NR	NR	NR	4.5	7.1	4.2	15	20	18	13	14	21	6
7	NR	NR	NR	4.4	4.9	4.1	15	26	27	16	10	24	7
8	NR	NR	NR	4.4	4.4	3.8	21	26	27	18	16	19	8
9	NR	NR	NR	3.9	4.4	4.7	19	27	18	19	16	22	9
10	NR	NR	5.2	3.6	4.4	5.0	23	27	14	17	19	26	10
11	NR	NR	6.8	3.6	4.7	4.3	24	NR	13	16	15	22	11
12	NR	NR	8.0	3.5	4.7	4.4	23	NR	16	17	16	14	12
13	NR	NR	5.9	3.4	4.8	4.4	21	19	12	17	24	12	13
14	NR	NR	5.9	3.3	4.6	4.1	18	21	16	17	22	13	14
15	NR	NR	5.9	3.4	4.5	3.8	18	32	17	16	18	15	15
16	NR	NR	5.0	3.2	4.5	3.6	12	35	16	16	18	13	16
17	NR	NR	5.0	3.1	4.6	3.5	16	42	16	23	20	15	17
18	NR	NR	5.0	3.1	4.6	3.5	17	37	15	20	16	16	18
19	NR	NR	5.1	3.0	4.8	3.5	17	29	11	17	20	16	19
20	NR	NR	4.3	3.1	4.8	3.8	21	24	17	16	27	15	20
21	NR	NR	5.1	3.1	4.5	4.6	24	15	11	15	23	15	21
22	NR	NR	4.8	3.0	4.3	4.3	17	13	15	21	11	12	22
23	NR	NR	4.8	3.0	4.4	3.4	16	19	16	16	16	12	23
24	NR	NR	4.6	2.9	4.4	4.3	NR	21	23	21	17	16	24
25	NR	NR	6.6	2.9	4.2	NR	NR	22	22	18	18	12	25
26	NR	NR	4.8	2.9	4.9	NR	NR	24	22	21	16	12	26
27	NR	NR	4.7	2.8	4.9	NR	NR	28	15	17	19	14	27
28	NR	NR	6.3	2.6	5.0	NR	NR	23	15	13	22	15	28
29	NR	NR	8.4	2.1	NR	NR	NR	24	18	14	15	14	29
30	NR	NR	8.0	7.6	NR	NR	NR	26	17	14	15	5.0	30
31	NR	NR	8.6	4.8	NR	NR	NR	23	22	22	18	NR	31
MEAN	NR	NR	NR	3.9	4.6	NR	NR	NR	17.6	17.3	17.9	16.2	MEAN
MAX	NR	NR	NR	7.6	7.1	NR	NR	NR	20	23	27	29	MAX
MIN	NR	NR	NR	2.6	4.0	NR	NR	NR	11	13	10	5.0	MIN
AC FT	NR	NR	NR	239	258	NR	NR	NR	1047	1065	1103	966	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
: - E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	MINIMUM	TOTAL
NR	NR	GAGE HT. MO. DAY TIME	NR	ACRE FEET
NR	NR	NR	NR	NR

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R W.O.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM	
			CFS	GAGE HT.	OATE						

(IN CUBIC FEET PER SECOND)

WATER YEAR SUMMARY

2 - E AND "

[illegible]







DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)[illegible]

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
13.4		223	0.25	01	07	1020	0.0		10	16	1230	9994	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO GAGE	REF DATUM
			CF5	GAGE MT	DATE			FROM	TO		
45 01 14	101 27 45	327 N 75	704	35.61	1-1-50	REC 45-1950	NO 45-DATE	1946	1949	1.0	LAL
								1947	1949	1.0	LAL
								1948	1949	1.0	LOCAL
								1950	1953	1.0	LOCAL
								1955	1956	1.0	LAL
								1957	1960	1.0	LOCAL
								1960		1.0	LOCAL

1. Station located on right bank of river, ~ 1.0 mi. upstream from mouth of river. Station located  
 2. Station located on right bank of river, ~ 1.0 mi. upstream from mouth of river. Station located

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	B02560	MORMON SLOUGH AT BELLOTA

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	27	5.7	14	86	81	19	16	50	35	60	E	27	1
2	25	3.9	15	18	54	17	15	51	33	40	53	31	2
3	33	3.5	9.1	22	16	16	15	34	20	40	3	25	3
4	39	3.3	6.7	284	35	15	12	27	10	40	39	27	4
5	47	2.9	8.5	411	47	14	14	31	5.5	40	39	21	5
6	55	2.8	11	899	365	14	4.7	36	10	45	E	32	6
7	54	2.6	16	1420	125	14	0.0	35	12	45	20	40	7
8	60	2.4	16	211	35	12	0.0	39	30	50	5.4	29	8
9	65	4.4	14	276	34	12	0.0	41	45	55	5.9	21	9
10	66	5.6	14	156	33	13	0.0	43	42	43	25	11	10
11	34	6.1	14	59	29	13	0.1	34	23	32	48	5.4	11
12	6.9	7.5	17	46	27	12	38	33	26	25	44	4.9	12
13	4.1	7.5	16	52	22	11	65	26	45	50	40	10	13
14	4.6	7.1	15	26	20	10	26	34	52	61	47	20	14
15	9.7	5.7	15	12	18	10	0.5	39	39	55	48	43	15
16	15	2.5	15	9.6	17	15	0.2	32	48	29	42	42	16
17	16	15	17	11	18	21	4.7	31	56	42	42	48	17
18	17	21	17	12	19	12	0.2	41	53	42	45	56	18
19	18	17	17	12	19	11	8.7	40	65	40	51	55	19
20	16	16	17	9.0	17	12	16	36	65	36	42	48	20
21	15	15	18	11	17	12	28	29	60	47	38	41	21
22	16	15	18	13	16	12	33	33	62	51	36	35	22
23	17	23	18	12	17	5.6	42	30	51	45	36	76	23
24	19	20	17	12	17	7.2	49	35	49	40	68	53	24
25	20	18	26	12	20	24	46	38	51	45	43	37	25
26	19	15	30	12	31	20	40	39	44	41	36	31	26
27	16	13	22	13	32	19	35	40	33	41	33	48	27
28	8.9	14	100	12	21	19	37	39	40	45	33	19	28
29	7.4	12	261	14	18	18	38	40	45	55	34	0.0	29
30	4.4	12	219	723	16	16	42	36	60	49	30	2.6	30
31	5.1		205	271	19	19		41		54	31		31
MEAN	24.5	10.1	42.7	168	43.6	14.4	20.9	36.6	41.0	44.5	38.7	31.9	MEAN
MAX	66	23	319	1420	385	24	65	61	61	61	68	95	MAX
MIN	4.1	2.6	6.7	9.6	16	5.6	0.0	27	9.5	25	5.9	0.0	MIN
AC. FT.	1504	603	2627	10320	2424	886	1244	2251	2441	2753	2581	1896	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
+ - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO	DAY	TIME	DISCHARGE	GAGE HT.	MO	DAY	TIME	ACRE FEET
42.7	1710	7.47	1	7	1200	0.0		11	14	0600	21500

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R W O B & M	OF RECORD		DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.			FROM	TO		

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO	STATION NAME
1966	B02580	STOCKTON DIVERTING CANAL AT STOCKTON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	16	0.0	2.4 #	152	120	11	5.7	8.7	14	3.1 E	23	5.3	1
2	16	0.0		49	137	7.8	4.8	20	9.4	16	11	1.5 E	2
3	15	0.0		17	131		3.4 E	16 *		6.7	10	1.0 E	3
4	12	0.0		90	23		4.2			3.2	1.2	3.3	4
5	9.3	0.0		275	48					3.8	3.1	2.0 E	5
6	7.9	0.0		670	306			3.0 E		7.0	5.7	2.0	6
7	7.9	0.0		1550	281					1.8 #	2.0	6.7	7
8	3.4	0.0 #		400	75					2.8 E	2.5	18	8
9	7.0			215	32		0.8 E			30		9.1	9
10	8.6			160	37	2.4 E		12 F	1.5 E	27		12	10
11	12			93	24			17		14	0.3 *E	6.0	11
12	3.5			49	22			8.6				1.0	12
13	0.7 *		2.4 E	41	18							0.6 *	13
14	0.0			46	14		14 E			1.9 E	11	0.4 E	14
15	0.0			20	12					19		0.4 E	15
16	0.0			13	9.8			4.7 E		15	21	15 E	16
17	0.0			11	8.2						10	22	17
18	0.0			9.5	9.3	7.4			14		2.4	29	18
19	0.0	1.2 E		11	3.6		2.4 E		24		7.2 *	34	19
20	0.0			10	8.4			11	38	2.4 E	12	23	20
21	0.0			8.2	6.9			8.6	22		7.2	2.9	21
22	0.0			6.6	6.3				15		20	8.5 E	22
23	0.0			8.9	5.7	2.5 E			6.4 E		23	36	23
24	0.0			8.7	5.8				7.0 E	8.8	28	27	24
25	0.0 *		10 E	7.6	6.2		13	2.6 E	5.9	13	27	19	25
26	0.0		15 E	7.3	9.6				12	6.8	8.9	8.0	26
27	0.0		14 E	7.1	21	8.5			6.6	11	5.9	27	27
28	0.0		20 E	6.4	16	8.6	4.4 E			2.5 E	12	7.8	28
29	0.0		380 E	6.3		8.1			1.6 E	2.0 *	10	6.9	29
30	0.0			339 *	414	5.3		12		4.2	5.5	1.6	30
31	0.0		305 *	414		5.4		10			9.3		31
MEAN	3.8	0.9	26.8	152	47.2	3.8	3.5	6.3	6.7	6.6	9.9	10.5	MEAN
MAX	16	NR	380	1550	306	11	12	20	38	30	23	36	MAX
MIN.	0.0	0.0	NR	6.4	5.7	NR	NR	NR	NR	NR	NR	NR	MIN
A.C. FT.	237	52	2262	9345	2624	234	195	388	400	404	607	627	A.C. FT.

WATER YEAR SUMMARY

E - ESTIMATED

HR - NO RECORD

\* - DISCHARGE MEASUREMENT DR OBSERVATION  
OF NO FLOW MADE THIS DAY

: - E AND "

MEAN
DISCHARGE
24.0

MAXIMUM				
DISCHARGE	GAGE HT	MO.	DAY	TIME
NR				

MINIMUM				
DISCHARGE	GAGE HT	MO	DAY	TIME
0.0		10	14	2400

TOTAL
ACRE FEET
17370

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B.K.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
23 11	111 05	W-12 2N 1	11400	17.100	4-4-50	AN-44-50	AN-44-50	1			1951
<p>Station 12 is located on the right bank of the river, about 1/2 mile upstream from the confluence of the river into the Gulf of Mexico. The gage is located on a concrete pier which is 1/2 mile long and 10 feet wide. The gage is located on the right bank of the river, about 1/2 mile upstream from the confluence of the river into the Gulf of Mexico. The gage is located on a concrete pier which is 1/2 mile long and 10 feet wide. The gage is located on the right bank of the river, about 1/2 mile upstream from the confluence of the river into the Gulf of Mexico. The gage is located on a concrete pier which is 1/2 mile long and 10 feet wide.</p>											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	2-000	MOHAWK RIVER NEAR STOCKTON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1
2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	2
3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	3
4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	4
5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5
6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	6
7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	7
8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	8
9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	9
10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	10
11	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11
12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	12
13	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	13
14	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	14
15	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	15
16	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	16
17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	17
18	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	18
19	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	19
20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	20
21	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	21
22	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	22
23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	23
24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	24
25	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	25
26	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	26
27	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	27
28	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	28
29	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	29
30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	30
31	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	31
MEAN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MEAN
MAX	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MAX
MIN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	MIN
AC FT.	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

† - E AND \*

MEAN
DISCHARGE
NR

MAXIMUM
DISCHARGE
NR

MINIMUM
DISCHARGE
NR

TOTAL
ACRE FEET
NR

LOCATION			MAXIMUM DISCHARGE				PERIOD OF RECORD				DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM		
			CFS	GAGE HT	DATE			FROM	TO				

(IN CUBIC FEET PER SECOND)

[illegible]

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
DF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL
NF	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
	N					N					

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T & R M D B M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT	DATE			FROM	TO		
40 44' 47"	111 12 23	2220 M D B M	67	13.5	1 2. 60	127 00 DATE (YES NO - )	14				

Station located 30 ft. above Alpine Creek bridge, 1/4 M. S. of Laui. Tributary to Alpine Creek, near its  
Disappointment Slough. Maximum discharge of 13.5 ft. above 127 00 date, 1/2 M. S. of Laui.  
Drainage area is 6.7 sq. mi. Revison installed 12. 6. 1905.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)														WATER YEAR		STATION NO.		STATION NAME	
DAILY MEAN DISCHARGE														1966		1000		HEAD CREEK NEAR LUTHERVILLE	
(IN CUBIC FEET PER SECOND)																			
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY						
1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1						
2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	2						
3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	3						
4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	4						
5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	5						
6	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	6						
7	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	7						
8	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	8						
9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	9						
10	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	10						
11	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	11						
12	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	12						
13	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	13						
14	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	14						
15	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	15						
16	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	16						
17	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17						
18	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	18						
19	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	19						
20	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	20						
21	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	21						
22	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	22						
23	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	23						
24	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	24						
25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	25						
26	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	26						
27	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	27						
28	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	28						
29	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	29						
30	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	30						
31	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	31						
MEAN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MEAN						
MAX	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MAX						
MIN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MIN						
AC. FT.	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	AC. FT.						

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
1.1		1.1		1	1	1	1.1		1	1	1	1.1	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	11	15	75	40	15	1	1	1	1	1	4	35	1
2	12	16	76	41	16	2	2	2	2	2	5	36	2
3	13	17	77	42	17	3	3	3	3	3	6	37	3
4	14	18	78	43	18	4	4	4	4	4	7	38	4
5	15	19	79	44	19	5	5	5	5	5	8	39	5
6	16	20	80	45	20	6	6	6	6	6	9	40	6
7	17	21	81	46	21	7	7	7	7	7	10	41	7
8	18	22	82	47	22	8	8	8	8	8	11	42	8
9	19	23	83	48	23	9	9	9	9	9	12	43	9
10	20	24	84	49	24	10	10	10	10	10	13	44	10
11	21	25	85	50	25	11	11	11	11	11	14	45	11
12	22	26	86	51	26	12	12	12	12	12	15	46	12
13	23	27	87	52	27	13	13	13	13	13	16	47	13
14	24	28	88	53	28	14	14	14	14	14	17	48	14
15	25	29	89	54	29	15	15	15	15	15	18	49	15
16	26	30	90	55	30	16	16	16	16	16	19	50	16
17	27	31	91	56	31	17	17	17	17	17	20	51	17
18	28	1	92	57	1	18	18	18	18	18	21	52	18
19	29	2	93	58	2	19	19	19	19	19	22	53	19
20	30	3	94	59	3	20	20	20	20	20	23	54	20
21	31	4	95	60	4	21	21	21	21	21	24	55	21
22	1	5	96	61	5	22	22	22	22	22	25	56	22
23	2	6	97	62	6	23	23	23	23	23	26	57	23
24	3	7	98	63	7	24	24	24	24	24	27	58	24
25	4	8	99	64	8	25	25	25	25	25	28	59	25
26	5	9	100	65	9	26	26	26	26	26	29	60	26
27	6	10	101	66	10	27	27	27	27	27	30	61	27
28	7	11	102	67	11	28	28	28	28	28	31	62	28
29	8	12	103	68	12	29	29	29	29	29	1	63	29
30	9	13	104	69	13	30	30	30	30	30	2	64	30
31	10	14	105	70	14	31	31	31	31	31	3	65	31
MEAN	17.1	19.5	76.5	47.7	18.5	4.5	1.1	24.0	5.1	10.5	31.5	27.1	MEAN
MAX	17.5	20.0	77.0	48.0	19.0	5.0	1.2	24.5	5.2	10.6	31.6	27.2	MAX
MIN	16.5	19.0	76.0	47.0	18.0	4.0	1.0	23.5	5.0	10.4	31.4	27.0	MIN
AC. FT	17.5	19.5	76.5	47.7	18.5	4.5	1.1	24.0	5.1	10.5	31.5	27.1	AC. FT

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
† - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
4.70	11.1	11.1	11	2	1.1	11.1	11.1	11	2	1.1	11.1

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B S M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
33° 11' N	111° 55' W	14 SEC T & R M D B S M	1000	1000	1000	1000-1000	24-DATUM	1904	1951	11.9	11.9
Station located on the shore of the bay, 1/4 mile from the shore. Intake of discharge immediately after the discharge by the shore. The discharge is by the shore. Discharge is by the shore.											
- Intake of discharge											



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

TABLE B-5 (Cont.)													
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
WATER YEAR													
STATION NO													
STATION NAME													
1966													
B21160													
SUTTER CREEK NEAR SUTTER CREEK													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.9	2.3	10	85	55	22	10	6.3	2.8	0.0	0.0	0.0	1
2	1.6	2.6	10	55	46	22	10	6.1	2.8	0.0	0.0	0.0	2
3	1.4	2.5	9.2	40	37	20	10	5.9	2.8	0.0	0.0	0.0	3
4	1.5	2.6	8.7	40	37	19	10	6.0	2.7	0.0	0.0	0.0	4
5	1.4	2.6	8.1	96	40	18	9.9	5.9	2.7	0.0	0.0	0.0	5
6	1.5	2.6	8.4	79	111	18	9.8	5.8	2.8	0.0	0.0	0.0	6
7	2.0	2.7	8.7	60	81	18	9.4	5.4	2.8	0.0	0.0	0.0	7
8	1.8	2.6	11	48	62	18	9.2	5.5	2.8	0.0	0.0	0.0	8
9	1.3	2.8	11	40	48	18	9.6	5.8	2.7	0.0	0.0	0.0	9
10	1.3	2.8	8.5	33	40	29	17	7.2	2.6	0.0	0.0	0.0	10
11	1.6	2.9	8.4	28	33	26	18	7.3	2.4	0.0	0.0	0.0	11
12	1.7	3.5	13	26	29	22	22	6.7	2.1	0.0	0.0	0.0	12
13	1.7	4.5	12	23	26	22	17	7.1	1.8	0.0	0.0	0.0	13
14	2.0	12	11	21	24	20	13	5.7	1.6	0.0	0.0	0.0	14
15	2.8	9.0	9.9	20	22	19	12	5.3	1.4	0.0	0.0	0.0	15
16	3.6	7.2	9.3	19	21	18	11	8.9	1.3	0.0	0.0	0.0	16
17	2.9	14	8.8	18	21	17	10	9.9	1.3	0.0	0.0	0.0	17
18	2.8	75	8.3	16	20	17	10	8.3	1.1	0.0	0.0	0.0	18
19	2.7	37	7.8	16	20	18	10	4.4	0.9	0.0	0.0	0.0	19
20	2.7	18	7.5	15	20	17	9.9	4.1	0.8	0.0	0.0	0.0	20
21	2.6	14	7.7	14	18	15	9.5	4.0	0.8	0.0	0.0	0.0	21
22	2.7	11	8.1	14	18	15	9.0	4.1	1.0	0.0	0.0	0.0	22
23	2.5	22	7.9	14	18	14	8.3	4.1	1.0	0.0	0.0	0.0	23
24	2.4	63	8.1	13	24	13	8.0	3.7	1.0	0.0	0.0	0.0	24
25	2.2	49	50	13	25	13	7.8	3.4	0.9	0.0	0.0	0.0	25
26	2.1	30	30	13	28	13	7.5	3.2	0.7	0.0	0.0	0.0	26
27	2.1	20	20	12	27	12	7.3	3.0	0.5	0.0	0.0	0.0	27
28	2.4	16	30	11	24	12	6.9	2.8	0.3	0.0	0.0	0.0	28
29	2.3	13	140	13	11	11	6.9	2.7	0.2	0.0	0.0	0.0	29
30	2.3	12	104	74	11	11	6.6	2.8	0.1	0.0	0.0	0.0	30
31	2.2		153	66	11	11		2.8		0.0	0.0	0.0	31
MEAN	2.2	15.3	24.1	33.4	34.8	17.3	10.5	5.3	1.6	0.0	0.0	0.0	MEAN
MAX	3.8	75	153	96	111	29	22	9.9	2.8	0.0	0.0	0.0	MAX
MIN	1.3	2.3	7.5	11	18	11	6.6	2.7	0.1	0.0	0.0	0.0	MIN
AC FT	174	911	1484	2053	1934	1067	626	226	97				AC FT

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

E - END

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	ACRE FEET	
11.9		244	2.14	12	29	0.0		6	30	6632	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						

(IN CUBIC FEET PER SECOND)

WATER YEAR SUMMARY

TOTAL ACRE FEET	1.00
--------------------	------

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1968	#154	DRY CREEK NEAR DALT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			1.7	5.5		54	21		2.0	0.0	0.1	0.0	1
2			1.7	5.5		75	21		2.0	0.0	0.1	0.0	2
3			1.7	5.5		55	21		2.0	0.0	0.1	0.0	3
4			1.7	5.5		55	21		2.0	0.0	0.1	0.0	4
5			1.7	5.5		56	21		2.0	0.0	0.1	0.0	5
6			1.7	5.5		53	21		2.0	0.0	0.1	0.0	6
7			1.7	5.5		42	21		2.0	0.0	0.1	0.0	7
8			1.7	5.5		42	21		2.0	0.0	0.1	0.0	8
9			1.7	5.5		42	21		2.0	0.0	0.1	0.0	9
10			1.7	5.5		40	21		2.0	0.0	0.1	0.0	10
11			1.7	5.5		41	21		2.0	0.0	0.1	0.0	11
12			1.7	5.5		40	21		2.0	0.0	0.1	0.0	12
13			1.7	5.5		40	21		2.0	0.0	0.1	0.0	13
14			1.7	5.5		40	21		2.0	0.0	0.1	0.0	14
15			1.7	5.5		40	21		2.0	0.0	0.1	0.0	15
16			1.7	5.5		33	21		2.0	0.0	0.1	0.0	16
17			1.7	5.5		33	21		2.0	0.0	0.1	0.0	17
18			1.7	5.5		33	21		2.0	0.0	0.1	0.0	18
19			1.7	5.5		33	21		2.0	0.0	0.1	0.0	19
20			1.7	5.5		33	21		2.0	0.0	0.1	0.0	20
21			1.7	5.5		33	21		2.0	0.0	0.1	0.0	21
22			1.7	5.5		33	21		2.0	0.0	0.1	0.0	22
23			1.7	5.5		33	21		2.0	0.0	0.1	0.0	23
24			1.7	5.5		33	21		2.0	0.0	0.1	0.0	24
25			1.7	5.5		33	21		2.0	0.0	0.1	0.0	25
26			1.7	5.5		33	21		2.0	0.0	0.1	0.0	26
27			1.7	5.5		33	21		2.0	0.0	0.1	0.0	27
28			1.7	5.5		33	21		2.0	0.0	0.1	0.0	28
29			1.7	5.5		33	21		2.0	0.0	0.1	0.0	29
30			1.7	5.5		33	21		2.0	0.0	0.1	0.0	30
31			1.7	5.5		33	21		2.0	0.0	0.1	0.0	31
MEAN			1.7	5.5		4.1	20	2.0	2.7		0.0	0.0	MEAN
MAX			1.7	5.5		54	21	2.0	2.7		0.1	0.0	MAX
MIN			1.7	5.5		40	21	2.0	2.0		0.0	0.0	MIN
AC FT			1.7	5.5		4.1	20	2.0	2.7		0.0	0.0	AC FT

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

OF NO FLOW MADE THIS DAY

- E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
4.1		54		1	21	1:00	2.0					4000	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
34° 00' N	118° 00' W	NEAR DALT	54	1.7	1/21/68	21	2.0		1/21/68	1/21/68	SEA LEVEL

(IN CUBIC FEET PER SECOND)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	1
2	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	2
3	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	3
4	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	4
5	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	5
6	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	6
7	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	7
8	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	8
9	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	9
10	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	10
11	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	11
12	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	12
13	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	13
14	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	14
15	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	15
16	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	16
17	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	17
18	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	18
19	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	19
20	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	20
21	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	21
22	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	22
23	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	23
24	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	24
25	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	25
26	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	26
27	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	27
28	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	28
29	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	29
30	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	30
31	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	31
MEAN	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	MEAN
MAX	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	MAX
MIN	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	MIN
AC FT.	1.4	2.1	2.9	3.5	4.2	4.8	5.4	6.1	6.8	7.5	8.2	8.9	

WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLDW MADE THIS DAY  
: - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET	
14.4		14.5	9.16	12	24	0020	0.0		10	01	0000		

[illegible]

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	1106	YUMINE RIVER AT GARONWELL

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1
2			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	2
3			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	3
4			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	4
5			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	5
6			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	6
7			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	7
8			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	8
9			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	9
10			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	10
11			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	11
12			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	12
13			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	13
14			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	14
15			1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	15
16		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	16
17		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	17
18		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	18
19		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	19
20		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	20
21		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	21
22		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	22
23		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	23
24		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	24
25		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	25
26		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	26
27		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	27
28		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	28
29		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	29
30		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	30
31		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	31
MEAN	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	MEAN
MAX.	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	MAX.
MIN.	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	MIN.
AC. FT.	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

# - E AND \*

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.4	1.4	1.4	1	1	1	1.4	1.4	1	1	1	1.4

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT.	DATE						
1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
DISCHARGE MEASUREMENT OR OBSERVATION OF NO FLOW MADE THIS DAY # - E AND *											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

TABLE B-3 (CONT.)			WATER YEAR		STATION NO.		STATION NAME						
DAILY MEAN DISCHARGE													
(IN CUBIC FEET PER SECOND)													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT.													AC FT.

WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL
DISCHARGE		DISCHARGE	GAGE HT	MO.	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
2.5		2.5	1.5	11	17	-	1.5					1.5

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR		STATION NO.	STATION NAME
19	20		

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX.													MAX.
MIN.													MIN.
AC FT.													AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION

DF - NO FLOW MADE THIS DAY

? - E AND \*

MEAN		MAXIMUM				MINIMUM				TOTAL	
DISCHARGE		DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE					





TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	B95910	CONTRA COSTA CANAL NEAR OAKLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	116	88	56	54	51	62	87	120	124	217	190	164	1
2	123	100	61	50	51	60	93	122	144	217	192	161	2
3	126	101	62	52	49	62	94	127	143	205	202	159	3
4	126	100	58	52	48	62	91	128	138	187	209	162	4
5	121	102	64	50	46	62	92	135	144	184	208	126	5
6	124	96	65	50	47	61	98	150	152	214	204	157	6
7	129	99	62	51	55	55	100	145	149	187	203	163	7
8	121	95	62	53	58	58	98	148	155	191	182	164	8
9	117	87	64	55	61	56	102	155	170	185	195	163	9
10	115	86	63	60	59	57	95	140	169	187	205	166	10
11	111	88	57	59	60	57	89	133	173	185	201	167	11
12	118	92	57	59	68	56	92	132	175	188	195	174	12
13	124	89	58	61	68	57	90	134	176	187	195	165	13
14	111	86	53	65	71	56	89	130	197	200	195	165	14
15	110	83	48	61	63	63	92	126	192	198	189	165	15
16	95	86	49	58	56	61	101	132	196	205	190	173	16
17	94	85	56	55	56	62	102	128	200	208	193	163	17
18	98	78	77	54	65	67	99	138	193	203	211	165	18
19	98	66	63	49	59	70	98	155	199	211	211	161	19
20	102	65	59	52	42	61	104	159	206	206	213	156	20
21	102	61	57	54	44	46	101	160	202	214	211	161	21
22	88	58	57	53	54	52	108	148	187	212	194	147	22
23	83	57	56	54	61	77	110	156	187	204	197	147	23
24	85	55	54	54	63	74	126	151	188	195	206	147	24
25	68	54	54	56	54	84	129	146	201	206	204	146	25
26	68	53	46	56	55	85	119	142	209	200	197	144	26
27	81	53	56	59	63	85	120	138	201	204	200	155	27
28	103	52	54	58	61	79	115	123	210	206	190	157	28
29	105	53	54	60	61	81	120	119	215	204	190	161	29
30	100	53	53	55	55	84	116	118	218	185	184	158	30
31	96	A	53	52	52	88	116	116	218	185	175		31
MEAN	106	77.5	57.4	55.1	56.6	65.8	102	137	180	199	198	159	MEAN
MAX.	126	102	70	65	71	86	129	160	218	217	213	174	MAX.
MIN.	68	53	46	49	40	46	87	116	124	184	176	126	MIN.
AC. FT.	6553	4613	4532	3390	3142	4047	6082	8457	11722	12053	12157	9445	AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY

# - E AND \*

A - 1/2-Hr up 1/2

B - 1/2-Hr up 1/2

MEAN DISCHARGE
117

MAXIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
NR				

MINIMUM				
DISCHARGE	GAGE HT.	MO.	DAY	TIME
NR				

TOTAL ACRE FEET
84395

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1:4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37° 13' 44"	121° 45' 40"	NEL 2N 2E				FEB. 1966	FEB. 50-160	100	100	101.2	USGS

Station located at Pumping Plant No. 1, 1.7 mi. S. of Oakley, 1.6 mi. NW of Knightsen. Water is diverted from Sacramento-San Joaquin Delta by way of Old River, Rock Slough, and a dredged channel. A series of 4 pumping plants lift the water about 115 ft. into canal. Records from by USBR.

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR		STATION NO.		STATION NAME									
0		001		Marsh Creek Reservoir									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1						4.1							1
2					10	4.1							2
3					17	4.0							3
4					0.3	4.5							4
5					7	4.5							5
6					4	4.5							6
7					14	4.4							7
8					11	4.1							8
9					9.7	4.1							9
10					4	3.5							10
11					4.5	4.1							11
12					4.2	4.2							12
13					4.7	4.7							13
14					4.5	4.5							14
15					4	4.4							15
16					4.7	4.3							16
17					4.7	4.1							17
18					4.7	4.1							18
19					4.8	4.1							19
20					4.4	4.5							20
21					4.5	4.9							21
22					4.2	4.7							22
23					4.1	4.2							23
24					4	4.1							24
25					4.3	4.2							25
26					4.7	4.7							26
27					4.6	4.1							27
28					4.1	4.1							28
29					4.3	4.1							29
30					27	4.7							30
31					1	4.7							31
MEAN	0.0	0.0	4.58	5.0	4.77	4.31	0.1	0.0					MEAN
MAX.	0.0	0.0	52	27	4	4.1	1.6	0.0					MAX.
MIN.	0.0	0.0	0.0	1.0	4.1	4.7	0.0	0.0					MIN.
AC FT.			251	326	47	146	0	0					AC FT.

WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD  
\* - DISCHARGE MEASUREMENT OR OBSERVATION  
OF NO FLOW MADE THIS DAY  
# - E AND \*

MEAN		MAXIMUM					MINIMUM					TOTAL	
DISCHARGE		DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET	
1.71		100	4.35	10	28				1	1	00		

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD		DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT.			DATE	FROM		
37 52 25	121 43 25		3882	11.0	1 41 0	3882-13-ATR	3882-13-ATR	1	177	
Station located 40 ft. below highway bridge, 1.2 mi. above Marsh Creek Res., 2.0 mi. west of Fern. Station affected by backwater from Marsh Creek Reservoir. Maximum gage height of record is 12.0 ft. on Dec. 23, 1955. Tributary to San Joaquin River. Purchased by USGS. Drainage area is 40.0 sq. mi.										

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1960	G1	BIDWELL CREEK NEAR FORT BIDWELL

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN													MIN
AC. FT.													AC. FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR OBSERVATION OF FLOW MADE THIS DAY.

- - E AND NR

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	
10.0	1.0	5.0	1	1	1.0	1.0	1	1	7.0

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CFS	GAGE HT.	DATE				FROM	TO	
41° 00' 37"	107° 20' 30"	206 WEN 1ST	500	5.0	12-2-60	~PR 25-OCT 57 E	APR 5-OCT 57 E	1.5			LOCAL
						MAY 5-DATE	MAY 5-DATE				

Station located 2 mi NW Pine Creek-Fort Bidwell Highway, 2.1 mi. NW of Fort Bidwell. Tributary to Upper Alkali Lak. Stage-discharge relationship, controlled by ice at times. Drainage area is approximately 26 sq. mi.

8 - Irrigation season only.

**DAILY MEAN DISCHARGE**  
(IN CUBIC FEET PER SECOND)

[illegible]

E — ESTIMATED  
NR — NO RECORD  
e — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
— E AND \*

MEAN DISCHARGE	MAXIMUM					MINIMUM					TOTAL ACRE FEET
	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	
1.4	14	3.37	3	22	0630	0.12	1.32	8	19	0000	1607

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT.	DATE			FROM	TO		
-1 31 14	120 11 17	SE6 42N 16E	62	3.95 E	2/8/60	MAY 58-DATE	MAY 58-DATE	1956		3.00	LOCAL
Station located below Cedarville-Alturas Highway culvert, immediately W of Cedarville. Tributary to Middle Alkali Lake. Stage-discharge relationship affected by ice at times. Drainage area is approximately, 25 sq. mi.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	04070	EAGLE CREEK @ EAGLEVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN													MEAN
MAX													MAX
MIN.													MIN.
AC. FT.													AC. FT.

ANNUAL TOTAL

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.

- - - E AND S

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
	DISCHARGE	GAGE HT	MO.	DAY	DISCHARGE	GAGE HT	MO.	DAY	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
41 10 N	100 07 W	SECS - N 10E				MAY 30-DATUM	MAY 30-DATUM	100		100	LOCAL
Station located at rd. N of Eagleville. Tributary to Middle Annual River. Stage-discharge relationship affected by ice at times.											

TABLE B-5 (Cont.)

DAILY MEAN DISCHARGE  
(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	3220	HEADWATER, NEW SUSANVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	0.0	0.0	0.0	0.0	0.0	0.0	17	0.0	0.0	0.0	0.0	0.0	1
2	0.0	0.0	0.0	0.0	0.0	0.0	18	0.0	0.0	0.0	0.0	0.0	2
3	0.0	0.0	0.0	0.0	0.0	0.0	19	0.0	0.0	0.0	0.0	0.0	3
4	0.0	0.0	0.0	0.0	0.0	0.0	20	0.0	0.0	0.0	0.0	0.0	4
5	0.0	0.0	0.0	0.0	0.0	0.0	21	0.0	0.0	0.0	0.0	0.0	5
6	0.0	0.0	0.0	0.0	0.0	0.0	22	0.0	0.0	0.0	0.0	0.0	6
7	0.0	0.0	0.0	0.0	0.0	0.0	23	0.0	0.0	0.0	0.0	0.0	7
8	0.0	0.0	0.0	0.0	0.0	0.0	24	0.0	0.0	0.0	0.0	0.0	8
9	0.0	0.0	0.0	0.0	0.0	0.0	25	0.0	0.0	0.0	0.0	0.0	9
10	0.0	0.0	0.0	0.0	0.0	0.0	26	0.0	0.0	0.0	0.0	0.0	10
11	0.0	0.0	0.0	0.0	0.0	0.0	27	0.0	0.0	0.0	0.0	0.0	11
12	0.0	0.0	0.0	0.0	0.0	0.0	28	0.0	0.0	0.0	0.0	0.0	12
13	0.0	0.0	0.0	0.0	0.0	0.0	29	0.0	0.0	0.0	0.0	0.0	13
14	0.0	0.0	0.0	0.0	0.0	0.0	30	0.0	0.0	0.0	0.0	0.0	14
15	0.0	0.0	0.0	0.0	0.0	0.0	31	0.0	0.0	0.0	0.0	0.0	15
16	0.0	0.0	0.0	0.0	0.0	0.0	1	0.0	0.0	0.0	0.0	0.0	16
17	0.0	0.0	0.0	0.0	0.0	0.0	2	0.0	0.0	0.0	0.0	0.0	17
18	0.0	0.0	0.0	0.0	0.0	0.0	3	0.0	0.0	0.0	0.0	0.0	18
19	0.0	0.0	0.0	0.0	0.0	0.0	4	0.0	0.0	0.0	0.0	0.0	19
20	0.0	0.0	0.0	0.0	0.0	0.0	5	0.0	0.0	0.0	0.0	0.0	20
21	0.0	0.0	0.0	0.0	0.0	0.0	6	0.0	0.0	0.0	0.0	0.0	21
22	0.0	0.0	0.0	0.0	0.0	0.0	7	0.0	0.0	0.0	0.0	0.0	22
23	0.0	0.0	0.0	0.0	0.0	0.0	8	0.0	0.0	0.0	0.0	0.0	23
24	0.0	0.0	0.0	0.0	0.0	0.0	9	0.0	0.0	0.0	0.0	0.0	24
25	0.0	0.0	0.0	0.0	0.0	0.0	10	0.0	0.0	0.0	0.0	0.0	25
26	0.0	0.0	0.0	0.0	0.0	0.0	11	0.0	0.0	0.0	0.0	0.0	26
27	0.0	0.0	0.0	0.0	0.0	0.0	12	0.0	0.0	0.0	0.0	0.0	27
28	0.0	0.0	0.0	0.0	0.0	0.0	13	0.0	0.0	0.0	0.0	0.0	28
29	0.0	0.0	0.0	0.0	0.0	0.0	14	0.0	0.0	0.0	0.0	0.0	29
30	0.0	0.0	0.0	0.0	0.0	0.0	15	0.0	0.0	0.0	0.0	0.0	30
31	0.0	0.0	0.0	0.0	0.0	0.0	16	0.0	0.0	0.0	0.0	0.0	31
MEAN	0.0	0.0	0.0	0.0	0.0	0.0	33.3	1.3	5.7	0.0	0.0	0.0	MEAN
MAX.	0.0	0.0	0.0	0.0	0.0	0.0	183	317	15	0.0	0.0	0.0	MAX.
MIN.	0.0	0.0	0.0	0.0	0.0	0.0	10	0.0	0.0	0.0	0.0	0.0	MIN.
AC. FT.	0.0	0.0	0.0	0.0	0.0	0.0	27.1	47.0	100	0.0	0.0	0.0	AC. FT.

## WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD  
\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY.  
— E AND \*

MEAN DISCHARGE	DISCHARGE	MAXIMUM	GAGE HT.	MO	DAY	TIME	DISCHARGE	MINIMUM	GAGE HT.	MO	DAY	TIME	TOTAL ACRE FEET
0.0	0.0	183	1.3	4	17	1:00	0.0	0.0	0.0	0.0	0.0	0.0	100

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
40 39 49	120 48 33	SEC 32N 10E				JUL 56-DATE	JUL 56-DATE	1.50		0.00	LOCAL

Station located 1.8 mi. above mouth, 13 mi. NW of Susanville. Tributary to Eagle Lake. Stage-discharge relationship affected by ice at times. Drainage area is approximately 225 sq. mi.



TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1961-62	1000	SWAMP LAKE, MINN.

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1							2	2					1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
MEAN MAX MIN AC FT.													MEAN MAX MIN AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— — E AND \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME
100	1.5	12	15	10:00	10	1.0	12	15	10:00

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
45° 23' N	91° 05' W	SWAMP LAKE	1000	1.5	12/15/61	100	1.0	1961-62	1.0	LOCAL	

Station located 1/4 mi. NW of Litchfield, 1/2 mi. NE of Swanville. Tributary to Honey Lake. Stage-discharge relationship affected by ice at times.

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1957	G-21	21.1 RUN GAGE, 21.1 S.W. of SUSANVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1
2	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	2
3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	3
4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	4
5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	5
6	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	6
7	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	7
8	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	8
9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	9
10	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	10
11	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	11
12	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	12
13	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	13
14	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	14
15	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	15
16	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	16
17	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17
18	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	18
19	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	19
20	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	20
21	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	21
22	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	22
23	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	23
24	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	24
25	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	25
26	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	26
27	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	27
28	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	28
29	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	29
30	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	30
31	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	31
MEAN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MEAN
MAX	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MAX
MIN	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	MIN
AC. FT.	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	AC. FT.

## WATER YEAR SUMMARY

E — ESTIMATED

NR — NO RECORD

\* — DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

— E AND —

MEAN	MAXIMUM					MINIMUM					TOTAL
DISCHARGE	DISCHARGE	GAGE HT.	MO.	DAY	TIME	DISCHARGE	GAGE HT.	MO.	DAY	TIME	ACRE FEET
1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT	DATE						
41 21 25	121 22 11	SE23 24N 11E	1.1	1.1	1.1	DEC 27-DATE	DEC 27-DATE	1957	0.00	LOCAL	
Station located 5.0 mi. SW of Susanville. Tributary to Honey Lake via Susan River. Stage-discharge relationship affected by ice at times. Drainage area is 7.2 sq. mi.											

TABLE B-5 (Cont.)

## DAILY MEAN DISCHARGE

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1960	64000	LONG VALLEY CREEK NEAR DOYLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	5.4	5.4	5.1	15	11.9	10	11 *	3.7	4.2	1.3	1.3	1.9	1
2	5.4	5.4	7.4	14	7.4	8.5	11	3.6	4.0	1.5	0.6	1.9	2
3	5.4	5.4	7.4	10	6.7	11	12	4.0 *	3.2	1.5	0.2	1.9	3
4	5.4	5.4	7.4	18	8.4 *	9.2	9.2	4.2	4.1	3.1	0.4	2.9	4
5	5.4	5.4	7.8	12	12	10	4.2	4.0	3.6	3.0	1.3 *	3.3	5
6	5.4	5.4	7.4	4. E	21	12	8.6	3.2	5.4	1.3 *	0.9	4.4	6
7	5.4	5.4	7.4	37 #	7.7	12	4.7	3.2	5.7 *	2.5	1.1	2.9 *	7
8	5.4	5.4	7.4	4.6	12	11	8.9	3.2	5.7 *	2.2	1.1	2.5	8
9	5.4	5.4	7.4	7.1	12	12	7.6	5.4	3.8	2.5	1.3	2.9	9
10	5.4	5.4	7.4 *	14	14	14	7.1	9.4	2.8	2.2	1.3	6.3	10
11	5.4	5.4	7.4	13	13	1	4.0	4.2	2.3	2.2	1.3	6.3	11
12	5.4 *	5.4 *	7.4	12	11	15	8.5	3.5	2.5	1.9	1.3	7.9	12
13	5.4	5.4	7.4	15	16	17	7.5	2.7	2.5	1.6	0.6	8.9	13
14	5.4	5.4	7.3	12	11	17	6.8	2.3	1.5	0.9	1.1	7.9	14
15	5.4	5.4	7.4	14	9.3	16	5.2	2.5	1.3	1.6	1.1	8.9	15
16	5.4	5.4	7.4	10	12	19	4.2	3.1	1.6	1.6	0.9	8.9	16
17	5.4	5.4	7.4	11	11	16	7.5	3.1	1.4	1.6	0.9	7.1	17
18	5.4	5.4	7.4	14	7.4	14	7.4	1.8	1.0	2.5	0.6	9.9	18
19	5.4	5.4	7.4	11	8.1	12	6.1	2.2	1.3	2.9	0.5	11	19
20	5.4	5.4	7.4	9.4	9.1	14	6.1	2.2	2.1	2.5	1.1	11	20
21	5.4	5.4	7.4	14	7.4	12	5.8	2.6	2.6	2.2	2.9	12	21
22	5.4	5.4	7.4	13	7.4	13	5.4	2.1	3.2	1.6	2.2	11	22
23	5.4	5.4	7.4	11	9.4	12	7.1	2.8	3.7	0.4	2.2	9.3	23
24	5.4	5.4	7.4	6.1	13	13	4.2	2.9	5.0	1.9	1.8	8.3	24
25	5.4	5.4	7.4	6.2	11	11	4.3	3.5	4.4	3.3	1.3	8.9	25
26	5.4	5.4	7.4	7.4	12	12	4.8	1.8	3.4	3.8	1.1	7.9	26
27	5.4	5.4	7.4	11	13	13	4.6	3.0	4.0	4.4	2.5	7.9	27
28	5.4	5.4	7.4	14	14	14	4.2	3.7	2.1	1.4	1.6	9.9	28
29	5.4	5.4	7.4	14	14	14	4.2	4.2	2.1	0.9	1.9	7.9	29
30	5.4	5.4	7.4	15	8.5	13	7.9	5.2	1.7	1.9	2.2	7.1	30
31	5.4	5.4	7.4	15	6.4	12	4.9	4.9	2.5	2.5	1.9	1.9	31
MEAN	5.4	5.4	7.4	11.7	10.2	13.2	7.1	3.5	3.1	2.1	1.3	7.0	MEAN
MAX	5.4	5.4	7.4	12 E	10	19	12	9.4	5.7	4.4	2.9	12	MAX
MIN	4.6	4.6	4.6	6.1	6.7	8.5	2.8	1.8	1.0	0.9	0.2	1.9	MIN
AC FT.	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	7.4	AC FT.

## WATER YEAR SUMMARY

E - ESTIMATED

NR - NO RECORD

\* - DISCHARGE MEASUREMENT OR  
OBSERVATION OF FLOW MADE THIS DAY

E - END \*

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL ACRE FEET
7.4	DISCHARGE	GAGE HT.	MO.	DAY	DISCHARGE	GAGE HT.	MO.	DAY	339
	7.4	5.5	1	17	0.1	3.1	6	29	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	DF RECORD		DATE	DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM	
			CF5	GAGE HT							
39 55 W	120 01 06	SE13 2-N 17E				DEC 57-DATE	DEC 57-DATE	1957		0.00	LOCAL

Station located at U. S. Highway 395 bridge, 8.1 mi. SE of Doyle. Tributary to Honey Lake. Stage-discharge relationship affected by ice at times. Drainage area is approximately 150 sq. mi.

TABLE B-6  
STREAMFLOW MEASUREMENTS AT MISCELLANEOUS LOCATIONS

This table shows the discharge rate on various streams at locations other than those where continuous recorders are maintained.

Included as miscellaneous measurements are tidal cycle measurements made in channels having flows affected by tidal action. These measurements are the mean cyclic flow for a tidal phase, which approximates 24 hours and 50 minutes. The mean cyclic flow is defined as the average algebraic summation of flows for a tidal phase.

TABLE B-6  
 SAMPLE MEASUREMENTS AT MISCELLANEOUS SITES

Stream	Tributary	Location		Measurements		
		Latitude	Longitude	Date	Gage Height (ft.)	Discharge (cfs)
Sacramento River at Bend Bridge	Sacramento River	40 15 53	122 17 21	8- 9-66	21.28	12700
Bishop Cut near Bishop Cut Bridge	San Joaquin River	38 03 45	121 25 03	11- 3-65 to 11- 4-65		133 (A, C) 193 (A, B)
Fourteen Mile Slough near Shima	San Joaquin River	38 01 30	122 23 45	11- 3-65 to 11- 4-65		60 (A, C) 77 (A, C)
Honker Cut near North End	San Joaquin River	38 03 58	121 27 30	11- 3-65 to 11- 4-65		169 (A, B) 219 (A, B)
Middle River at Howard Road Bridge	San Joaquin River	37 52 33	121 22 48	3-16-66 to 3-17-66		29 (A, B) 26 (A, B)
Turner Cut at McDonald Ferry	San Joaquin River	37 58 48	121 28 25	3-16-66 to 3-17-66		164 (A, C) 299 (A, C)
Little Potato Slough near Terminus	San Joaquin River	38 06 23	121 29 43	3-22-66 to 3-23-66		1391 (A, B) 1372 (A, B)
Stockton Ship Channel at River Light No. 36	San Joaquin River	37 59 10	121 23 27	4-18-66 to 4-19-66		641 (A, B) 107 (A, B)
Little Potato Slough near Little Connection Slough	San Joaquin River	38 04 28	121 30 04	5-10-66 to 5-11-66		1720 (A, B) 1500 (A, B)
Potato Slough near Little Connection Slough	San Joaquin River	38 04 24	121 30 16	5-10-66 to 5-11-66		1516 (A, B) 1092 (A, B)
Middle River at Howard Road Bridge	San Joaquin River	37 52 33	121 22 48	5-17-66 to 5-18-66		19 (A, C) 23 (A, C)
Turner Cut at McDonald Ferry	San Joaquin River	37 58 48	121 28 25	5-17-66 to 5-18-66		409 (A, C) 447 (A, C)
Santa Fe Cut between Middle and Old Rivers (Left Channel)	San Joaquin River	37 55 23	121 32 42	6- 4-66 to 6-10-66		246 (A, B) 317 (A, B)
Santa Fe Cut between Middle and Old Rivers (Right Channel)	San Joaquin River	37 55 27	121 32 42	6- 9-66 to 6-10-66		169 (A, B) 121 (A, B)
Old River at Head	San Joaquin River	37 48 29	121 19 46	6-14-66 to 6-15-66		371 (A, B) 394 (A, B)
San Joaquin River above Old River	San Joaquin River	37 48 27	121 19 28	6-14-66 to 6-15-66		276 (A, B) 173 (A, B)
San Joaquin River below Old River	San Joaquin River	37 48 36	121 19 30	6-14-66 to 6-15-66		103 (A, C) 127 (A, C)
Old River near Clifton Court Ferry	San Joaquin River	37 50 01	121 31 59	6-28-66 to 6-29-66		744 (A, C) 796 (A, C)
West Canal near Clifton Court Ferry	San Joaquin River	37 50 00	121 31 14	6-28-66 to 6-29-66		2968 (A, C) 3032 (A, C)
Middle River at Howard Road Bridge	San Joaquin River	37 52 33	121 22 48	6-21-66 to 6-22-66		6 (A, B) 2 (A, B)

(A) The flows shown are mean cyclic flow for a tidal phase which approximates 24 hours and 40 minutes in time.  
 (B) The mean cyclic flow is toward the downstream direction of the channel.  
 (C) The mean cyclic flow is toward the upstream direction of the channel.

# TABLE B-7

## DIVERSIONS

Monthly diversion values have been rounded off as follows:

### 1. Individual diversions - acre-feet

0.0	- 999	nearest	Unit
1,000	- 9,999	"	Ten
10,000	- 99,999	"	Hundred
100,000	- 999,999	"	Thousand

### 2. Total monthly diversion - cubic feet second All values to nearest unit.

### 3. Monthly use in percent All values to nearest tenth.

TABLE B.1

[illegible]



TABLE IV (Cont.)  
continued from previous page

TABLE B-2 (Cont.)

[illegible]





TABLE B-7 (Cont.)

[illegible]



TABLE B-7 (Cont.)

[illegible]

TABLE B.7 (Cont.)

[illegible]



152



TABLE 2 (continued)



WATER USER	MILE AND BANK	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION OCT-SEPT ACRE-FEET	
			OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG		SEPT
1. The City of Los Angeles	1.0	100													
2. The City of Los Angeles	1.0	100													
3. The City of Los Angeles	1.0	100													
4. The City of Los Angeles	1.0	100													
5. The City of Los Angeles	1.0	100													
6. The City of Los Angeles	1.0	100													
7. The City of Los Angeles	1.0	100													
8. The City of Los Angeles	1.0	100													
9. The City of Los Angeles	1.0	100													
10. The City of Los Angeles	1.0	100													
11. The City of Los Angeles	1.0	100													
12. The City of Los Angeles	1.0	100													
13. The City of Los Angeles	1.0	100													
14. The City of Los Angeles	1.0	100													
15. The City of Los Angeles	1.0	100													
16. The City of Los Angeles	1.0	100													
17. The City of Los Angeles	1.0	100													
18. The City of Los Angeles	1.0	100													
19. The City of Los Angeles	1.0	100													
20. The City of Los Angeles	1.0	100													
21. The City of Los Angeles	1.0	100													
22. The City of Los Angeles	1.0	100													
23. The City of Los Angeles	1.0	100													
24. The City of Los Angeles	1.0	100													
25. The City of Los Angeles	1.0	100													
26. The City of Los Angeles	1.0	100													
27. The City of Los Angeles	1.0	100													
28. The City of Los Angeles	1.0	100													
29. The City of Los Angeles	1.0	100													
30. The City of Los Angeles	1.0	100													
31. The City of Los Angeles	1.0	100													
32. The City of Los Angeles	1.0	100													
33. The City of Los Angeles	1.0	100													
34. The City of Los Angeles	1.0	100													
35. The City of Los Angeles	1.0	100													
36. The City of Los Angeles	1.0	100													
37. The City of Los Angeles	1.0	100													
38. The City of Los Angeles	1.0	100													

TABLE B-7 (Cont.)

WATER USER	MILE AND BANK	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT ACRE-FEET
			OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
1. [illegible]	1.000	1.000													
2. [illegible]	1.000	1.000													
3. [illegible]	1.000	1.000													
4. [illegible]	1.000	1.000													
5. [illegible]	1.000	1.000													
6. [illegible]	1.000	1.000													
7. [illegible]	1.000	1.000													
8. [illegible]	1.000	1.000													
9. [illegible]	1.000	1.000													
10. [illegible]	1.000	1.000													
11. [illegible]	1.000	1.000													
12. [illegible]	1.000	1.000													
13. [illegible]	1.000	1.000													
14. [illegible]	1.000	1.000													
15. [illegible]	1.000	1.000													
16. [illegible]	1.000	1.000													
17. [illegible]	1.000	1.000													
18. [illegible]	1.000	1.000													
19. [illegible]	1.000	1.000													
20. [illegible]	1.000	1.000													
21. [illegible]	1.000	1.000													
22. [illegible]	1.000	1.000													
23. [illegible]	1.000	1.000													
24. [illegible]	1.000	1.000													
25. [illegible]	1.000	1.000													
26. [illegible]	1.000	1.000													
27. [illegible]	1.000	1.000													
28. [illegible]	1.000	1.000													
29. [illegible]	1.000	1.000													
30. [illegible]	1.000	1.000													
31. [illegible]	1.000	1.000													
32. [illegible]	1.000	1.000													
33. [illegible]	1.000	1.000													
34. [illegible]	1.000	1.000													
35. [illegible]	1.000	1.000													
36. [illegible]	1.000	1.000													
37. [illegible]	1.000	1.000													
38. [illegible]	1.000	1.000													
39. [illegible]	1.000	1.000													
40. [illegible]	1.000	1.000													
41. [illegible]	1.000	1.000													
42. [illegible]	1.000	1.000													
43. [illegible]	1.000	1.000													
44. [illegible]	1.000	1.000													
45. [illegible]	1.000	1.000													
46. [illegible]	1.000	1.000													
47. [illegible]	1.000	1.000													
48. [illegible]	1.000	1.000													
49. [illegible]	1.000	1.000													
50. [illegible]	1.000	1.000													
51. [illegible]	1.000	1.000													
52. [illegible]	1.000	1.000													
53. [illegible]	1.000	1.000													
54. [illegible]	1.000	1.000													
55. [illegible]	1.000	1.000													
56. [illegible]	1.000	1.000													
57. [illegible]	1.000	1.000													
58. [illegible]	1.000	1.000													
59. [illegible]	1.000	1.000													
60. [illegible]	1.000	1.000													
61. [illegible]	1.000	1.000													
62. [illegible]	1.000	1.000													
63. [illegible]	1.000	1.000													
64. [illegible]	1.000	1.000													
65. [illegible]	1.000	1.000													
66. [illegible]	1.000	1.000													
67. [illegible]	1.000	1.000													
68. [illegible]	1.000	1.000													
69. [illegible]	1.000	1.000													
70. [illegible]	1.000	1.000													
71. [illegible]	1.000	1.000													
72. [illegible]	1.000	1.000													
73. [illegible]	1.000	1.000													
74. [illegible]	1.000	1.000													
75. [illegible]	1.000	1.000													
76. [illegible]	1.000	1.000													
77. [illegible]	1.000	1.000													
78. [illegible]	1.000	1.000													
79. [illegible]	1.000	1.000													
80. [illegible]	1.000	1.000													
81. [illegible]	1.000	1.000													
82. [illegible]	1.000	1.000													
83. [illegible]	1.000	1.000													
84. [illegible]	1.000	1.000													
85. [illegible]	1.000	1.000													
86. [illegible]	1.000	1.000													
87. [illegible]	1.000	1.000													
88. [illegible]	1.000	1.000													
89. [illegible]	1.000	1.000													
90. [illegible]	1.000	1.000													
91. [illegible]	1.000	1.000													
92. [illegible]	1.000	1.000													
93. [illegible]	1.000	1.000													
94. [illegible]	1.000	1.000													
95. [illegible]	1.000	1.000													
96. [illegible]	1.000	1.000													
97. [illegible]	1.000	1.000													
98. [illegible]	1.000	1.000													
99. [illegible]	1.000	1.000													
100. [illegible]	1.000	1.000													

TABLE B-7 (Cont.)

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

2. Once the problem is identified, the next step is to define the objectives and goals of the project. This helps to clarify what needs to be achieved and provides a clear direction for the work.

3. The third step is to develop a plan or strategy to address the problem. This involves identifying the resources needed, the tasks to be completed, and the timeline for the project.

4. After the plan is developed, the next step is to implement the plan. This involves putting the plan into action and monitoring progress to ensure that the objectives are being met.

5. Finally, the last step is to evaluate the results of the project. This involves assessing the outcomes against the objectives and goals, and identifying any lessons learned for future projects.



TABLE B-7 (Cont.)

[illegible]

TABLE B-7 (Cont.)  
IVE SION - LEATHER RIVE Intd.  
at per 1965 through September 1966

WATER USER	MILE AND BANK FROM MOUTH	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT ACRE- FEET
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
Wichita, et al	1.00	1-12									4	4	4		12
Wichita, et al	1.10	1-12							12	12	12	12	12	12	120
Wichita, et al	1.20	1-12									4	4	4	12	120
Wichita, et al	1.30	1-12													
Wichita, et al	1.40	1-12									4	4	4	12	120
Wichita, et al	1.50	1-12									4	4	4	12	120
Wichita, et al	1.60	1-12									4	4	4	12	120
Wichita, et al	1.70	1-12									4	4	4	12	120
Wichita, et al	1.80	1-12									4	4	4	12	120
Wichita, et al	1.90	1-12									4	4	4	12	120
Wichita, et al	2.00	1-12									4	4	4	12	120
Wichita, et al	2.10	1-12									4	4	4	12	120
Wichita, et al	2.20	1-12									4	4	4	12	120
Wichita, et al	2.30	1-12									4	4	4	12	120
Wichita, et al	2.40	1-12									4	4	4	12	120
Wichita, et al	2.50	1-12									4	4	4	12	120
Wichita, et al	2.60	1-12									4	4	4	12	120
Wichita, et al	2.70	1-12									4	4	4	12	120
Wichita, et al	2.80	1-12									4	4	4	12	120
Wichita, et al	2.90	1-12									4	4	4	12	120
Wichita, et al	3.00	1-12									4	4	4	12	120
Wichita, et al	3.10	1-12									4	4	4	12	120
Wichita, et al	3.20	1-12									4	4	4	12	120
Wichita, et al	3.30	1-12									4	4	4	12	120
Wichita, et al	3.40	1-12									4	4	4	12	120
Wichita, et al	3.50	1-12									4	4	4	12	120
Wichita, et al	3.60	1-12									4	4	4	12	120
Wichita, et al	3.70	1-12									4	4	4	12	120
Wichita, et al	3.80	1-12									4	4	4	12	120
Wichita, et al	3.90	1-12									4	4	4	12	120
Wichita, et al	4.00	1-12									4	4	4	12	120
Wichita, et al	4.10	1-12									4	4	4	12	120
Wichita, et al	4.20	1-12									4	4	4	12	120
Wichita, et al	4.30	1-12									4	4	4	12	120
Wichita, et al	4.40	1-12									4	4	4	12	120
Wichita, et al	4.50	1-12									4	4	4	12	120
Wichita, et al	4.60	1-12									4	4	4	12	120
Wichita, et al	4.70	1-12													

- Installation in 1961.  
 First listed Mathews, Sullivan and Greenville.  
 Second unit.  
 Present data to compute.  
 Unit was installed in 1965.

a replace a 14' unit.

LIVER, ION. - LAM RIVER

161

TABLE B-7 (Cont.)

[illegible]

TABLE B-7 (Cont.)

[illegible]

TABLE B-7 (Cont.)

[illegible]

164

TABLE B-7 (Cont.)

WATER USER	MILE AND BANK	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET											TOTAL DIVERSION DCT-SEPT ACRE-FEET	
			OCT	NOV	DEC.	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>WATER USER</u>															
<u>W</u>															

TABLE B-7 (Cont.)  
Continued[illegible]



TABLE B-7 (Cont.)

WATER USER	M E AND BANK +	NUMBER AND SIZE OF PUMP IN INCHES	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT ACRE- FEET
			OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
City of Los Angeles	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Francisco	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						20000
City of San Luis Obispo	10000	1000						10000	10000						20000
City of San Bernardino	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						20000
City of San Luis Obispo	10000	1000						10000	10000						20000
City of San Bernardino	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						20000
City of San Luis Obispo	10000	1000						10000	10000						20000
City of San Bernardino	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						20000
City of San Luis Obispo	10000	1000						10000	10000						20000
City of San Bernardino	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						20000
City of San Luis Obispo	10000	1000						10000	10000						20000
City of San Bernardino	10000	1000						10000	10000						20000
City of San Diego	10000	1000						10000	10000						20000
City of San Jose	10000	1000						10000	10000						20000
City of San Antonio	10000	1000						10000	10000						20000
City of San Marcos	10000	1000						10000	10000						

- \* Missing Data are coded as NA
- # Status coded as follows: 0 = unknown; 1 = married;  
2 = included in household survey; 3 = other.

TABLE B-2 (Cont.)

<p>1. The first step in the process of identifying a problem is to define the problem clearly. This involves identifying the symptoms, the scope of the problem, and the impact it is having on the organization.</p> <p>2. The second step is to gather information about the problem. This involves talking to people who are involved in the problem, looking at data, and researching the problem.</p> <p>3. The third step is to analyze the information. This involves identifying the causes of the problem, the factors that are contributing to the problem, and the potential solutions.</p> <p>4. The fourth step is to develop a plan of action. This involves identifying the steps that need to be taken to solve the problem, the resources that will be needed, and the timeline for the solution.</p> <p>5. The fifth step is to implement the plan. This involves putting the plan into action and monitoring the progress.</p> <p>6. The sixth step is to evaluate the results. This involves assessing the effectiveness of the solution and identifying any areas for improvement.</p>	<p>1. The first step in the process of identifying a problem is to define the problem clearly. This involves identifying the symptoms, the scope of the problem, and the impact it is having on the organization.</p> <p>2. The second step is to gather information about the problem. This involves talking to people who are involved in the problem, looking at data, and researching the problem.</p> <p>3. The third step is to analyze the information. This involves identifying the causes of the problem, the factors that are contributing to the problem, and the potential solutions.</p> <p>4. The fourth step is to develop a plan of action. This involves identifying the steps that need to be taken to solve the problem, the resources that will be needed, and the timeline for the solution.</p> <p>5. The fifth step is to implement the plan. This involves putting the plan into action and monitoring the progress.</p> <p>6. The sixth step is to evaluate the results. This involves assessing the effectiveness of the solution and identifying any areas for improvement.</p>
---	---

[illegible]

TABLE B-7 (Cont.)

[illegible][illegible]

---

$y_{\text{max}} = 0.9$

\_\_\_\_\_



172



[illegible]174



version lists shown. This table was furnished by the U.S. Army National Academy, Fort Monmouth, New Jersey.

Irrigation District, which was furnished by the U.S. Army National Academy, Fort Monmouth, New Jersey.

River diversions measurement program by the U.S. Army National Academy, Fort Monmouth, New Jersey.

Mile and bank above New Hope Bridge.

Wiles et al. are reported under "Listed" - see column 10 - 76

a New installation in 1980.

b Formerly listed as James B. Ward.

c Formerly listed as John L. Lake.

d Formerly listed as H. C. and J. A. Montgomery.

e Formerly listed as A. L. M. Mat.

f Formerly listed as Aaron R. Putnam.

TABLE B-8

WATER USER	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT ACRE-FEET
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													

TABLE B-9

WATER USER	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT ACRE-FEET
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													

TABLE B-10

DIVERSIONS INTO NORTH-EASTERN CALIFORNIA  
October 1, 1967 through September 1968

WATER USER	MONTHLY DIVERSION IN ACRE - FEET												TOTAL DIVERSION OCT-SEPT. ACRE-FEET
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
<u>City of Vallejo</u>													
Total acre-feet													
Average out of the total for month													
Monthly use in percent of total													

1. Data furnished by Bureau of Reclamation.  
2. Data furnished by City of Vallejo.  
3. Data furnished by City of Vallejo.

TABLE B-11  
DAILY MEAN GAGE HEIGHT

TABLE B-11

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1960	54-000	LOWELL DAM, NEW HAMPSHIRE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	1
2	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	2
3	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	3
4	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	4
5	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	5
6	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	6
7	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	7
8	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	8
9	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	9
10	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	10
11	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11
12	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	12
13	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	13
14	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	14
15	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	15
16	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	16
17	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	17
18	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	18
19	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	19
20	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	20
21	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	21
22	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	22
23	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	23
24	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	24
25	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	25
26	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	26
27	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	27
28	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	28
29	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	29
30	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	30
31	11.10	11.77	11.70	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	11.81	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-17-60	11:00	11.81									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
44° 30' N	126° 00' W	NW 1/4, 32N 04E	100,000	7.2	8-20-61	100,000	7.2	1-15-60	1-15-60	USCG	USCG
			50,000	7.0	10-27-61			1-15-60	1-15-60	USCG	USCG

Station located 1/4 mi. below Keweenaw Dam, 1/4 mi. below Keweenaw. Flow regulated by Keweenaw Dam. Gage datum is 100 ft. Drainsage area, including Goose Lake basin, is approximately 3,700 sq. mi.

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1
2	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	2
3	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	3
4	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	4
5	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	5
6	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	6
7	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	7
8	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	8
9	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	9
10	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	10
11	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	11
12	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	12
13	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	13
14	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	14
15	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	15
16	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	16
17	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	17
18	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	18
19	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	19
20	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	20
21	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	21
22	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	22
23	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	23
24	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	24
25	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	25
26	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	26
27	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	27
28	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	28
29	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	29
30	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	30
31	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	1.100	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
10-15-60	10:00	7.10	10-16-60	10:00	7.10	10-17-60	10:00	7.10	10-18-60	10:00	7.10
10-19-60	10:00	7.10	10-20-60	10:00	7.10	10-21-60	10:00	7.10	10-22-60	10:00	7.10

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 4 SEC. T. & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FRDM	TO		
						JAN 1960-DATE	JAN 1960-DATE	1.00			
Station located on the left bank of the river, about 100 feet upstream from the confluence of the river into the Gulf of Mexico. The station is located on a small island in the river, about 100 feet upstream from the confluence of the river into the Gulf of Mexico. The station is located on a small island in the river, about 100 feet upstream from the confluence of the river into the Gulf of Mexico.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AGC070	SACRAMENTO RIVER AT VINA BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	67.10	67.17	67.01	70.00	70.00	68.00	68.43	68.05	68.00	68.00	69.08	67.83	1
2	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.62	2
3	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.50	3
4	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.57	4
5	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.58	5
6	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.56	6
7	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.45	7
8	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.43	8
9	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.41	9
10	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.27	10
11	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.26	11
12	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.25	12
13	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.29	13
14	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.27	14
15	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.26	15
16	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.27	16
17	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.28	17
18	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.28	18
19	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.32	19
20	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.30	20
21	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.30	21
22	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.27	22
23	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.26	23
24	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.27	24
25	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.28	25
26	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.28	26
27	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.24	27
28	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.24	28
29	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.24	29
30	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.25	30
31	67.10	67.00	68.00	69.00	71.00	67.00	68.00	68.00	68.00	68.00	69.08	67.25	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-15-66	1745	70.24	11-30-65	1800	70.90	1-4-66	1-5-66	76.34			
11-18-65	1805	71.30	1-5-66	1-5-66	76.34						

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 4 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CF5	GAGE HT.	DATE			FROM	TO		
38° 12' N	121° 12' W	NEAR VINA BRIDGE	1-30-65	90.97	1-25-66	APR 1-5-66	APR 4-5-66	1-4-66	1-5-66	100.00	USGS
Station located 0.1 mi. above Vina-Corning Highway bridge, 0.1 mi. SW of Vina.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1946	A-5	CHAMBERLAIN RIVER AT HAMILTON CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	1
2	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	2
3	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	3
4	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	4
5	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	5
6	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	6
7	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	7
8	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	8
9	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	9
10	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	10
11	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	11
12	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	12
13	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	13
14	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	14
15	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	15
16	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	16
17	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	17
18	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	18
19	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	19
20	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	20
21	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	21
22	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	22
23	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	23
24	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	24
25	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	25
26	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	26
27	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	27
28	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28
29	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	29
30	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	30
31	28.75	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	28.78	31

MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-15-65	2400	33.02	12-29-65	1200	33.03	1-4-66	1700	33.12			
11-18-65	1415	33.32	1-5-66	1050	32.01						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R. M O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
37° 45' 07"	104° 30' 11"	NEAR Egan Wk	150000	33.00	1-15-66	APR -5-DATUM	27-DATUM	1-15-66	1-15-66	33.00	USED USED USED
Station located at Chamberlain Bridge, State Highway 101, 1/2 mi. N.W. of Hamilton City.											



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1966	10571	LA CLEMENTE RIVER AT OLD FERRY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	46.41	46.41	46.47	46.41	46.41	47.71	47.47	46.76	46.41	47.41	46.47	46.41	1
2	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	2
3	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	3
4	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	4
5	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	5
6	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	6
7	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	7
8	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	8
9	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	9
10	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	10
11	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	11
12	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	12
13	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	13
14	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	14
15	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	15
16	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	16
17	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	17
18	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	18
19	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	19
20	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	20
21	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	21
22	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	22
23	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	23
24	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	24
25	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	25
26	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	26
27	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	27
28	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	28
29	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	29
30	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	30
31	46.37	46.37	46.47	46.45	46.37	46.41	47.61	46.76	46.41	47.41	46.47	46.41	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-16-65	0115	46.11	11-20-65	1100	46.24	11-21-65	0800	46.24			
11-16-65	1600	46.07	11-20-65	1100	46.24						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M.O.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	
16° 37' 30"	82° 12' 30"	NEO. LN. 20'	30000	41.7	11-20-65	JAN - DATE	11-MAY - 67 FEB 27-MAY 27 OCT 14-MAY 27 NOV 2-MAY 27 NOV 4-DATE	11-67	46.7	USED
Station located on the La CLEMENTE River.										
E = ESTIMATED.										



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1-00	AVES 50	SACRAMENTO RIVER AT BUTTE CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	71.5	71.6	71.7	71.8	71.1	71.9	71.8	71.8	71.7	71.8	71.1	71.3	1
2	71.1	71.1	71.5	71.2	71.9	71.2	71.3	71.3	71.7	71.8	71.1	71.2	2
3	71.1	71.0	71.8	71.0	71.1	71.7	71.8	71.8	71.8	71.8	71.1	71.3	3
4	71.1	71.0	71.4	71.1	71.4	71.7	71.1	71.1	71.9	71.8	71.1	71.7	4
5	71.1	71.1	71.5	71.4	71.4	71.4	71.8	71.8	71.1	71.1	71.0	71.7	5
6	71.1	71.0	71.6	71.7	71.6	71.7	71.8	71.3	71.8	71.8	71.8	71.7	6
7	71.1	71.1	71.7	71.8	71.8	71.8	71.8	71.3	71.8	71.8	71.8	71.7	7
8	71.1	71.1	71.7	71.8	71.8	71.8	71.1	71.8	71.8	71.8	71.8	71.7	8
9	71.1	71.8	71.7	71.9	71.6	71.8	71.9	71.8	71.8	71.8	71.8	71.7	9
10	71.1	71.2	71.8	71.8	71.7	71.3	71.9	71.3	71.8	71.8	71.8	71.7	10
11	71.1	71.8	71.8	71.6	71.8	71.4	71.9	71.5	71.1	71.8	71.8	71.8	11
12	71.1	71.3	71.8	71.9	71.7	71.3	71.8	71.7	71.8	71.8	71.8	71.8	12
13	71.1	71.4	71.8	71.8	71.3	71.8	71.8	71.7	71.8	71.8	71.8	71.8	13
14	71.1	71.4	71.8	71.8	71.3	71.8	71.8	71.8	71.8	71.8	71.8	71.8	14
15	71.1	71.4	71.7	71.8	71.9	71.8	71.9	71.8	71.8	71.8	71.8	71.8	15
16	71.2	71.9	71.7	71.1	NR	71.9	71.8	71.5	71.0	71.5	71.1	71.2	16
17	71.2	71.7	71.7	71.1	NR	71.8	71.8	71.5	71.4	71.5	71.1	71.2	17
18	71.2	71.7	71.7	71.0	71.3	71.8	71.9	71.4	71.8	71.8	71.1	71.2	18
19	71.2	71.3	71.7	71.3	71.8	71.8	71.8	71.8	71.8	71.8	71.8	71.2	19
20	71.2	71.3	71.4	71.8	71.8	71.8	71.8	71.8	71.8	71.8	71.8	71.2	20
21	71.2	71.3	71.4	71.7	71.9	71.7	71.8	71.8	71.8	71.8	71.8	71.2	21
22	71.2	71.7	71.4	71.7	71.8	71.8	71.9	71.8	71.8	71.8	71.8	71.2	22
23	71.2	71.8	71.8	71.7	71.8	71.8	71.7	71.8	71.8	71.8	71.8	71.2	23
24	71.1	71.3	71.8	71.6	71.3	71.8	71.8	71.8	71.8	71.8	71.8	71.2	24
25	71.1	71.3	71.9	71.6	71.6	71.3	71.8	71.8	71.8	71.8	71.8	71.2	25
26	71.1	71.3	71.7	71.5	71.7	71.8	71.7	71.8	71.8	71.8	71.8	71.2	26
27	71.1	71.4	71.8	71.1	71.2	71.5	71.5	71.7	71.8	71.8	71.8	71.2	27
28	71.1	71.5	71.4	71.6	71.0	71.7	71.4	71.7	71.9	71.8	71.8	71.2	28
29	71.1	71.0	71.8	71.2	71.6	71.6	71.6	71.7	71.9	71.8	71.8	71.2	29
30	71.1	71.8	71.7	71.4	71.8	71.8	71.8	71.7	71.8	71.8	71.8	71.2	30
31	71.1	71.8	71.7	71.0	71.8	71.3	71.8	71.7	71.8	71.8	71.8	71.2	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-16-65	0600	77.8	11-16-65	0600	77.8						
11-16-65	1200	80.3									

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CF5	GAGE HT.	DATE			FROM	TO	
39 27 35	121 50 35	NB 28 19N 1W	170000	36.77	38 10 10	JUL 17-OCT 30 8	1 JUL 1-OCT 30 8 14.1			USED
			100000	24	10 10	JAN 30-DATE	APR 2-DATE			
Gage located at highway bridge, 0.5 mi. S of Butte City. Maximum flow record listed is for period 1965 to 1966.										
Records furnished by USGS.										
S - Irrigation season only.										

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AC2445	SACRAMENTO RIVER AT MOULTON WEIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
— ESTIMATED	1-6-66	1745	70.02									
NR — NO RECORD												
NF — NO FLOW												

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39° 20' 18"	122° 01' 18"	SE1/4 17N 2W		35.8 52.14	1967-68 1975	JAN 40-DATE #	JAN 39-DATE #	1935		4.00	MEAD
Station located W of south end of weir, ~.5 mi. S of Princeton. Gage heights below weir crest (elevation 76.75 ft) are not tabulated.											
A - Mean gage height for period of flow.											
# - Flood season only.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02450	LACHRAMIC RIVER OPPOSITE MOUNTAIN WEIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	58.09	58.11	59.04	NR	63.00	NR	59.52	58.14	57.91	57.74	57.94	57.25	1
2	57.97	58.11	58.69	NR	64.65	NR	59.55	57.97	57.43	57.74	57.94	57.37	2
3	57.92	58.03	59.60	NR	64.75	63.77	59.52	57.96	57.55	57.74	57.94	57.7	3
4	57.92	58.00	60.66	61.48	65.85	58.38	59.36	57.97	57.74	57.94	57.94	57.66	4
5	57.91	57.99	60.30	68.91	71.59	58.66	59.12	58.03	57.60	57.94	57.94	57.66	5
6	57.92	58.00	61.03	77.18	69.69	58.81	58.65	58.14	57.94	57.94	57.94	57.66	6
7	57.93	57.99	61.07	75.17	69.53	58.1	58.37	57.16	58.11	57.94	57.94	57.66	7
8	57.93	58.04	61.05	71.09	66.91	58.47	58.16	58.16	58.13	57.94	57.94	57.66	8
9	57.91	58.12	61.14	69.38	64.43	58.47	57.94	58.14	58.04	57.94	57.94	57.66	9
10	57.89	58.20	61.15	68.54	NR	58.43	57.61	58.17	58.06	57.94	57.94	57.66	10
11	57.89	58.18	61.14	67.09	NR	58.06	58.9	58.35	58.04	57.94	57.94	57.66	11
12	57.79	58.18	61.24	65.72	NR	58.96	58.31	58.16	57.9	57.94	57.94	57.66	12
13	57.89	58.34	61.31	65.06	NR	60.29	58.73	58.06	57.94	57.94	57.94	57.66	13
14	57.90	59.04	61.21	64.65	NR	61.16	58.34	58.62	57.93	57.94	57.94	57.66	14
15	57.92	61.48	61.15	64.64	NR	60.08	57.92	58.56	57.85	57.94	57.94	57.66	15
16	57.97	65.46	61.11	64.29	NR	60.21	57.93	58.52	57.85	57.94	57.94	57.66	16
17	58.00	61.91	61.08	64.19	NR	60.44	58.28	58.19	58.20	57.97	57.94	57.66	17
18	58.00	62.81	61.05	64.10	NR	60.62	58.75	58.44	58.24	57.97	57.94	57.66	18
19	58.01	65.17	NR	64.00	NR	60.83	59.11	58.3	58.39	57.97	57.94	57.66	19
20	58.03	62.30	NR	63.80	NR	61.22	59.21	58.05	58.66	57.97	57.94	57.66	20
21	58.12	61.34	NR	63.69	NR	61.26	58.99	57.69	58.70	57.97	57.94	57.66	21
22	58.12	61.08	NR	63.69	NR	61.21	58.89	57.04	58.75	57.97	57.94	57.66	22
23	58.12	60.67	NR	63.61	NR	61.18	58.76	57.04	58.76	57.97	57.94	57.66	23
24	58.10	60.68	NR	63.58	NR	60.70	58.69	57.75	58.78	57.97	57.94	57.66	24
25	58.08	61.68	NR	63.52	NR	60.64	58.62	57.68	58.78	57.97	57.94	57.66	25
26	58.06	61.91	NR	63.46	NR	60.44	58.64	57.63	57.76	57.97	57.94	57.66	26
27	58.04	61.98	NR	63.04	NR	59.66	58.51	57.62	57.78	57.97	57.94	57.66	27
28	58.09	62.09	NR	62.41	NR	59.97	58.36	57.57	58.80	57.97	57.94	57.66	28
29	58.06	61.62	NR	61.94	NR	59.55	58.18	57.57	58.82	57.97	57.94	57.66	29
30	58.08	60.29	NR	62.71	NR	59.69	58.09	57.54	57.77	57.97	57.94	57.66	30
31	58.09		NR	64.27	NR	59.54		57.52		57.97	57.94	57.66	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-16-65	1215	66.13	1-6-66	1700	75.08						
11-19-65	0245	65.96	2-5-66	1330	72.16						

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE				FROM	TO	
39° 01' N	122° 01' W	SW 1/4 17N 24E		65.0	1-7-62 12-2-64	MAR 5--DATE 8	OCT 11--MAY 10 JUL 4--JUL 31 NOV 1--JUL 31 OCT 11--DATE				USED

Station located immediately W of weir, 4.5 mi. S of Princeton.

B - Irrigation season only.  
F - Flood season only.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02430	SACRAMENTO RIVER AT COLUSA WEIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5				63.00 <sup>A</sup>	63.03 <sup>A</sup>								5
6				65.25 <sup>A</sup>	62.35 <sup>A</sup>								6
7				64.76	62.20								7
8				63.10	61.51 <sup>A</sup>								8
9				62.22									9
10				61.51 <sup>A</sup>									10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
E — ESTIMATED	1-6-66	2000	65.76									
NR — NO RECORD	2-6-66	1530	63.36									
NF — NO FLOW												

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39° 15' 00" N	121° 00' 00" W	017 100 00	7.4	6.0	1966	1000 - 10000	1000 - 10000	1000		0.0	USGS
Gage height is in feet above datum. Gage datum is mean water level (1985-1986) at this station.											
n = Mean discharge for period of record.											
P = Flood peak discharge.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1960-61	111	COLUMBUS LIVE STOCK BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	1
2	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	2
3	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	3
4	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	4
5	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	5
6	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	6
7	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	7
8	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	8
9	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	9
10	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	10
11	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	11
12	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	12
13	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	13
14	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	14
15	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	15
16	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	16
17	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	17
18	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	18
19	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	19
20	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	20
21	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	21
22	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	22
23	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	23
24	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	24
25	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	25
26	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	26
27	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	27
28	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	28
29	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	29
30	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	30
31	43.4	43.4	43.4	43.4	NR	43.4	43.4	43.4	43.4	43.4	43.4	43.4	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-19-65	11:17	43.4	2-5-66	10:00	61.56						
1-6-66	00:15	43.97									

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE					
39 12 30	121 50 55	NW 1/4 14N 3E	49003	69.20 67.37	2-5-66 1-7-65	APR 20-OCT 31-68	APR 12-DATE	1921 1961	7.0 -3.0	USGS UGGS
Station located just below highway bridge at Columbus. Maximum discharge of record listed for period of 1936 to date. Records furnished by UGGS.										
6 - Irrigation season only.										

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AC2984	CHEROKEE CANAL NEAR RICHVALE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.77	2.33	3.15	3.08	3.00	3.55	3.91	3.98	3.95	3.67	3.78	3.44	1
2	2.75	2.30	3.13	3.65	3.00	3.44	3.99	3.86	3.93	3.54	3.67	3.34	2
3	2.74	2.42	3.13	3.97	4.07	3.39	3.90	3.58	3.37	3.54	3.57	2.70	3
4	2.73	2.45	3.13	3.50	3.05	3.37	3.83	3.53	3.80	3.60	3.49	2.31	4
5	2.70	2.48	3.11	3.15	3.14	3.33	3.91	3.64	3.75	3.60	3.43	2.29	5
6	2.71	2.53	3.09	3.75	4.50	3.32	3.09	3.84	3.71	3.68	3.43	2.28	6
7	2.65	2.51	3.07	4.65	4.21	3.36	3.18	3.75	3.75	3.60	3.47	2.26	7
8	2.65	2.57	3.08	4.66	3.71	3.49	3.42	3.74	3.75	3.60	3.47	2.27	8
9	2.56	2.65	3.09	4.47	3.47	3.25	3.68	3.72	3.80	3.60	3.40	2.27	9
10	2.54	2.67	3.08	4.08	3.34	3.36	3.76	3.86	3.79	3.60	3.37	2.33	10
11	2.54	2.71	3.08	3.89	3.20	3.26	3.78	3.95	3.73	3.79	3.45	2.36	11
12	2.51	2.76	3.44	3.83	3.30	3.25	3.89	4.02	3.67	3.81	3.59	2.34	12
13	2.31	2.96	3.46	3.75	3.39	3.37	3.85	3.96	3.69	3.71	3.65	2.30	13
14	2.21	3.51	3.26	3.65	3.37	3.35	3.73	3.88	3.73	3.60	3.77	2.28	14
15	2.20	4.33	3.18	3.57	3.05	3.30	3.69	3.49	3.64	3.60	3.68	2.26	15
16	2.22	3.47	3.10	3.49	3.01	3.29	3.53	3.86	3.70	3.60	3.65	2.25	16
17	2.21	3.57	3.08	3.42	2.89	3.23	3.03	3.84	3.74	3.60	3.60	2.28	17
18	2.22	3.56	3.09	3.42	2.89	3.21	3.10	3.85	3.75	3.59	3.59	2.27	18
19	2.22	4.43	3.06	3.36	3.78	3.33	3.64	3.89	3.71	3.60	3.59	2.24	19
20	2.28	3.88	3.06	3.33	3.97	3.34	3.56	3.69	3.71	3.60	3.79	2.36	20
21	2.26	3.47	3.05	3.30	3.51	3.23	3.21	3.92	3.70	3.60	3.78	2.18	21
22	2.21	3.28	3.01	3.28	3.12	3.18	3.41	3.92	3.69	3.56	3.76	2.18	22
23	2.25	3.20	2.87	3.25	3.08	3.17	3.66	3.83	3.68	3.46	3.74	2.17	23
24	2.28	3.65	3.03	3.23	3.20	3.66	3.77	3.70	3.60	3.42	3.69	2.15	24
25	2.22	4.18	4.77	3.21	3.66	3.09	3.77	3.68	3.63	3.37	3.62	2.13	25
26	2.21	3.56	3.79	3.25	4.61	3.09	3.71	3.74	3.56	3.56	3.45	2.12	26
27	2.22	3.38	3.47	3.26	3.78	3.09	3.80	3.74	3.54	3.60	3.74	2.11	27
28	2.24	3.29	3.70	3.22	3.61	3.08	3.54	3.79	3.42	3.67	3.83	2.11	28
29	2.25	3.23	6.39	3.27	3.02	3.68	3.68	3.70	3.55	3.72	3.79	2.10	29
30	2.22	3.17	4.79	6.47	3.12	3.12	3.91	3.60	3.58	3.78	3.43	2.10	30
31	2.27		4.21	4.73		3.04		3.70		3.83	3.50		31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-15-65	0730	5.09	12-25-65	0800	5.51	1-5-66	0120	4.00	2-1-66	1700	7.05
11-18-65	0240	6.30	12-25-65	0200	7.31	1-30-66	0600	7.61	2-4-66	1350	6.44

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
39 27 N	121 44 W	1N34 19N 2E	15600 E 7200	13.80 11.26	10/13/65 1/6/65	JUL 60-DATE	JUL 60-DATE	1960		USCDS

Station located on Butte City Road Bridge, 2.1 mi. S of Richvale. Backwater from Cherokee Dam weir, 1.05 mi. below station, at times affects the stage-discharge relationship. Weir has 13 bays and is operated by the Richvale Irrigation District.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AO-97	BUTTE SLOUGH AT OUTFALL GATES

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	40.78	40.28	42.97	47.06	47.17	44.54	43.18	41.93	42.05	41.66	42.10	41.63	1
2	40.39	40.20	41.82	46.78	47.35	43.71	43.18	41.91	42.17	41.65	42.13	41.95	2
3	40.27	40.00	41.85	46.37	47.57	43.41	43.18	42.37	42.14	41.77	42.28	41.67	3
4	40.18	39.96	42.71	46.12	47.80	42.84	43.00	42.61	42.13	41.8	42.39	41.75	4
5	40.07	39.97	42.76	46.74	48.17	42.24	42.66	43.23	42.33	41.59	42.32	40.82	5
6	40.04	39.95	42.74	NR	49.36	42.07	42.0	43.10	42.39	41.74	42.28	40.86	6
7	40.00	40.00	42.58	NR	49.71	42.41	41.50	43.05	42.35	41.75	42.32	40.87	7
8	39.99	40.03	42.54	NR	49.73	42.42	41.39	43.08	42.36	41.8	42.34	40.61	8
9	39.90	40.16	42.51	NR	49.52	42.44	41.98	42.45	42.41	41.77	42.34	40.77	9
10	39.88	40.32	42.43	NR	49.09	42.95	41.61	42.90	42.21	41.80	42.43	40.74	10
11	39.88	40.30	42.29	NR	48.03	44.02	42.27	42.98	42.07	41.93	42.42	40.45	11
12	39.89	40.25	42.43	NR	47.21	45.14	42.64	42.93	41.87	42.09	42.37	40.23	12
13	39.89	40.61	42.59	NR	46.32	44.63	42.58	43.12	42.02	42.23	42.31	40.08	13
14	39.93	41.36	42.70	NR	45.76	44.12	42.14	43.06	42.18	42.52	42.12	39.94	14
15	39.98	42.52	42.79	NR	45.28	44.22	41.15	42.97	42.17	42.75	41.95	39.81	15
16	39.99	43.51	42.87	NR	44.85	44.33	41.42	42.77	42.23	42.58	42.00	39.71	16
17	40.06	44.60	42.93	NR	44.49	44.67	42.60	42.62	41.92	42.55	41.45	39.64	17
18	40.11	45.10	42.88	NR	43.89	44.88	42.64	42.51	41.72	42.77	42.01	39.65	18
19	40.19	46.01	42.82	NR	43.62	45.02	42.98	42.34	41.69	42.76	41.93	39.60	19
20	40.25	46.75	42.87	NR	43.73	45.38	42.80	41.72	41.75	42.66	41.76	39.57	20
21	40.24	46.73	42.87	NR	44.89	45.45	42.21	41.55	41.82	42.68	41.68	39.39	21
22	40.23	46.24	42.83	NR	44.01	45.33	41.43	41.47	41.85	42.75	42.11	39.37	22
23	40.21	45.66	42.74	NR	43.35	45.14	41.37	41.60	41.66	42.75	42.12	39.64	23
24	40.20	45.21	42.66	NR	43.31	44.91	41.55	41.59	41.49	42.72	42.08	39.28	24
25	40.16	45.84	42.76	NR	44.18	44.64	41.55	41.32	41.34	42.45	41.96	39.12	25
26	40.13	46.23	42.99	NR	45.54	44.55	41.36	42.15	42.18	42.35	42.15	39.17	26
27	40.15	46.26	43.13	NR	46.15	43.45	42.52	42.25	42.44	42.25	42.14	39.85	27
28	40.16	46.15	43.46	45.33	45.61	43.58	42.41	42.22	42.08	42.27	42.16	40.34	28
29	40.18	45.88	44.28	45.10		43.69	41.93	42.13	41.77	42.31	42.20	40.05	29
30	40.20	45.14	45.35	45.45		43.47	41.93	41.93	41.61	42.48	42.28	40.01	30
31	40.23		46.90	46.67		43.31	41.81			42.35	42.24		31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-21-65	0700	46.97	1-1-66	1000	47.10	2-27-66	2300	46.71			
11-27-65	1600	46.29	2-8-66	0530	49.78						

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1.4 SEC. T. & R. M.O.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE NT.	DATE			FROM	TO		
39° 11' 44"	121° 38' 04"	NE35 16N 1W				JUN 24-OCT 31 65 JAN 59-DATE	JUN 24-DATE			1.44	USED
Station located 4.0 mi. E of Colusa, 3.7 mi. N of Meridian. Tributary to Sacramento River. Flow regulated by gravity culverts.											
E - Irrigation season only.											



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1956	AC100	SACRAMENTO RIVER AT CORLIAN

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	37.83	37.81	37.82	37.83	37.75	37.84	37.85	37.86	37.87	37.88	37.89	37.90	1
2	37.84	37.78	37.85	37.87	37.83	37.86	37.87	37.88	37.89	37.90	37.91	37.92	2
3	37.85	37.77	37.86	37.88	37.84	37.87	37.88	37.89	37.90	37.91	37.92	37.93	3
4	37.86	37.75	37.87	37.89	37.85	37.88	37.89	37.90	37.91	37.92	37.93	37.94	4
5	37.87	37.74	37.88	37.90	37.86	37.89	37.90	37.91	37.92	37.93	37.94	37.95	5
6	37.88	37.73	37.89	37.91	37.87	37.90	37.91	37.92	37.93	37.94	37.95	37.96	6
7	37.89	37.72	37.90	37.92	37.88	37.91	37.92	37.93	37.94	37.95	37.96	37.97	7
8	37.90	37.71	37.91	37.93	37.89	37.92	37.93	37.94	37.95	37.96	37.97	37.98	8
9	37.91	37.70	37.92	37.94	37.90	37.93	37.94	37.95	37.96	37.97	37.98	37.99	9
10	37.92	37.69	37.93	37.95	37.91	37.94	37.95	37.96	37.97	37.98	37.99	38.00	10
11	37.93	37.68	37.94	37.96	37.92	37.95	37.96	37.97	37.98	37.99	38.00	38.01	11
12	37.94	37.67	37.95	37.97	37.93	37.96	37.97	37.98	37.99	38.00	38.01	38.02	12
13	37.95	37.66	37.96	37.98	37.94	37.97	37.98	37.99	38.00	38.01	38.02	38.03	13
14	37.96	37.65	37.97	37.99	37.95	37.98	37.99	38.00	38.01	38.02	38.03	38.04	14
15	37.97	37.64	37.98	38.00	37.96	37.99	38.00	38.01	38.02	38.03	38.04	38.05	15
16	37.98	37.63	37.99	38.01	37.97	38.00	38.01	38.02	38.03	38.04	38.05	38.06	16
17	37.99	37.62	38.00	38.02	37.98	38.01	38.02	38.03	38.04	38.05	38.06	38.07	17
18	38.00	37.61	38.01	38.03	37.99	38.02	38.03	38.04	38.05	38.06	38.07	38.08	18
19	38.01	37.60	38.02	38.04	38.00	38.03	38.04	38.05	38.06	38.07	38.08	38.09	19
20	38.02	37.59	38.03	38.05	38.01	38.04	38.05	38.06	38.07	38.08	38.09	38.10	20
21	38.03	37.58	38.04	38.06	38.02	38.05	38.06	38.07	38.08	38.09	38.10	38.11	21
22	38.04	37.57	38.05	38.07	38.03	38.06	38.07	38.08	38.09	38.10	38.11	38.12	22
23	38.05	37.56	38.06	38.08	38.04	38.07	38.08	38.09	38.10	38.11	38.12	38.13	23
24	38.06	37.55	38.07	38.09	38.05	38.08	38.09	38.10	38.11	38.12	38.13	38.14	24
25	38.07	37.54	38.08	38.10	38.06	38.09	38.10	38.11	38.12	38.13	38.14	38.15	25
26	38.08	37.53	38.09	38.11	38.07	38.10	38.11	38.12	38.13	38.14	38.15	38.16	26
27	38.09	37.52	38.10	38.12	38.08	38.11	38.12	38.13	38.14	38.15	38.16	38.17	27
28	38.10	37.51	38.11	38.13	38.09	38.12	38.13	38.14	38.15	38.16	38.17	38.18	28
29	38.11	37.50	38.12	38.14	38.10	38.13	38.14	38.15	38.16	38.17	38.18	38.19	29
30	38.12	37.49	38.13	38.15	38.11	38.14	38.15	38.16	38.17	38.18	38.19	38.20	30
31	38.13	37.48	38.14	38.16	38.12	38.15	38.16	38.17	38.18	38.19	38.20	38.21	31

## MAXIMUM INSTANTANEDUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-1-1956	10:00	38.15	1-2-1956	10:00	38.16	1-3-1956	10:00	38.17	1-4-1956	10:00	38.18
1-5-1956	10:00	38.19	1-6-1956	10:00	38.20	1-7-1956	10:00	38.21	1-8-1956	10:00	38.22

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE			FROM	TO	
38° 13' N	121° 05' W	14 SEC T & R M D B & M	1,000	38.15	1-1-1956	1,000	38.15	1-1-1956	1-1-1956	38.15
Notes: 1. Gage is located on the left bank of the river, about 100 feet upstream from the confluence of the river into the bay.										
2. - Investigation period only.										



TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1961	4000	STATIONED AT CLAMATION DISTRICT

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	1
2	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	2
3	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	3
4	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	4
5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	5
6	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	6
7	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	7
8	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	8
9	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	9
10	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	10
11	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	11
12	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	12
13	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	13
14	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	14
15	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	15
16	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	16
17	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	17
18	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	18
19	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	19
20	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	20
21	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	21
22	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	22
23	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	23
24	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	24
25	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	25
26	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	26
27	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	27
28	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	28
29	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	29
30	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	30
31	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	33.5	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NE — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	1/4 SEC. T & R M O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE			FROM	TO			
34 04 00	101 00 00	NELSON N 1E						19-DATE			0.00	SEA
Staged location at district pumping plant, 1.7 mi. E of Nelson. Gage also used by local operators.												

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02301	SACRAMENTO RIVER AT TIDALE WEIR

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1													1
2													2
3													3
4													4
5				40.38 <sup>A</sup>	47.00 <sup>A</sup>								5
6				47.79	47.35								6
7				47.22	47.26								7
8				47.44	46.92								8
9				47.63	45.9 <sup>FB</sup>								9
10				47.47									10
11				47.07									11
12				46.30 <sup>A</sup>									12
13				45.74									13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-6-66	0600	48.30									
2-5-66	2230	47.52									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
39 42 36	121 49 40	NE15 1-N 1E		53.5 50.11	1 1 1966 12 2 1966	JAN 1-DATE # JAN 31-DATE #	JAN 31-DATE # JAN 31-DATE #	1965			USGS

Station located W of north end of weir, 5.0 mi. SE of Grimes. Gage heights below weir crest (elevation 45.4 ft.) are not tabulated.

A - Mean gage height for period of flow.  
F - Flood season only.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AL-080	SACRAMENTO RIVER BELOW WILKINS LOUGH

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	31.2	31.0	31.8	30.9	31.0	35.0	31.0	31.4	31.6	31.0	31.0	31.0	1
2	31.0	31.0	31.0	31.2	31.5	31.8	31.0	31.4	31.7	31.0	31.1	31.2	2
3	30.8	30.6	32.7	38.3	43.6	31.3	31.3	31.4	31.6	31.1	31.1	31.0	3
4	30.8	30.7	35.0	37.8	43.1	33.7	31.0	31.4	31.7	31.0	31.0	31.0	4
5	30.7	30.7	36.1	40.9	40.3	32.9	31.0	31.0	31.2	31.4	31.0	31.3	5
6	30.7	30.7	36.6	45.0	48.9	32.4	31.8	31.3	31.7	31.0	31.0	31.3	6
7	30.7	30.7	36.8	47.7	48.7	33.1	31.1	31.0	31.0	31.0	31.0	31.4	7
8	30.6	31.0	36.9	47.3	48.4	33.0	31.0	31.0	31.0	31.0	31.0	31.5	8
9	30.7	31.0	37.0	47.1	44.9	33.4	31.1	31.0	31.0	31.7	31.0	31.0	9
10	30.7	31.1	37.1	46.9	42.2	33.0	31.0	31.1	31.0	31.7	31.0	31.0	10
11	30.7	31.0	37.1	46.5	40.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0	11
12	30.7	31.0	37.2	45.8	38.6	31.0	31.0	31.0	31.0	31.0	31.0	31.0	12
13	30.7	31.0	37.4	45.0	37.4	31.0	31.0	31.0	31.0	31.0	31.0	31.0	13
14	30.7	31.0	37.4	44.1	36.7	31.0	31.0	31.0	31.0	31.0	31.0	31.0	14
15	30.7	31.0	37.2	43.4	36.2	31.0	31.0	31.0	31.0	31.0	31.0	31.0	15
16	30.8	31.0	37.1	43.0	35.2	31.0	31.0	31.0	31.0	31.0	31.0	31.0	16
17	30.8	31.0	37.0	42.7	35.4	31.0	31.0	31.0	31.0	31.0	31.0	31.0	17
18	30.7	31.0	37.0	42.5	34.7	31.0	31.0	31.0	31.0	31.0	31.0	31.0	18
19	30.7	31.0	36.9	42.3	34.3	31.0	31.0	31.0	31.0	31.0	31.0	31.0	19
20	31.0	31.0	36.9	42.1	34.2	31.0	31.0	31.0	31.0	31.0	31.0	31.0	20
21	31.0	31.0	36.9	41.8	35.7	31.0	31.0	31.0	31.0	31.0	31.0	31.0	21
22	31.0	31.0	36.6	41.6	35.2	31.0	31.0	31.0	31.0	31.0	31.0	31.0	22
23	31.0	31.0	36.2	41.5	34.2	31.0	31.0	31.0	31.0	31.0	31.0	31.0	23
24	31.0	31.0	35.8	41.5	34.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0	24
25	31.0	31.0	36.0	41.4	34.6	31.0	31.0	31.0	31.0	31.0	31.0	31.0	25
26	30.9	31.0	36.7	41.3	36.7	31.0	31.0	31.0	31.0	31.0	31.0	31.0	26
27	30.9	31.0	36.9	41.0	37.8	31.0	31.0	31.0	31.0	31.0	31.0	31.0	27
28	30.9	31.0	36.6	40.1	37.5	31.0	31.0	31.0	31.0	31.0	31.0	31.0	28
29	30.9	31.0	37.1	39.2	34.9	31.0	31.0	31.0	31.0	31.0	31.0	31.0	29
30	30.9	31.0	41.3	38.6	34.0	31.0	31.0	31.0	31.0	31.0	31.0	31.0	30
31	30.9	31.0	41.3	41.0	34.3	31.0	31.0	31.0	31.0	31.0	31.0	31.0	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-19-65	2100	43.2									
1-7-66	0000	47.8									

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
39° 05' 30"	121° 09' 30"	NEW 1/4 IN. LE	27000	41.1	12-20-65	APR 31-DATUM	AUG 31-DATUM	1/31			U.S.C.
Station located 0.1 mi. below Wilkins Lough pumping plant of Reclamation District No. 1, 0.1 mi. below Tisdale Weir, 0.1 mi. SE of Grapeland. Maximum discharge of record 11700 cfs for period 1933 to 1965. Record furnished by WDC.											
F — Irrigation season only.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02240	SACRAMENTO RIVER NEAR ROUGH AND READY BEND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	23.6	23.3	28.0	32.7	33.7	28.6	27.5	21.3	21.2	22.6	24.0	24.2	1
2	23.9	23.4	26.0	32.5	32.7	27.6	27.5	21.0	21.2	22.6	23.7	24.0	2
3	24.3	23.3	25.1	31.0	35.0	27.4	27.5	21.2	21.2	22.6	23.7	23.4	3
4	23.3	23.1	26.1	30.0	34.9	26.5	27.7	21.5	21.2	22.7	23.7	23.0	4
5	23.1	23.2	27.4	30.0	36.5	25.1	27.3	21.5	21.7	23.1	23.7	22.9	5
6	23.0	23.2	28.0	37.0	38.1	25.0	26.5	22.2	21.7	23.3	23.6	22.9	6
7	23.0	23.1	28.6	39.3	39.2	25.1	25.9	22.6	22.1	23.1	23.5	23.0	7
8	23.1	23.2	28.6	36.4	38.5	25.3	25.5	23.0	22.3	23.2	23.7	23.0	8
9	23.1	23.3	28.8	39.7	37.7	25.4	24.9	23.3	22.4	23.0	23.5	22.1	9
10	23.1	23.5	29.0	39.7	35.5	25.6	24.3	23.5	22.5	23.2	23.7	22.8	10
11	23.1	23.3	28.9	39.5	33.4	26.4	24.7	23.1	22.4	23.4	23.6	22.9	11
12	23.0	23.5	29.0	38.3	31.7	26.4	26.7	24.4	22.4	23.5	23.6	22.4	12
13	23.0	23.5	29.1	35.6	30.1	26.9	27.0	25.3	21.9	23.6	23.6	21.9	13
14	22.9	24.0	29.5	36.6	29.0	28.2	27.0	25.2	21.7	23.6	23.6	21.6	14
15	22.9	25.1	29.1	35.6	23.5	28.3	25.4	25.0	21.4	24.1	23.6	21.9	15
16	23.0	25.1	29.0	35.0	23.1	28.5	23.9	24.9	21.2	24.2	23.7	22.0	16
17	23.0	33.6	28.9	34.6	27.3	24.7	23.1	24.6	20.0	24.3	23.1	22.0	17
18	23.0	21.1	28.9	34.3	27.1	23.7	23.5	24.2	21.4	24.6	23.5	21.9	18
19	23.2	32.1	28.6	34.0	26.3	23.6	24.5	23.9	21.6	24.7	23.6	21.6	19
20	23.3	34.4	28.7	33.9	26.6	29.0	24.6	23.7	21.6	24.5	23.5	21.9	20
21	23.5	31.9	25.7	33.5	27.0	29.5	24.6	23.0	22.1	24.6	23.3	21.9	21
22	23.6	30.3	28.8	33.4	26.7	29.5	23.6	22.7	22.3	24.6	23.5	22.0	22
23	23.5	29.1	27.6	33.0	26.7	29.4	23.3	22.4	22.4	24.7	23.7	21.1	23
24	23.5	28.9	27.4	33.0	26.1	29.1	22.5	22.4	22.5	24.7	23.7	21.3	24
25	23.4	28.5	27.4	33.0	26.4	28.5	22.7	22.3	22.5	24.6	23.7	21.6	25
26	23.3	25.4	28.4	32.8	28.1	28.6	22.6	21.7	22.8	24.1	23.4	21.9	26
27	23.2	30.4	28.4	32.7	25.9	28.0	22.7	21.5	22.7	23.1	23.6	21.7	27
28	23.2	30.6	26.5	32.2	30.0	27.2	22.3	21.7	22.7	23.9	23.7	21.5	28
29	23.2	30.6	28.5	31.9	27.4	27.4	22.9	21.7	22.7	23.9	23.9	21.5	29
30	23.2	30.0	31.1	30.7	27.4	27.4	22.0	21.4	22.6	24.0	24.0	21.5	30
31	23.2		33.3	31.9		27.4		21.2		24.5	24.2		31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
38° 51' 00" N	121° 00' 00" W	NEDY 13.11					NAD 7-DATE	1977		USGS
Gage located at Reclamation District 108 (Average pumping plant, 4.0 m. x 1.0 m. x 1.0 m. Gage located on the right bank of the river, near the confluence of the river into the Sacramento River. Gage is in operation only when pass-out in operation by pump operators.										
a - Daily gage readings.										

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1961	14-00	COLUMBIA RIVER AT BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	1
2	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	2
3	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	3
4	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	4
5	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	5
6	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	6
7	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	7
8	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	8
9	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	34.40	9
10	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	10
11	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11
12	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	12
13	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	13
14	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	14
15	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	15
16	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	16
17	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	17
18	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	18
19	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	19
20	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	20
21	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	21
22	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	22
23	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	23
24	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	24
25	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	25
26	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	26
27	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	27
28	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	28
29	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	29
30	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	30
31	34.40	34.40	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-18-65	17:00	44.40	12-04-65	17:00	45.11						
12-03-65	17:00	44.40	12-04-65	17:00	45.11						

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 4 SEC. T & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE NT.	DATE			FRDM	TO		
31 11 44	105 33 34	NE 1/4 16N 2W	314	31.00	31.00	JUN 2-DEC 2	JUN 2-DEC 2	FRDM	TO	37.00	USED
				31.00	31.00	MAY 2-DATE	MAY 2-DATE				
Station located at State Highway 30 Bridge, 3.0 mi. W of Council. Flow is return water in main drain of Reclamation District 700, chiefly drainage from irrigation districts.											
8 - Irrigation season only.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1965	40000	COLUSA BASIN DRAIN NEAR COLLEGE CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	25.47	25.14	24.77	24.00	24.11	24.44	24.09	24.34	24.47	24.06	24.60	24.51	1
2	25.47	25.14	24.77	24.00	24.11	24.44	24.09	24.34	24.47	24.06	24.60	24.51	2
3	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	3
4	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	4
5	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	5
6	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	6
7	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	7
8	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	8
9	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	9
10	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	10
11	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	11
12	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	12
13	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	13
14	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	14
15	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	15
16	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	16
17	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	17
18	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	18
19	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	19
20	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	20
21	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	21
22	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	22
23	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	23
24	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	24
25	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	25
26	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	26
27	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	27
28	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	28
29	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	29
30	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	30
31	25.51	25.18	24.81	24.04	24.15	24.48	24.13	24.38	24.51	24.10	24.64	24.55	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-19-65	1740	29.93	1-6-66	0800	29.14	5-13-66	0700	29.14			
1-31-65	0800	27.24	2-5-66	1000	28.53						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD FROM TO	ZERO ON GAGE	REF DATUM
			CFS	GAUGE	DATE						
31 00 35	121 25 35	24.13N 24.13E				OCT 44-APR 55 MAR 54-FEB 56	OCT 44-APR 55 MAR 54-FEB 56 JUN 56-DATE		1-57	2.55 0.00	USED USED

Station located 1/4 mi. below highway bridge, 1/4 mi. E of College City. Flow is drainage chiefly from lands irrigated by Glenn-Colusa, Provident, Princeton-Codomo-Glenn, Crocker-Hatch, and Maxwell Irrigation Districts. Backwater from Knights Landing Cut-off Gate at times affects stage-discharge relationship. Maximum gage height listed does not necessarily indicate maximum discharge.



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1-6	Aug-66	COLUMBIA BASIN DRAIN AT KNIGHTS LANDING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	24.1	24.09	24.39	24.43	24.63	24.4	24.45	24.9	24.4	24.4	24.2	24.35	1
2	24.01	24.04	24.77	24.53	24.83	24.06	24.86	24.02	24.5	24.4	24.1	24.4	2
3	24.0	24.0	24.86	24.43	24.75	24.0	24.08	24.51	24.48	24.3	NR	24.5	3
4	24.01	24.34	24.15	24.05	24.48	24.82	24.06	24.53	24.51	24.47	NR	24.5	4
5	24.02	24.06	24.43	24.44	24.61	24.1	24.7	24.54	24.4	24.51	NR	24.47	5
6	24.11	24.35	24.43	24.73	24.34	24.72	24.15	24.51	24.5	24.51	NR	24.45	6
7	24.13	24.4	24.14	24.64	24.51	24.6	24.56	24.51	24.56	24.52	NR	24.51	7
8	24.16	24.00	24.34	24.25	24.04	24.0	24.34	24.51	24.46	24.52	NR	24.51	8
9	24.04	24.18	24.43	24.39	24.7	24.7	24.79	24.56	24.49	24.51	NR	24.5	9
10	24.04	24.27	24.57	24.64	24.05	24.7	24.57	24.53	24.50	24.51	NR	24.47	10
11	24.06	24.25	24.62	24.75	24.75	24.5	24.52	24.54	24.54	24.54	NR	24.4	11
12	24.04	24.21	24.70	24.66	24.57	24.53	24.76	24.5	24.4	24.51	NR	24.4	12
13	24.05	24.17	24.54	24.63	24.60	24.5	24.56	24.5	24.4	24.52	NR	24.46	13
14	24.07	24.17	24.97	24.55	24.52	24.66	24.51	24.4	24.46	24.51	NR	24.5	14
15	24.06	24.73	24.88	24.5	24.92	24.19	24.8	24.5	24.4	24.52	NR	24.45	15
16	24.0	24.20	24.80	24.7	24.43	24.49	24.70	24.5	24.46	24.44	NR	24.4	16
17	24.13	24.24	24.64	24.50	24.70	24.00	24.62	24.5	24.47	24.53	24.47	24.5	17
18	24.16	24.06	24.55	24.42	24.53	24.90	24.41	24.53	24.4	24.51	24.5	24.5	18
19	24.13	24.43	24.51	24.30	24.13	24.13	24.77	24.49	24.47	24.46	24.46	24.4	19
20	24.17	24.04	24.50	24.62	24.7	24.3	24.94	24.51	24.44	24.51	24.51	24.47	20
21	24.17	24.20	24.48	24.21	24.34	24.42	24.98	24.52	24.4	24.5	24.51	24.4	21
22	24.13	24.40	24.50	24.48	24.70	24.54	24.90	24.51	24.50	24.5	24.5	24.51	22
23	24.16	24.76	24.19	24.19	24.42	24.55	24.62	24.50	24.4	24.44	24.52	24.51	23
24	24.01	24.28	24.75	24.15	24.77	24.28	24.54	24.54	24.46	24.50	24.53	24.46	24
25	24.02	24.0	24.79	24.14	24.64	24.78	24.45	24.5	24.50	24.50	24.53	24.46	25
26	24.07	24.44	24.14	24.18	24.05	24.60	24.52	24.5	24.5	24.51	24.5	24.75	26
27	24.02	24.03	24.53	24.10	24.46	24.54	24.41	24.50	24.4	24.51	24.51	24.7	27
28	24.05	24.16	24.53	24.07	24.46	24.19	24.53	24.52	24.4	24.51	24.51	24.7	28
29	24.03	24.11	24.48	24.37	24.36	24.42	24.36	24.5	24.4	24.52	24.52	24.7	29
30	24.03	24.70	24.09	24.13	24.33	24.33	24.15	24.53	24.49	24.52	24.55	24.7	30
31	24.05	24.07	24.07	24.34	24.48	24.48	24.48	24.51	24.54	24.51	24.51	24.7	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-20-65	0600	27.71	2-6-66	1500	28.36						
1-6-66	1450	27.88									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1.4 SEC T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38 47 30	121 42 00	24.14 N 121 42 E			1966	MAY 24-OCT 14 8 JAN 66-DATE	MAY 24-OCT 30 8 JAN 66-DATE	1966		0.0	MEAD
Station located at Knights Landing Outfall Gates, 1/4 mi. S of Knights Landing. Tributary to Sacramento River. Flow register at outfall gates. Maximum gage height listed does not indicate maximum discharge.											
8 - Irrigation season only.											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02400	SACRAMENTO RIVER AT KNIGHTS LANDING

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	14.68	14.67	23.78	27.74	27.80	24.37	24.23	17.11	17.38	14.15	14.92	14.85	1
2	14.67	14.72	23.18	27.84	27.80	23.52	24.47	17.66	17.38	14.11	14.66	14.89	2
3	14.57	14.66	23.25	27.51	27.40	22.90	24.85	17.86	17.37	14.11	14.58	14.79	3
4	14.44	14.56	21.90	25.56	24.40	22.32	24.71	18.43	17.31	14.05	14.48	14.64	4
5	14.44	14.56	23.10	27.59	27.40	22.65	24.51	18.43	17.77	14.55	14.47	14.54	5
6	14.34	14.52	23.60	26.77	26.75	22.23	23.44	19.38	18.11	14.73	14.38	14.39	6
7	14.34	14.40	23.81	23.89	26.54	21.23	23.05	19.85	18.33	14.79	14.40	14.35	7
8	14.34	14.37	23.92	24.49	26.80	21.38	22.46	18.26	18.44	14.79	14.40	14.35	8
9	14.34	14.66	24.08	25.16	26.16	21.42	21.77	18.33	18.11	14.86	14.40	14.35	9
10	14.34	14.80	24.20	26.30	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	10
11	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	11
12	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	12
13	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	13
14	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	14
15	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	15
16	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	16
17	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	17
18	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	18
19	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	19
20	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	20
21	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	21
22	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	22
23	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	23
24	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	24
25	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	25
26	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	26
27	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	27
28	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	28
29	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	29
30	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	30
31	14.34	14.83	24.33	26.44	26.34	21.74	21.74	18.33	18.44	14.92	14.40	14.35	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-20-66	14.00	14.00									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
34° 35' 10"	121° 44' 30"	24.14 14.32				JUL 14-1967	JUL 14-1967	1961	1967	1961
						JAN 1-1961	JAN 1-1961			1961
Station located just above the Southern Pacific Railroad bridge, 1.1 miles up Feather River downstream from Knights Landing. Station situated just below the Feather River and after byways during various high flows. Maximum discharge recorded listed in the period of record. Reference datum is UGCL. Maximum recorded gage height was 14.92 feet in 1967.										
* - Irrigation season only.										



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1965	1400	BUTTER RIVER AT BUTTER DAM

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	1
2	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	2
3	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	3
4	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	4
5	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	5
6	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	6
7	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	7
8	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	8
9	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	9
10	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	10
11	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	11
12	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	12
13	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	13
14	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	14
15	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	15
16	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	16
17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	17
18	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	18
19	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	19
20	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	20
21	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	21
22	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	22
23	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	23
24	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	24
25	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	25
26	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	26
27	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	27
28	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	28
29	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	29
30	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	30
31	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	40.17	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-11-65	07:00	45.70	1-7-66	10:00	45.70	1-20-66	08:00	45.70			
1-1-66	10:00	45.70	2-2-66	14:00	45.70						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
32 14 1-	121 00 00	2051 10N 1E				JAN 20-DATE	NOV 24-MAY 27#	1934			
							NOV 27-DATE				

Station located at Butter-Meridian Highway bridge, 1.1 miles N of Marysville. Primarily operated by BWS. Flow regulated by gate operation. Flow during summer months is reduced to meet irrigation water demands represented by Butter River diversion. During flood periods, Sacramento River water enters Butter River above Butter Dam, and flows over Molokai and Molokai weirs.

# - Flood season only.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1960	40000	OUTLET BYPASS AT LONG BRIDGE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1				40.00	40.07		40.00	41.10	40.05	40.00	40.04	40.05	1
2				40.00	40.71		40.00	41.11	40.04	40.05	40.05	40.07	2
3				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	3
4				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	4
5				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	5
6				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	6
7				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	7
8				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	8
9				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	9
10				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	10
11				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	11
12				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	12
13				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	13
14				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	14
15				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	15
16				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	16
17				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	17
18				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	18
19				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	19
20				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	20
21				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	21
22				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	22
23				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	23
24				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	24
25				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	25
26				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	26
27				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	27
28				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	28
29				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	29
30				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	30
31				40.10	40.10		40.00	41.11	40.05	40.04	41.00	40.16	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED  
NR — NO RECORD  
NE — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-11-66	1200	40.10	1-8-66	1500	40.15	8-15-66	0000	41.40			
1-10-66	0000	40.10	5-10-66	1130	41.40						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
34° 30' N	121° 30' W	1011 (2N 1E)		17.7 10.2	1-1-66 1-25-66		14-DATE			USED

Station located on West Lower, 0.4 mi. N of State Highway 21, 3.9 mi. E of Meridian. Gage heights below 34.0 ft. are not indicative of flow in channel and were not even listed.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1900	405.77	WADSWORTH CANAL NEAR CUTTER

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	40.56	40.62	39.13	39.11	40.77	40.77	40.77	40.77	40.77	40.77	40.77	41.43	1
2	40.61	39.24	39.06	39.08	39.68	39.78	40.77	40.77	40.77	40.77	40.77	41.43	2
3	40.61	39.24	39.06	39.08	39.68	39.78	40.77	40.77	40.77	40.77	40.77	41.43	3
4	40.69	39.01	39.15	39.24	41.41	40.77	40.77	40.77	40.77	40.77	40.77	40.95	4
5	40.54	38.90	39.04	42.00	41.50	40.77	40.77	40.77	40.77	40.77	40.77	41.43	5
6	40.54	38.93	39.02	41.50	39.77	40.77	40.77	40.77	40.77	40.77	40.77	41.43	6
7	40.56	39.53	39.71	41.70	39.77	40.77	40.77	40.77	40.77	40.77	40.77	41.43	7
8	40.49	39.89	39.91	43.12	39.54	40.77	40.77	40.77	40.77	40.77	40.77	41.43	8
9	40.50	39.99	39.98	42.67	39.41	40.77	40.77	40.77	40.77	40.77	40.77	41.43	9
10	40.45	39.90	38.93	42.04	39.30	40.77	40.77	40.77	40.77	40.77	40.77	41.43	10
11	40.45	39.77	38.94	41.30	39.77	40.77	40.77	40.77	40.77	40.77	40.77	41.43	11
12	40.57	39.77	38.78	40.35	39.15	40.77	40.77	40.77	40.77	40.77	40.77	41.43	12
13	40.47	39.90	38.84	39.52	39.10	40.77	40.77	40.77	40.77	40.77	40.77	41.43	13
14	40.07	40.09	38.75	39.27	39.07	40.77	40.77	40.77	40.77	40.77	40.77	41.43	14
15	40.26	39.92	38.70	39.19	39.02	40.77	40.77	40.77	40.77	40.77	40.77	41.43	15
16	40.35	39.69	38.68	39.41	39.77	40.77	40.77	40.77	40.77	40.77	40.77	41.43	16
17	40.33	39.55	38.67	39.07	38.94	40.77	40.77	40.77	40.77	40.77	40.77	41.43	17
18	40.29	39.85	38.62	39.02	39.92	40.77	40.77	40.77	40.77	40.77	40.77	41.43	18
19	40.13	39.81	38.62	38.98	39.00	40.77	40.77	40.77	40.77	40.77	40.77	41.43	19
20	40.24	39.52	38.63	39.93	39.08	40.77	40.77	40.77	40.77	40.77	40.77	41.43	20
21	40.06	39.33	38.64	38.90	39.98	40.77	40.77	40.77	40.77	40.77	40.77	41.43	21
22	40.11	39.27	38.62	38.88	38.99	40.77	40.77	40.77	40.77	40.77	40.77	41.43	22
23	39.30	39.25	38.61	38.65	38.93	40.77	40.77	40.77	40.77	40.77	40.77	41.43	23
24	40.12	39.23	38.62	38.82	39.94	40.77	40.77	40.77	40.77	40.77	40.77	41.43	24
25	40.10	39.23	38.62	38.76	39.05	40.77	40.77	40.77	40.77	40.77	40.77	41.43	25
26	40.07	39.23	38.79	39.77	39.45	40.77	40.77	40.77	40.77	40.77	40.77	41.43	26
27	39.94	39.17	38.75	38.74	39.00	40.77	40.77	40.77	40.77	40.77	40.77	41.43	27
28	40.00	39.09	39.06	38.76	39.01	40.77	40.77	40.77	40.77	40.77	40.77	41.43	28
29	40.11	39.15	39.82	38.74	40.34	40.77	40.77	40.77	40.77	40.77	40.77	41.43	29
30	40.11	39.16	39.36	39.67	40.47	40.77	40.77	40.77	40.77	40.77	40.77	41.43	30
31	40.68		39.22	39.29	40.71	40.77	40.77	40.77	40.77	40.77	40.77	41.43	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-3-00	1:00	40.70									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
39° 05' N	121° 44' W	THIS GAGE		38.70	1-3-00	MAR 01-DATE	MAR 01-DATE	1901		3.0	U.S.D.

Station located on west side of Death Butt Road Bridge, 0.4 mi. E of Cutter. Tributary to Sutter Byways. Maximum gage height listed does not necessarily indicate maximum discharge. This station was one of the stations used to determine slope for rating of canal. Prior record, January 1-9 to March 1-00, available at station approximately 0.4 mi. upstream.

DAILY MEAN GAGE HEIGHT  
(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	21.20	NR	26.00	26.74	27.2	25.76	24.26	23.10	23.16	22.30	23.00	23.64	1
2	23.12	NR	26.00	26.90	28.08	26.10	24.20	23.06	23.06	22.40	23.06	23.60	2
3	23.00	NR	25.20	26.66	28.42	25.36	24.18	25.80	23.08	22.70	23.02	23.62	3
4	22.40	NR	24.18	26.50	28.30	24.50	24.30	25.90	23.20	23.00	23.38	23.40	4
5	22.76	22.10	23.30	27.04	33.90	24.37	24.26	23.64	23.1	22.92	22.80	23.20	5
6	22.76	22.00	23.36	31.10	37.90	23.74	24.00	23.75	23.36	22.90	22.32	23.24	6
7	22.64	22.06	23.60	37.62	37.40	23.30	23.50	23.76	23.60	22.76	22.64	23.50	7
8	22.56	22.10	23.56	37.22	37.30	23.30	22.90	23.32	23.70	22.6	22.76	23.60	8
9	22.54	22.06	23.52	37.00	34.10	23.30	22.74	23.82	23.62	22.92	22.50	23.60	9
10	22.40	22.06	23.50	37.60	33.24	23.32	23.00	23.50	23.56	23.00	22.30	23.60	10
11	22.46	22.20	23.50	37.60	32.76	23.42	23.20	24.16	23.36	23.00	22.00	23.62	11
12	22.46	22.22	23.54	36.00	32.60	23.40	23.44	24.52	23.30	23.00	22.70	23.50	12
13	22.42	22.16	23.52	37.50	31.30	24.70	24.10	24.24	23.14	22.96	22.92	23.40	13
14	22.40	22.20	23.50	33.30	30.10	25.00	24.00	24.80	23.00	22.96	22.70	23.30	14
15	22.36	22.56	23.52	33.40	29.80	24.92	23.74	24.60	23.04	22.90	22.70	23.20	15
16	22.24	22.36	23.56	32.90	27.60	24.4	22.76	24.56	22.94	22.92	23.04	23.00	16
17	NR	23.68	23.50	32.30	26.66	24.26	22.90	24.42	23.00	22.92	22.90	23.90	17
18	21.76	23.30	23.50	31.70	26.10	24.90	22.60	24.00	22.90	22.94	22.40	22.76	18
19	21.66	26.50	23.60	30.90	25.66	25.00	23.00	22.92	22.60	22.96	22.96	22.56	19
20	21.64	76.70	23.60	30.80	25.22	25.18	23.20	23.94	22.94	23.00	22.70	22.64	20
21	21.64	27.00	23.60	29.70	25.00	25.40	23.24	23.66	23.00	23.10	22.32	22.60	21
22	21.64	27.28	23.64	29.30	25.36	25.70	23.30	23.70	23.16	22.94	22.70	22.50	22
23	22.30	27.26	23.66	28.00	25.32	25.70	22.90	23.10	22.70	22.92	22.64	22.50	23
24	22.20	27.12	23.64	28.10	24.90	25.96	22.70	23.04	22.94	23.00	23.20	22.20	24
25	22.10	26.76	23.70	28.10	24.50	25.30	22.94	22.80	23.10	22.90	23.00	22.20	25
26	22.10	26.60	23.70	27.66	24.60	24.30	23.10	22.96	22.70	22.90	23.70	22.22	26
27	22.10	26.82	23.70	27.40	25.66	24.20	23.60	23.00	22.90	23.16	23.04	22.20	27
28	NR	27.00	23.80	27.00	26.30	24.30	23.60	23.20	23.42	23.26	23.24	22.10	28
29	NR	27.10	24.40	26.50		24.14	23.30	23.10	23.1	23.10	23.20	22.10	29
30	NR	27.06	25.20	26.52		24.06	23.30	23.1	23.04	23.06	23.24	22.14	30
31	NR		25.04	26.50		24.02		23.34		23.04	23.52		31

## E — ESTIMATED

NR - NO RECORD

NE — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

[illegible]

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1966	10-00	Stations 10-00, 10-01, 10-02, 10-03, 10-04, 10-05, 10-06, 10-07, 10-08, 10-09, 10-10, 10-11, 10-12, 10-13, 10-14, 10-15, 10-16, 10-17, 10-18, 10-19, 10-20, 10-21, 10-22, 10-23, 10-24, 10-25, 10-26, 10-27, 10-28, 10-29, 10-30, 10-31

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	16.11	16.15	16.17	16.18	16.19	16.20	16.21	16.22	16.23	16.24	16.25	16.26	1
2	16.12	16.16	16.18	16.19	16.20	16.21	16.22	16.23	16.24	16.25	16.26	16.27	2
3	16.13	16.17	16.19	16.20	16.21	16.22	16.23	16.24	16.25	16.26	16.27	16.28	3
4	16.14	16.18	16.20	16.21	16.22	16.23	16.24	16.25	16.26	16.27	16.28	16.29	4
5	16.15	16.19	16.21	16.22	16.23	16.24	16.25	16.26	16.27	16.28	16.29	16.30	5
6	16.16	16.20	16.22	16.23	16.24	16.25	16.26	16.27	16.28	16.29	16.30	16.31	6
7	16.17	16.21	16.23	16.24	16.25	16.26	16.27	16.28	16.29	16.30	16.31	16.32	7
8	16.18	16.22	16.24	16.25	16.26	16.27	16.28	16.29	16.30	16.31	16.32	16.33	8
9	16.19	16.23	16.25	16.26	16.27	16.28	16.29	16.30	16.31	16.32	16.33	16.34	9
10	16.20	16.24	16.26	16.27	16.28	16.29	16.30	16.31	16.32	16.33	16.34	16.35	10
11	16.21	16.25	16.27	16.28	16.29	16.30	16.31	16.32	16.33	16.34	16.35	16.36	11
12	16.22	16.26	16.28	16.29	16.30	16.31	16.32	16.33	16.34	16.35	16.36	16.37	12
13	16.23	16.27	16.29	16.30	16.31	16.32	16.33	16.34	16.35	16.36	16.37	16.38	13
14	16.24	16.28	16.30	16.31	16.32	16.33	16.34	16.35	16.36	16.37	16.38	16.39	14
15	16.25	16.29	16.31	16.32	16.33	16.34	16.35	16.36	16.37	16.38	16.39	16.40	15
16	16.26	16.30	16.32	16.33	16.34	16.35	16.36	16.37	16.38	16.39	16.40	16.41	16
17	16.27	16.31	16.33	16.34	16.35	16.36	16.37	16.38	16.39	16.40	16.41	16.42	17
18	16.28	16.32	16.34	16.35	16.36	16.37	16.38	16.39	16.40	16.41	16.42	16.43	18
19	16.29	16.33	16.35	16.36	16.37	16.38	16.39	16.40	16.41	16.42	16.43	16.44	19
20	16.30	16.34	16.36	16.37	16.38	16.39	16.40	16.41	16.42	16.43	16.44	16.45	20
21	16.31	16.35	16.37	16.38	16.39	16.40	16.41	16.42	16.43	16.44	16.45	16.46	21
22	16.32	16.36	16.38	16.39	16.40	16.41	16.42	16.43	16.44	16.45	16.46	16.47	22
23	16.33	16.37	16.39	16.40	16.41	16.42	16.43	16.44	16.45	16.46	16.47	16.48	23
24	16.34	16.38	16.40	16.41	16.42	16.43	16.44	16.45	16.46	16.47	16.48	16.49	24
25	16.35	16.39	16.41	16.42	16.43	16.44	16.45	16.46	16.47	16.48	16.49	16.50	25
26	16.36	16.40	16.42	16.43	16.44	16.45	16.46	16.47	16.48	16.49	16.50	16.51	26
27	16.37	16.41	16.43	16.44	16.45	16.46	16.47	16.48	16.49	16.50	16.51	16.52	27
28	16.38	16.42	16.44	16.45	16.46	16.47	16.48	16.49	16.50	16.51	16.52	16.53	28
29	16.39	16.43	16.45	16.46	16.47	16.48	16.49	16.50	16.51	16.52	16.53	16.54	29
30	16.40	16.44	16.46	16.47	16.48	16.49	16.50	16.51	16.52	16.53	16.54	16.55	30
31	16.41	16.45	16.47	16.48	16.49	16.50	16.51	16.52	16.53	16.54	16.55	16.56	31

## MAXIMUM INSTANTANEDUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-10-60	1845	16.02	1-9-66	10.25	16.57	4-13-66	0.25	16.15			
1-10-66	1315	16.57	3-10-66	0000	16.15						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT	DATE			FRDM	TO		

Station located on west levee, 3.7 mi. SE of Kilauea Iki.

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02170	SACRAMENTO RIVER AT FREMONT WEIR, WEST END

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	17.63	17.53	21.37	24.96	25.34E	21.92	22.58	16.40	15.18	15.54	17.22	17.77	1
2	17.59	17.61	19.89	24.55	25.11E	21.19	22.87	16.16	15.15	15.54	17.01	17.64	2
3	17.40	17.53	19.02	23.54	26.28	20.64	23.19	16.31	15.14	15.57	16.91	17.19	3
4	17.28	17.42	19.44	22.87	26.25	20.14	23.19	16.80	15.12	15.80	16.80	17.14	4
5	17.22	17.48	20.35	23.59	27.32	19.57	22.75	17.15	15.37	15.99	16.76	17.00	5
6	17.13	17.42	20.81	29.34	28.62	19.13	22.16	17.73	15.60	16.12	16.69	16.81	6
7	17.20	17.35	21.07	30.97	29.35	19.11	21.65	18.18	15.87	16.17	16.72	16.82	7
8	17.19	17.42	21.18	32.00	29.74	19.27	21.14	18.54	15.96	16.10	16.72	16.92	8
9	17.18	17.50	21.27	33.10	29.26	19.36	20.74	18.59	16.01	16.17	16.71	16.91	9
10	17.22	17.57	21.40	33.31	27.75E	19.66	20.62	18.78	16.01	16.30	16.75	16.78	10
11	17.13	17.60	21.41	32.80	25.91E	20.79	22.07	19.42	15.94	16.45	16.80	16.81	11
12	17.11	17.59	21.47	31.80	24.49	22.36	23.40	20.20	15.80	16.55	16.74	16.48	12
13	17.03	17.67	21.67	30.40	23.32	22.40	23.57	20.41	15.48	16.61	16.77	16.36	13
14	16.99	18.23	21.72	29.07	22.38E	23.12	22.88	20.19	15.13	16.84	16.90	16.27	14
15	16.94	19.44	21.61	27.98	21.78E	23.74	21.39	19.98	14.81	17.08	16.94	16.16	15
16	17.10	21.81	21.53	27.25	21.36E	23.71	20.07	19.63	14.51	17.27	17.01	16.00	16
17	17.29	24.24	21.61	26.58	20.97E	23.61	19.52	19.07	14.27	17.42	17.03	16.01	17
18	17.40	23.55	21.32	26.11	20.47E	23.30	19.73	18.66	14.61	17.52	16.93	16.01	18
19	17.49	24.87	21.30	25.77	20.22E	22.99	20.00	18.38	14.88	17.56	16.91	16.05	19
20	17.54	26.01	21.26	25.51	20.13	22.98	19.81	17.94	14.96	17.44	16.80	16.03	20
21	17.69	24.71	21.23	25.18	20.55	23.04	19.22	17.41	15.25	17.48	16.67	15.96	21
22	17.74	23.54	21.24	24.94	20.84	22.95	18.36	17.17	15.36	17.51	16.79	15.81	22
23	17.64	22.77	20.95	24.70	20.36	22.77	17.84	16.90	15.52	17.50	16.88	15.80	23
24	17.50	22.19	20.57	24.57	20.06	22.51	17.56	16.60	15.63	17.54	16.92	15.69	24
25	17.44	22.19	20.59	24.45	20.26	22.10	17.35	16.32	15.75	17.38	16.83	15.64	25
26	17.40	22.79	21.26	24.32	21.46	21.95	17.35	16.06	15.82	17.00	16.86	15.74	26
27	17.38	23.11	21.53	24.07E	22.40	21.87	18.04	15.74	15.70	16.83	17.01	15.74	27
28	17.41	23.14	21.37	23.59E	22.70	21.68	18.51	15.62	15.64	16.85	17.20	15.54	28
29	17.38	23.03	21.85	22.81E		21.83	17.59	15.68	15.60	16.91	17.26	15.50	29
30	17.42	22.61	24.15	22.35E		22.07	16.78	15.51	15.58	17.11	17.38	15.25	30
31	17.50		25.29	23.62E		22.37		15.28		17.33	17.64		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-30-65	0450	26.24	1-10-66	0400	33.41						
12-31-65	0930	25.35	2-8-66	110	29.82						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC. T. & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CFS	GAGE HT.	DATE				FROM	TO	
39° 45' 34"	121° 30' 09"	NW 1/4, 11N 3E		39.7	12, 23/35		ALB 54-DATUM		1934		1960
Station located .1 mi. W of weir, 4.0 mi. SE of Knights Landing.											



TABLE B-11 (Cont.)

WATER YEAR	STATION NO.	STATION NAME
1966	A02160	SACRAMENTO RIVER AT FREMONT WEIR, EAST END

## DAILY MEAN GAGE HEIGHT

(IN FEET)

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1
2	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	2
3	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	3
4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	4
5	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5
6	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	6
7	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	7
8	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	8
9	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	9
10	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	10
11	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11
12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	12
13	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	13
14	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	14
15	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	15
16	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	16
17	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	17
18	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	18
19	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	19
20	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	20
21	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	21
22	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	22
23	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	23
24	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	24
25	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	25
26	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	26
27	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	27
28	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	28
29	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	29
30	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	30
31	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
36° 45' 00" N	121° 45' 15" W	SW 27 11N 7E		7.0	3/1/66		APR 1966 - DATE 1970				

Station located approx. 200 ft. N of weir, 0.5 mi. SE of Knights Landing. Gage heights recorded only during periods when there is spill over weir.

DAILY MEAN GAGE HEIGHT  
(IN FEET)[illegible]



DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1966	405165	FEATHER RIVER NEAR GRIDLEY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	27.16	27.49	27.66	28.02	27.55	27.44	29.75	27.31	24.29	24.41	24.67	24.36	1
2	27.29	27.47	27.62	27.85	27.69	27.41	30.03	27.25	24.33	24.45	24.67	24.34	2
3	27.00	27.57	27.60	27.75	27.54	27.36	30.06	27.23	24.13	24.45	24.54	24.56	3
4	26.93	27.45	27.59	28.05	27.49	27.30	29.82	27.29	24.07	24.48	24.49	24.40	4
5	26.97	27.43	27.59	30.84	27.78	27.27	29.62	27.53	24.07	24.55	24.49	24.38	5
6	27.76	27.37	27.59	30.53	27.92	27.27	29.61	27.68	24.07	24.65	24.48	24.50	6
7	26.96	27.36	27.57	29.65	27.86	27.30	29.60	27.72	24.09	24.49	24.44	24.43	7
8	26.92	27.39	27.57	29.26	27.67	27.39	29.57	27.70	24.23	24.57	24.46	24.49	8
9	26.97	27.24	27.56	28.46	27.47	27.51	29.47	27.68	24.10	24.57	24.51	24.43	9
10	26.91	27.20	27.56	28.66	27.49	28.02	30.61	27.68	24.02	24.58	24.55	24.45	10
11	26.85	27.24	27.59	28.41	27.40	28.67	30.82	28.06	24.00	24.59	24.56	24.45	11
12	26.89	27.28	27.65	28.20	27.31	28.92	30.52	27.91	23.99	24.62	24.58	24.43	12
13	26.55	27.42	27.66	28.09	27.31	29.42	29.94	27.72	23.96	24.60	24.60	24.40	13
14	26.56	27.83	27.61	27.98	27.25	30.37	29.47	27.46	24.44	24.61	24.61	24.44	14
15	26.78	28.27	27.58	27.83	27.23	30.10	29.29	27.28	24.23	24.60	24.65	24.58	15
16	27.11	27.99	27.52	27.76	27.19	29.90	29.14	26.86	24.04	24.61	24.59	24.62	16
17	27.21	27.87	27.55	27.76	27.18	29.30	29.22	26.71	24.00	24.67	24.38	24.67	17
18	27.25	29.82	27.54	27.72	27.15	28.89	29.24	26.55	24.02	24.62	24.24	24.67	18
19	27.25	29.72	27.49	27.72	27.21	28.62	28.99	26.26	24.03	24.62	24.21	24.68	19
20	27.37	29.27	27.47	27.74	27.40	28.45	28.50	26.31	24.02	24.62	24.17	24.69	20
21	27.34	28.91	27.49	27.70	27.31	28.31	27.93	26.11	24.06	24.61	24.15	24.69	21
22	27.31	28.49	27.49	27.65	27.31	28.14	27.76	25.94	24.05	24.60	24.15	24.72	22
23	27.16	28.26	27.53	27.65	27.33	27.98	27.60	25.62	24.03	24.57	24.11	24.75	23
24	27.23	28.41	27.55	27.62	27.47	27.83	27.59	25.39	23.99	24.55	24.13	24.75	24
25	27.19	28.88	28.19	27.60	27.58	27.83	27.64	25.10	23.99	24.57	24.21	24.76	25
26	27.76	28.78	27.95	27.56	27.63	27.99	27.85	24.68	23.98	24.57	24.21	24.73	26
27	27.28	28.54	27.72	27.52	27.61	28.26	27.78	24.78	23.97	24.57	24.23	24.67	27
28	27.26	28.36	27.71	27.19	27.51	28.53	27.69	24.89	24.05	24.57	24.26	24.66	28
29	27.32	28.18	28.40	27.14	27.84	27.57	27.57	24.48	24.10	24.59	24.32	24.60	29
30	27.30	27.86	28.37	27.69		29.37	27.44	24.29	24.20	24.59	24.32	24.67	30
31	27.33		28.20	27.65		29.59		24.23		24.62	24.46		31

## CREST STAGES

E - ESTIMATED

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-11-66	1:00	11.00	11-11-66	1:00	11.00	11-11-66	1:00	11.00			
11-11-66	1:00	11.00	11-11-66	1:00	11.00	11-11-66	1:00	11.00			

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T. & R. M.D.B.&M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
31° 52' 14"	102° 02' 43"	NW 1/4 10N 10E 3E		10.4'	1-1-52	14--DATE	7.4'-5.3' #1				
							7.4'-5.3' #1				
							7.4'-5.3' #1				
							10.4'-7.4'				
							10.4'-DATE				

Station located at highway bridge, 1.7 mi. S.W. miley. Water, overflowing the 1 ft bank at peak of 10.4, bypassed the station and reentered the main channel downstream. Trainage area is 3.5 sq. mi. (containing).

# - Flood season only

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1966	405135	FEATHER RIVER AT YUBA CITY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	41.64	41.90	42.19	43.05	42.70	42.19	45.47	42.54	39.33	38.07	38.91	38.47	1
2	41.63	41.78	42.10	42.64	43.39	42.10	45.87	42.47	39.38	38.38	38.93	38.40	2
3	41.39	41.95	42.08	42.39	42.80	41.99	46.08	42.45	39.35	38.51	38.78	38.47	3
4	41.34	41.96	42.05	42.45	42.35	41.86	45.81	42.54	39.12	38.60	38.63	38.40	4
5	41.28	41.80	42.02	42.86	42.68	41.78	45.40	42.78	39.05	38.64	38.57	38.47	5
6	41.49	41.69	42.02	43.21	43.36	41.76	45.37	43.07	39.07	38.83	38.56	38.50	6
7	41.43	41.68	41.99	46.17	43.39	41.79	45.36	43.12	38.97	38.90	38.47	38.82	7
8	41.40	41.75	41.97	45.03	42.87	41.98	45.33	43.11	39.03	38.79	38.47	38.73	8
9	41.48	41.68	41.97	44.51	42.50	42.17	45.22	43.13	39.06	38.78	38.54	38.85	9
10	41.41	41.66	41.97	44.03	42.25	42.76	46.36	43.27	38.84	38.84	38.58	38.76	10
11	41.40	41.50	41.98	43.58	42.07	44.01	47.69	43.73	NR	38.91	38.65	38.80	11
12	41.12	41.53	42.12	43.19	41.91	44.22	47.26	43.70	NR	38.88	38.65	38.79	12
13	40.95	41.70	42.18	42.92	41.80	44.50	46.53	43.34	NR	38.86	38.71	38.70	13
14	40.95	42.06	42.11	42.76	41.74	46.23	45.60	42.99	NR	38.85	38.76	38.66	14
15	41.02	42.98	42.03	42.59	41.65	46.02	45.15	42.78	38.85	38.84	38.79	38.84	15
16	41.50	42.80	41.94	42.43	41.61	45.68	44.92	42.41	38.52	38.86	38.81	39.07	16
17	41.71	42.51	41.90	42.39	41.56	45.04	44.94	42.05	38.25	38.87	38.56	39.17	17
18	41.81	43.91	41.89	42.32	41.53	44.61	45.09	41.91	38.18	38.90	38.35	39.23	18
19	41.74	45.38	41.85	42.24	41.59	44.04	44.76	41.65	38.25	38.85	38.17	39.25	19
20	41.84	44.45	41.80	42.20	41.89	43.79	44.21	41.47	38.32	38.84	38.09	39.22	20
21	41.84	43.97	41.79	42.17	41.92	43.54	43.41	41.40	38.20	38.80	38.06	39.24	21
22	41.76	43.43	41.76	42.12	41.85	43.27	43.02	41.21	38.23	38.79	38.03	39.26	22
23	41.63	43.09	41.79	42.05	41.85	43.04	42.76	40.94	38.11	38.74	37.98	39.35	23
24	41.60	43.04	41.88	42.02	42.11	42.87	42.76	40.63	37.90	38.67	37.92	39.41	24
25	41.62	43.70	42.56	41.99	42.49	42.84	42.89	40.30	37.89	38.66	37.93	39.37	25
26	41.62	43.66	42.81	41.94	42.64	43.01	43.11	39.98	37.90	38.72	37.97	39.37	26
27	41.73	43.38	42.31	41.91	42.66	43.30	43.18	39.89	37.92	38.66	38.02	39.25	27
28	41.68	43.08	42.22	41.67	42.36	43.72	43.02	40.03	37.83	38.64	38.11	39.19	28
29	41.73	42.84	43.93	41.43		44.13	42.77	39.80	37.82	38.70	38.20	39.13	29
30	41.72	42.54	43.97	42.81		44.71	42.67	39.55	37.79	38.71	38.21	39.15	30
31	41.70		43.58	43.33		45.18		39.40		38.84	28.32		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-12-65	7:00	45.84	3-18-66	17:00	46.47	4-11-66	15:00	47.77			
1-6-66	1:00	45.13	4-2-66	19:00	46.14	4-11-66	14:00	47.57			

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC. T. & M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD	ZERO ON GAGE	REF DATUM
			CF5	GAGE NT.	DATE				FROM	TO	
39° 10' N	121° 40' W	NEAR YUBA RIVER			11-12-65				11-12-65	11-12-65	
Station located at Government Northern California bridge. Backwater from Yuba River at times affects stage-discharge relationship. Drainage area is 1,777 sq. mi.											
I - Irrigation season only											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1-66	A01-3	YMEA #175 AT ENGLS I HT A

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NF	NF	NF	27.59	27.55	27.4	27.4	27.8	27.21	NF	NF	NF	1
2	NF	NF	NF	27.44	27.34	27.6	27.6	27.1	27.46	NF	NF	NF	2
3	NF	NF	NF	27.7	27.4	27.5	27.5	27.6	27.4	NF	NF	NF	3
4	NF	NF	NF	27.7	27.5	27.5	27.5	27.41	27.3	NF	NF	NF	4
5	NF	NF	NF	28.5	27.7	27.5	27.76	27.4	27.35	NF	NF	NF	5
6	NF	NF	NF	28.71	28.5	27.2	27.7	27.5	27.33	NF	NF	NF	6
7	NF	NF	NF	28.51	28.2	27.86	27.7	27.4	27.33	NF	NF	NF	7
8	NF	NF	NF	27.1	27.2	27.7	27.5	27.1	27.3	NF	NF	NF	8
9	NF	NF	NF	27.6	27.8	27.81	27.72	27.1	27.1	NF	NF	NF	9
10	NF	NF	NF	27.16	27.67	27.45	27.25	27.7	27.6	NF	NF	NF	10
11	NF	NF	27.1	27.4	27.6	28.6	27.41	28.7	27.5	NF	NF	NF	11
12	NF	NF	27.31	27.71	27.2	28.37	27.27	28.4	27.1	NF	NF	NF	12
13	NF	NF	27.3	27.6	27.46	28.69	28.33	28.33	27.16	NF	NF	NF	13
14	NF	NF	27.26	27.6	27.45	28.82	28.75	28.7	27.13	NF	NF	NF	14
15	NF	NF	27.22	27.2	27.43	28.66	28.1	28.1	27.1	NF	NF	NF	15
16	NF	NF	27.20	27.6	27.4	28.61	28.71	28.13	27.3	NF	NF	NF	16
17	NF	NF	27.18	27.6	27.46	28.7	28.7	28.6	27.1	NF	NF	NF	17
18	NF	NF	27.16	27.5	27.4	28.24	28.32	28.3	27.4	NF	NF	NF	18
19	NF	NF	27.16	27.5	27.43	28.69	28.1	28.1	27.1	NF	NF	NF	19
20	NF	NF	27.15	27.4	27.5	28.16	28.51	28.7	27.1	NF	NF	NF	20
21	NF	NF	27.13	27.44	27.7	28.36	28.4	27.9	27.1	NF	NF	NF	21
22	NF	NF	27.6	27.41	27.55	28.36	28.36	27.96	27.1	NF	NF	NF	22
23	NF	NF	27.4	27.4	27.9	28.1	28.1	27.91	27.1	NF	NF	NF	23
24	NF	NF	27.6	27.6	27.4	28.13	28.4	27.67	27.1	NF	NF	NF	24
25	NF	NF	27.41	27.37	27.5	28.1	28.1	27.79	27.1	NF	NF	NF	25
26	NF	NF	27.30	27.45	27.43	28.1	28.4	27.76	27.1	NF	NF	NF	26
27	NF	NF	27.27	27.34	27.73	28.31	28.4	27.7	27.1	NF	NF	NF	27
28	NF	NF	27.47	27.3	27.57	28.46	28.37	27.6	27.1	NF	NF	NF	28
29	NF	NF	27.62	27.36	27.5	28.2	28.42	27.6	27.1	NF	NF	NF	29
30	NF	NF	27.36	27.3	27.5	28.7	28.6	27.61	27.1	NF	NF	NF	30
31	NF	NF	27.62	27.65	27.5	28.1	28.1	27.57	27.1	NF	NF	NF	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
E - ESTIMATED	1/5/66	11:00	27.5	1/5/66	1:00	27.5	4/10/66	1:00	27.5	4/10/66	1:00
NR - NO RECORD	11/66	05:00	27.5	1/66	1:00	27.5	4/10/66	1:00	27.5	4/10/66	1:00

HF - NO FLOW

\* Add 5.00 ft. to obtain reservoir gage height.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38 14 N	121 16 W	SE14 16N 6E	17100	28.11	12/1/66	17100	28.11	12/1/66	12/1/66	28.11	12/1/66

Station located above spillway of Englebright Dam, 1.5 mi. above Lake Lewis, 2.5 mi. NE of Loveland. Flow regulated by Lake Spaulding, Englebright Dam, Fair, Brown Lake, Frying Lake, and many smaller reservoirs. Maximum discharge listed includes flow through spillway. Gage maintained by USGS. Drainage area is 1,100 sq. mi. (Revised).

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR		STATION NO.	STATION NAME										
1960		AC6150	YUBA RIVER NEAR MARYSVILLE										
DAILY MEAN GAGE HEIGHT													
(IN FEET)													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	60.70	60.13	60.49	61.10	61.60	61.31	62.77	61.51	60.62	59.54	59.55	59.42	1
2	61.70	60.14	60.49	60.79	61.72	61.28	62.14	61.83	60.55	59.54	59.54	59.36	2
3	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	3
4	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	4
5	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	5
6	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	6
7	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	7
8	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	8
9	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	9
10	60.14	60.12	60.43	60.43	61.26	61.21	62.18	61.86	60.43	59.54	59.54	59.36	10
11	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	11
12	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	12
13	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	13
14	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	14
15	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	15
16	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	16
17	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	17
18	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	18
19	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	19
20	60.74	60.17	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	20
21	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	21
22	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	22
23	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	23
24	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	24
25	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	25
26	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	26
27	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	27
28	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	28
29	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	29
30	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	30
31	60.27	60.41	60.48	60.49	61.44	62.74	62.77	62.48	60.43	59.54	59.54	59.36	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

T - TRANSFERRED

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1	14:00	60.43	11	00:00	60.43	12	14:00	60.43	13	14:00	60.43

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B.A.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO	STATION NAME
1966	405120	FEATHER RIVER BELOW SHANGHAI BEND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	34.70	34.28	35.81	37.03	36.71	36.93	40.23	36.39	32.67	31.14	32.00	31.63	1
2	34.76	35.24	35.73	36.49	37.41	36.92	40.20	36.30	32.65	31.43	31.99	31.60	2
3	34.64	35.35	35.68	36.18	36.81	36.76	41.00	36.27	32.61	31.58	31.89	31.56	3
4	34.62	35.38	35.64	36.19	36.27	35.61	40.68	36.38	32.39	31.66	31.75	31.78	4
5	34.67	35.28	34.67	34.13	36.47	35.47	40.18	36.66	32.28	31.71	31.70	31.62	5
6	34.72	35.18	35.62	43.29	37.51	35.50	40.08	37.01	32.29	31.82	31.70	31.64	6
7	34.71	35.16	35.60	41.12	37.70	35.50	40.08	37.08	32.24	31.92	31.66	31.88	7
8	34.78	35.25	35.49	39.62	37.02	35.72	40.03	37.03	32.21	31.83	31.63	31.81	8
9	34.91	35.20	35.58	38.90	36.53	35.95	39.89	37.07	32.24	31.83	31.66	31.92	9
10	34.89	34.99	35.58	38.31	36.22	36.58	41.17	37.26	32.09	31.88	31.71	31.87	10
11	34.89	35.04	35.60	37.76	35.98	38.26	42.96	37.06	31.93	31.96	31.78	31.89	11
12	34.71	35.09	35.76	37.24	35.77	38.57	42.65	37.01	31.87	31.92	31.78	31.92	12
13	34.51	35.25	35.86	36.92	35.61	38.85	41.70	37.36	31.82	31.91	31.82	31.88	13
14	34.52	35.63	35.76	36.71	35.54	40.85	40.46	36.90	31.67	31.92	31.86	31.85	14
15	34.56	36.36	35.69	36.52	35.40	40.79	39.79	36.64	31.95	31.92	31.90	31.97	15
16	34.95	36.33	35.60	36.33	35.36	40.44	39.53	36.23	31.75	31.92	31.94	32.16	16
17	35.15E	36.09	34.63	36.27	35.29	39.75	39.55	35.74	31.55	31.93	31.78	32.21	17
18	35.27E	35.76	36.53	35.26	38.85	39.78	39.78	36.44	31.47	31.97	31.58	32.29	18
19	35.21E	39.28	34.49	36.08	35.32	38.40	39.37	35.24	31.47	31.92	31.39	32.28	19
20	35.28E	38.30	35.43	36.02	35.62	38.13	38.58	35.04	31.57	31.91	31.33	32.29	20
21	35.30E	37.70	35.42	35.99	35.74	37.77	37.59	34.99	31.49	31.88	31.27	32.29	21
22	35.19	37.13	35.41	35.91	35.63	37.44	37.10	34.81	31.50	31.86	31.24	32.31	22
23	35.10	36.74	35.42	35.84	35.61	37.17	36.81	34.54	31.41	31.84	31.17	32.36	23
24	35.04	36.75	35.53	35.80	35.89	36.97	36.76	34.24	31.19	31.81	31.11	32.45	24
25	35.09	37.40	36.14	35.75	36.37	36.92	36.88	33.93	31.10	31.77	31.09	32.41	25
26	35.06	37.36	36.59	35.71	36.55	37.12	37.16	33.59	31.10	31.80	31.11	32.41	26
27	35.13	37.05	36.02	35.68	36.57	37.46	37.31	33.42	31.11	31.79	31.16	32.31	27
28	35.11	36.72	35.92	35.44	36.24	38.02	37.02	33.45	31.05	31.73	31.25	32.24	28
29	35.15	36.48	37.89	35.19	38.88	38.88	36.70	33.31	31.02	31.80	31.38	32.22	29
30	35.17	36.19	34.13	36.74	39.28	36.56	33.01	30.98	31.80	31.38	32.20	30	
31	35.15		37.70	37.46		39.86		32.80		31.91	31.46		31

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11/18/65	10:10	41.7	11/18/65	10:10	41.51	11/18/65	10:10	41.90			
11/18/65	10:10	44.1	11/18/65	10:10	41.94	11/18/65	10:10	43.30			

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
39 14 44	101 26 00	NEEL 14N 4E		10.0	11-4-40	11-4-1-40 "	11-4-1-40 #	1-4-40		-2.1	
						1-4-6-40 "	1-4-6-40 #				
						11-4-7-40 "	11-4-7-40 #				
						11-4-7-40 "	11-4-7-40 #				
						1-4-7-40 "	1-4-7-40 #				

Station located approx. 1/2 mi. S. of town. City. This station was destroyed by record fire and power plant. Drainage area is 3,877 sq. mi.

# - Irrigation season only  
# - Flood stage only

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AC655	BEAR RIVER NEAR WHEATLAND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	1
2	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	2
3	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	3
4	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	4
5	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	5
6	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	6
7	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	7
8	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	8
9	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	9
10	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	10
11	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	11
12	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	12
13	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	13
14	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	14
15	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	15
16	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	16
17	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	17
18	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	18
19	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	19
20	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	20
21	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	21
22	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	22
23	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	23
24	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	24
25	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	25
26	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	26
27	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	27
28	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	28
29	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	29
30	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	30
31	1.68	1.71	1.69	1.76	1.86	1.99	1.99	1.18	1.11	1.08	1.02	1.02	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1966	10:00	1.68									
1966	11:00	1.69									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R MDB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

TABLE B-11 (Cont.)													
		WATER YEAR		STATION NO.		STATION NAME							
		1961		A-51		RIVER AT HIGHWAY 100							
DAILY MEAN GAGE HEIGHT													
(IN FEET)													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	22.57	22.44	24.17	25.17	26.13	27.13	28.13	29.13	30.13	31.13	32.13	33.13	1
2	22.58	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	2
3	22.58	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	3
4	22.58	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	4
5	22.58	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	5
6	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	6
7	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	7
8	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	8
9	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	9
10	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	10
11	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	11
12	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	12
13	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	13
14	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	14
15	22.59	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	15
16	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	16
17	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	17
18	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	18
19	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	19
20	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	20
21	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	21
22	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	22
23	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	23
24	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	24
25	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	25
26	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	26
27	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	27
28	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	28
29	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	29
30	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	30
31	22.60	22.44	24.17	25.17	26.14	27.14	28.14	29.14	30.14	31.14	32.14	33.14	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11/19/61	1:15	27.00	11/26/61	1:00	27.00	12/4/61	1:00	27.00	12/11/61	1:00	27.00
1/6/66	12:15	27.00	1/13/66	1:00	27.00	1/20/66	1:00	27.00	1/27/66	1:00	27.00

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

F - Fragmentary

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO	
35 54 14	121 25 00	SS12 12N 12E	4000	51.00	11/19/61	0.01-10.00	50.00-51.00	1961	1966	11.00
Station located at State Highway 99 bridge, 2.5 mi. N. of River, 1.5 mi. N. of Highway 100. Backwater at times affects the stage-discharge relationship. Flow partly regulated by reservoir and power plants. Maximum discharge of record is for period 11/19/61 to 11/27/61. See note on page 10. Drainage area is approx. 5,900 sq. mi. Rev. 10/61.										
0 - Irrigation season only										

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02920	NATOMAS CROSS CANAL AT HEAD

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	19.68	18.91	20.27	NR	24.98	21.15	21.25	18.57	18.28	17.81	19.16	18.29	1
2	19.53	18.71	20.01	NR	25.35	20.63	21.56	18.94	18.23	18.14	18.92	18.54	2
3	18.99	19.00	19.89	NR	24.99	20.35	21.87	18.73	18.29	17.97	18.71	18.54	3
4	19.03	19.11	19.75	21.86	24.24	20.13	21.88	NR	18.18	17.96	18.54	18.62	4
5	19.03	19.20	19.71	22.87	24.59	19.94	21.47	NR	18.25	17.86	18.18	18.64	5
6	18.98	19.13	19.71	27.17	25.73	19.84	20.97	NR	18.29	17.72	18.09	18.36	6
7	18.87	19.01	19.74	28.44	26.81	19.79	20.56	NR	18.30	17.63	19.06	18.34	7
8	18.87	19.12	19.82	29.58	26.97	19.87	20.25	NR	18.69	17.49	18.49	18.60	8
9	18.78	19.14	19.87	30.91	26.63	19.90	20.11	NR	18.57	17.66	17.84	19.07	9
10	18.79	19.35	19.89	31.21	25.46	20.29	20.15	NR	18.14	17.67	17.48	19.59	10
11	18.99	19.72	19.90	30.63	24.03	21.05	21.34	NR	17.71	17.57	17.41	19.82	11
12	18.99	19.68	20.18	29.52	22.80	21.28	22.46	NR	17.38	17.80	17.46	19.64	12
13	19.10	19.47	20.95	28.02	21.78	21.43	22.60	NR	17.26	17.75	17.28	19.63	13
14	19.23	19.90	20.91	26.57	20.93	21.90	21.84	18.98	17.25	17.81	17.29	19.62	14
15	19.51	21.13	20.55	25.43	20.52	22.47	20.69	18.83	17.25	18.16	17.57	19.48	15
16	19.76	21.32	20.40	24.62	20.41	22.36	19.55	19.10	17.25	18.26	17.57	19.64	16
17	19.75	21.86	20.30	24.02	20.21	22.22	19.10	19.07	17.25	17.96	17.39	19.47	17
18	19.67	22.62	20.16	23.52	20.01	21.85	19.61	18.50	17.51	17.96	17.31	19.40	18
19	19.68	24.30	20.06	23.07	20.00	21.45	19.33	18.53	17.95	17.90	17.35	19.43	19
20	19.69	24.07	20.05	22.72	20.10	21.34	19.02	18.50	18.05	17.87	17.41	19.33	20
21	19.71	22.89	20.01	22.39	20.13	21.32	18.51	18.58	17.96	17.82	17.64	19.43	21
22	19.62	21.80	NR	22.14	19.97	21.13	17.83	18.47	17.84	17.53	17.68	19.14	22
23	19.51	21.11	NR	21.97	19.84	20.99	17.36	18.80	17.62	17.39	17.79	19.04	23
24	19.38	21.14	NR	21.87	19.89	20.75	17.31	18.82	17.43	17.56	17.87	18.87	24
25	19.27	23.26	NR	21.76	20.32	20.46	17.56	18.40	17.73	17.64	17.57	18.87	25
26	19.28	22.71	NR	21.63	21.88	20.33	18.27	17.94	18.13	17.60	17.73	18.75	26
27	19.27	21.90	NR	21.49	23.49	20.25	17.99	18.03	18.24	17.65	17.81	18.86	27
28	19.23	21.39	NR	21.17	21.95	20.15	18.56	18.66	17.83	17.66	17.72	18.95	28
29	19.10	21.03	NR	20.66	20.32	20.32	18.52	18.79	17.41	17.51	17.47	18.64	29
30	19.13	20.72	NR	23.89	20.58	20.58	18.80	18.80	17.52	18.04	17.53	18.51	30
31	18.94		NR	26.38		20.92		18.76		18.84	17.98		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1966-10-01	12:00	19.68	1966-10-02	12:00	18.71	1966-10-03	12:00	18.99	1966-10-04	12:00	19.03

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
38° 45' N	121° 00' W	NR			1966-10-01					
Station is located on the right bank of the Natomas Cross Canal, about 1/2 mile upstream from the head of the canal. The gage is located on a concrete pier in the canal. The datum is the mean low water of the Pacific Ocean at San Francisco.										
# - Station is located on the right bank of the Natomas Cross Canal, about 1/2 mile upstream from the head of the canal. The gage is located on a concrete pier in the canal. The datum is the mean low water of the Pacific Ocean at San Francisco.										



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	1-10-1	WATER GAGE STATION

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	1
2	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	2
3	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	3
4	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	4
5	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	5
6	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	6
7	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	7
8	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	8
9	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	9
10	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	10
11	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	11
12	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	12
13	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	13
14	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	14
15	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15
16	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	16
17	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	17
18	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	18
19	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	19
20	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	20
21	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	21
22	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	22
23	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	23
24	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	24
25	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	25
26	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	26
27	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	27
28	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	28
29	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	29
30	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	30
31	15.6	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	15.7	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1966	1:45	15.7	1966	1:45	15.7	1966	1:45	15.7	1966	1:45	15.7

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
34 46 51	101 36 10	101 36 10	101 36 10	101 36 10	101 36 10	101 36 10	101 36 10	1926	1966	101 36 10
Station located 1.6 mi. S of Yuma, 1.0 mi. below the Feather River. Records furnished by U.S.G.S. Drainage area 10 mi. S of Yuma, 1.0 mi. S of Yuma.										
Irrigation water supply										

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02112	SACRAMENTO RIVER AT ELKHORN FERRY

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	12.11 A	12.00	15.23	18.47	18.52	15.58	16.97	11.05	9.60	9.81	11.20	11.49	1
2	12.13 A	12.04 A	14.03	17.89	18.44	16.99	17.28	10.89	9.60	9.81	11.18	11.52	2
3	11.96 A	11.95 A	13.27	17.08	19.09	14.47	17.62	10.99	9.55	9.73	11.11	11.28	3
4	11.83 A	11.89 A	13.31	16.39	19.16	14.02	17.75	11.48	9.43	9.92	10.95	11.20	4
5	11.76 A	11.90 A	13.99	17.12	19.44	13.56	17.35	11.74	9.53	10.13	10.81	11.07	5
6	11.69 A	11.89 A	14.40	21.86	20.77	13.20	16.84	12.14	9.78	10.24	10.70	11.02	6
7	11.74 A	11.83 A	14.61	23.73	21.84	16.41	12.64	9.93	10.21	10.72	11.04	11.04	7
8	11.82 A	11.90 A	14.73	24.84	22.32	13.25 A	15.99	12.95	10.01	10.06	10.76	11.04	8
9	11.93 A	11.95 A	14.93	26.11	22.11	13.40 A	15.61	13.07	10.12	10.05	10.77	11.11	9
10	11.88 A	12.03 A	14.95	26.49	21.04	13.61	15.44	13.17	10.10	10.08	10.92	11.03	10
11	11.74 A	12.06 A	14.99	25.99	19.53	14.62	16.78	13.55	9.91	10.26	11.10	11.18	11
12	11.70 A	12.08 A	15.07	24.97	18.17	16.08	18.00	14.34	9.73	10.39	11.33	10.91	12
13	11.63 A	12.26	15.19	23.59	17.04	16.75	18.20	14.56	9.53	10.45	11.20	10.78	13
14	11.60 A	12.71	15.25 A	22.21	16.10	17.35	17.42	14.31	9.26	10.64	11.26	10.64	14
15	11.52 A	13.48	15.15 A	21.10	15.44	17.92	16.12	13.97	9.05	10.85	11.30	10.54	15
16	11.57	15.13	15.04	20.26	14.97	17.96	14.91	13.62	9.15	11.09	11.33	10.41	16
17	11.79	16.99	14.92	19.68	14.59	17.82	14.36	13.08	9.01	11.26	11.32	10.45	17
18	11.94 A	16.97	14.83	19.26	14.26	17.44	14.45	12.68	9.13	11.34	11.21	10.47	18
19	12.02 A	18.01	14.80	18.76	14.04	17.07	14.61	12.44	9.33	11.41	11.08	10.50	19
20	11.99 A	19.19	14.77 A	18.42	13.85	16.91	14.31	12.23	9.48	11.35	10.94	10.51	20
21	12.12 A	18.39	14.70	18.07	14.11	16.90	13.65	11.97	9.60	11.30	10.80	10.49	21
22	12.14 A	17.25	14.63 A	17.82	14.40	16.79	12.81	11.63	9.55	11.18	10.86	10.38	22
23	12.09 A	16.47	14.48	17.61	14.14	16.59	12.19	11.34	9.57	11.15	10.84	10.27	23
24	11.97 A	15.98	14.31 A	17.47	13.92	16.39	11.93	11.09	9.55	11.16	10.82	10.27	24
25	11.91 A	16.00	14.36	17.35	14.08	16.06	11.87	10.80	9.60	11.00	10.76	10.22	25
26	11.90 A	16.47	15.01	17.24	14.94	15.92	11.80	10.52	9.70	10.83	10.74	10.21	26
27	11.88 A	16.66	15.19	17.12	15.77	15.95	12.14	10.09	9.68	10.79	10.82	10.17	27
28	11.90 A	16.58	15.10	16.82	16.09	15.85	12.70	10.02	9.68	10.82	11.03	10.04	28
29	11.86 A	16.44	15.73	16.27		15.96	12.05	10.03	9.76	10.92	11.17	10.02	29
30	11.86	16.10	17.57	16.28		16.24	11.35	9.80	9.73	11.07	11.23	9.97	30
31	11.91		18.62	17.76		16.65		9.65		11.17	11.33		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-20-65	0910	19.31	1-10-66	0700	26.55						
12-31-65	1740	18.82	2- 8-66	1810	22.40						

A gage is shown by this notation. A gage height of 11 feet will mean half tide.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 4 SEC T & R M D S & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02100	SACRAMENTO RIVER AT SACRAMENTO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	5.10 A	4.82 A	7.80	9.92	10.03	7.59 A	8.67 A	4.08 A	3.39 A	3.94 A	4.46 A	4.23 A	1
2	5.15 A	4.67 A	6.87	9.40	9.88 A	7.33 A	8.89 A	3.88 A	3.42 A	3.88 A	4.62 A	4.25 A	2
3	5.00 A	4.51 A	6.33 A	9.00 A	10.24	6.76 A	9.19 A	4.05 A	3.31 A	3.66 A	4.58 A	4.14 A	3
4	4.92 A	4.52 A	6.17 A	8.64 A	10.53 A	6.39 A	9.49 A	4.62 A	3.15 A	3.83 A	4.42 A	4.03 A	4
5	4.70 A	4.57 A	6.64 A	8.86	10.55	6.09 A	9.20 A	4.65 A	3.23 A	3.98 A	4.15 A	4.06 A	5
6	4.67 A	4.68 A	7.11 A	11.88	11.53	5.87 A	8.87 A	4.83 A	3.43 A	4.00 A	3.96 A	4.27 A	6
7	4.71 A	4.73 A	7.35 A	13.85	12.39 A	5.90 A	8.51 A	5.12 A	3.35 A	3.83 A	3.97 A	4.12 A	7
8	5.00 A	4.82 A	7.52 A	14.82	12.77 A	5.90 A	8.01 A	5.40 A	3.46 A	3.56 A	4.08 A	3.86 A	8
9	5.29 A	4.82 A	7.68 A	16.05	12.65	5.94 A	7.68 A	5.64 A	3.53 A	3.46 A	4.21 A	3.97 A	9
10	5.05 A	4.92 A	7.85 A	16.74	11.78	6.04 A	7.41 A	5.60 A	3.45 A	3.24 A	4.61 A	4.14 A	10
11	4.76 A	4.93 A	7.89 A	15.51	10.50	6.48 A	8.04 A	5.67 A	2.94 A	3.43 A	4.96 A	4.30 A	11
12	4.69 A	4.99 A	7.92 A	15.64	9.47	7.63 A	9.04 A	6.13 A	2.69 A	3.53 A	5.05 A	4.06 A	12
13	4.77 A	5.29 A	7.97 A	14.37	8.57	8.21 A	9.25 A	6.40 A	2.66 A	3.65 A	5.15 A	4.01 A	13
14	4.94 A	5.81 A	7.97 A	13.05	8.03 A	8.48 A	8.69	6.27 A	2.74 A	3.94 A	5.13 A	3.79 A	14
15	4.71 A	5.94 A	7.90 A	11.98	7.48 A	9.09	7.79	5.98 A	3.07 A	4.20 A	5.12 A	3.71 A	15
16	4.35 A	6.76	7.77 A	11.17	7.11 A	9.29 A	6.92 A	5.87 A	3.53 A	4.59 A	5.10 A	3.69 A	16
17	4.56 A	8.11 A	7.72 A	10.80 A	6.86 A	9.26 A	6.75 A	5.45 A	3.57 A	4.67 A	5.05 A	3.75 A	17
18	4.75 A	8.80 A	7.58 A	10.48 A	6.73 A	9.30 A	6.70 A	5.21 A	3.63 A	4.73 A	4.90 A	3.87 A	18
19	4.80 A	8.94	7.51 A	10.16 A	6.70 A	9.20 A	6.63 A	5.22 A	3.82 A	4.81 A	4.68 A	3.81 A	19
20	4.70 A	9.93 A	7.59 A	9.86 A	6.36 A	8.98 A	6.50 A	5.23 A	3.98 A	4.82 A	4.44 A	3.85 A	20
21	4.76 A	9.66 A	7.41 A	9.52 A	6.37 A	9.03 A	6.13 A	5.28 A	3.92 A	4.68 A	4.31 A	3.79 A	21
22	4.79 A	8.83 A	7.29 A	9.34 A	6.57 A	8.90 A	5.36 A	4.86 A	3.73 A	4.35 A	4.30 A	3.70 A	22
23	4.81 A	8.39 A	7.09 A	9.17 A	6.48 A	8.78 A	4.87 A	4.63 A	3.63 A	4.21 A	4.16 A	3.54 A	23
24	4.80 A	8.28 A	7.04 A	9.03 A	6.30 A	8.71 A	4.76 A	4.56 A	3.45 A	4.19 A	3.95 A	3.71 A	24
25	4.80 A	8.11 A	7.16 A	8.87 A	6.33 A	8.57 A	4.80 A	4.35 A	3.36 A	4.06 A	3.99 A	3.61 A	25
26	4.77 A	8.37 A	7.33 A	8.82 A	6.73 A	8.48 A	4.67 A	4.24 A	3.45 A	3.99 A	3.83 A	3.50 A	26
27	4.78 A	8.62 A	7.52 A	8.86 A	7.32 A	8.50 A	4.59 A	3.89 A	3.46 A	4.25 A	3.83 A	3.31 A	27
28	4.72 A	8.56 A	7.84	8.64 A	7.67	8.25 A	5.15 A	3.81 A	3.64 A	4.36 A	4.06 A	3.32 A	28
29	4.61 A	8.19 A	8.14	8.38 A	8.03 A	8.03 A	4.86 A	3.73 A	3.81 A	4.46 A	4.30 A	3.52 A	29
30	4.55 A	8.36 A	9.26	8.58 A	8.16	8.16	4.43 A	3.41 A	3.78 A	4.50 A	4.22 A	3.76 A	30
31	4.61 A		10.05	9.32	8.35 A	8.35 A		3.30 A		4.35 A	4.15 A		31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-20-65	1820	10.26	1-10-66	1150	16.81						
12-31-65	1630	10.34	2-8-66	2140	12.89						

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

A Gage height listed is mean of four tides.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	DATE	PERIOD		REF DATUM
			CFS	GAGE HT.	DATE				FROM	TO	
36 35 21	121 4 15	N435 3N 4E	104 0	3.14	11 21 51	4- 05 6 11-11 21 8 4-13 44 9 2-47E	1 14-7 00 3-DATE 1 100		1 100		
Station located 1,000 ft. above I. Street bridge, 1.5 mi. below the American River. Below approx. 31. ... the stage-discharge relationship is affected by tidal influence. Maximum discharge listed at site and ... then in use. Drainage area is 4,500 sq. mi.											
Irrigation less than only											

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR		STATION NO.		STATION NAME									
1960		A07175		AMERICAN RIVER AT FAIR OAKS									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.14	2.15	2.44	2.45	2.44	2.44	2.49	1.60	1.59	2.58	2.42	1.43	1
2	2.14	2.15	2.46	2.45	2.45	2.44	2.49	1.60	1.59	2.58	2.61	1.43	2
3	2.15	2.16	2.47	2.45	2.45	2.45	2.49	1.60	1.59	2.57	2.62	1.43	3
4	2.15	2.16	2.47	2.44	2.45	2.45	2.49	1.60	1.59	2.55	2.48	1.42	4
5	2.15	2.17	2.47	2.45	2.45	2.46	2.49	1.60	1.59	2.43	2.27	1.42	5
6	2.17	2.17	2.46	2.50	2.45	2.47	2.49	1.65	1.59	2.13	2.07	1.41	6
7	2.17	2.18	2.46	2.49	2.46	2.47	2.47	1.59	1.59	1.90	1.32	1.42	7
8	2.18	2.18	2.44	2.49	2.46	2.45	2.47	1.59	1.59	1.93	2.03	1.42	8
9	2.18	2.18	2.45	2.49	2.44	2.45	2.45	1.60	1.59	2.06	2.00	1.42	9
10	2.18	2.17	2.46	2.49	2.45	2.45	2.45	1.59	1.59	2.06	2.00	1.41	10
11	2.19	2.17	2.45	2.49	2.44	2.46	2.45	1.59	1.59	1.93	2.00	1.41	11
12	2.19	2.18	2.44	2.49	2.44	2.46	2.45	1.59	1.59	1.92	2.00	1.41	12
13	2.19	2.17	2.45	2.49	2.44	2.46	2.45	1.59	1.59	1.94	2.00	1.41	13
14	2.19	2.17	2.45	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	14
15	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	15
16	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	16
17	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	17
18	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	18
19	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	19
20	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	20
21	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	21
22	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	22
23	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	23
24	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	24
25	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	25
26	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	26
27	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	27
28	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	28
29	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	29
30	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	30
31	2.19	2.18	2.46	2.49	2.44	2.46	2.45	1.59	1.59	2.00	2.00	1.41	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CF5	GAGE HT.	DATE			FROM	TO		

Station is located on the left bank of the river, 0.4 miles upstream from the mouth of the river. The gage is located on the left bank of the river, 0.4 miles upstream from the mouth of the river. The gage is located on the left bank of the river, 0.4 miles upstream from the mouth of the river.

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A07140	AMERICAN RIVER AT SACRAMENTO

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	18.81	18.12	19.10	18.07	18.08	18.02	NR	17.44	17.42	18.38	18.11	17.37	1
2	18.67	18.08	19.11	18.07	18.07	18.03	NR	17.43	17.42	18.40	18.36	17.37	2
3	18.41	18.09	19.12	18.07	18.07	NR	NR	17.42	17.41	18.40	18.39	17.37	3
4	18.39	18.06	19.12	18.06	18.08	NR	NR	17.45	17.41	18.37	18.33	17.37	4
5	18.38	18.07	19.12	18.06	18.08	NR	NR	17.44	17.41	18.31	18.06	17.37	5
6	18.37	18.09	19.12	18.08	18.10	NR	NR	17.48	17.43	18.02	18.03	17.38	6
7	18.25	18.07	19.12	18.57	18.07	NR	NR	17.44	17.43	17.80	18.06	17.37	7
8	18.38	18.11	19.09	19.03	18.08	NR	18.17	17.43	17.41	17.79	18.31	17.37	8
9	18.38	18.10	19.10	19.85	18.06	NR	17.92	17.45	17.41	17.78	18.49	17.37	9
10	18.37	18.09	19.11	20.41	18.05	NR	17.85	17.47	17.40	17.78	18.89	17.37	10
11	18.09	18.08	19.13	20.21	18.06	NR	17.86	17.43	17.42	17.78	18.98	17.36	11
12	18.05	18.10	19.11	19.52	18.07	NR	17.86	17.41	17.41	17.76	19.20	17.35	12
13	18.05	18.11	19.09	18.82	18.06	NR	17.85	17.41	17.38	17.74	19.23	17.37	13
14	18.08	18.16	19.12	18.55	18.03	NR	17.85	17.44	17.39	17.98	19.30	17.37	14
15	18.07	18.09	19.13	18.55	18.03	NR	17.82	17.44	17.39	18.34	19.29	17.40	15
16	18.04	18.19	19.12	18.59	18.05	NR	17.82	17.44	17.81	18.65	19.28	17.39	16
17	18.04	18.27	19.11	18.61	18.05	NR	17.81	17.43	18.11	18.65	19.22	17.39	17
18	18.06	18.28	19.11	18.63	18.04	NR	17.83	17.42	18.58	18.67	18.76	17.39	18
19	18.07	18.24	19.11	18.61	19.06	NR	17.84	17.41	18.69	18.66	18.30	17.38	19
20	18.11	18.27	18.95	18.57	18.04	NR	17.84	17.40	18.69	18.67	18.09	17.39	20
21	18.13	18.26	18.52	18.30	18.05	NR	17.82	17.43	18.44	18.39	18.05	17.39	21
22	18.14	18.22	18.24	18.22	18.04	NR	17.78	17.44	18.16	17.74	17.99	17.38	22
23	18.15	18.25	18.10	18.21	18.05	NR	17.69	17.43	18.30	17.76	17.77	17.37	23
24	18.16	18.25	18.09	18.21	18.05	NR	17.66	17.43	18.39	17.76	17.39	17.37	24
25	18.18	18.46	18.14	18.14	18.06	NR	17.57	17.41	18.39	17.76	17.40	17.38	25
26	18.21	18.58	18.07	18.12	18.06	NR	17.46	17.40	18.39	17.78	17.40	17.38	26
27	18.19	19.05	18.08	18.08	18.03	NR	17.44	17.40	18.39	18.01	17.38	17.39	27
28	18.22	19.11	18.35	18.08	18.02	NR	17.43	17.42	18.39	18.11	17.39	17.37	28
29	18.22	19.12	18.12	18.13		NR	17.43	17.40	18.40	18.09	17.39	17.37	29
30	18.21	19.13	18.10	18.20		NR	17.43	17.40	18.39	18.10	17.39	17.39	30
31	18.21		18.10	18.08		NR		17.42		18.08	17.38		31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-10-66	12:40	18.49									

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1.4 SEC. T. & R. M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
32° 00' 00"	121° 00' 00"	1.4 SEC. T. & R. M.D.B. & M.	10,000	10.78	11-11-51	7-21-10 21 7-24-12 42 7-27-10 21	7-21-10 21 7-24-11 24 7-27-10 21	1921 1911		1.00 -3.00	1921
Station located on a street bridge. Maximum discharge of record listed is for period 1-1-51, 1-9-52, 1-9-53 to date. Maximum gage height listed does not necessarily indicate maximum discharge. Drainage area is 1,770 sq. mi.											
- Irrigation season only											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	4-66	UTTI CREEK AT UPPER LAKE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	6.1	6.24	6.51	8.44	9.7	8.00	8.40	8.16	7.7	7.7	7.17	1.4	1
2	6.05	6.2	6.53	8.08	9.4	8.41	8.33	8.12	7.7	7.7	7.7	1.4	2
3	6.97	6.9	6.9	8.4	9.17	8.1	8.40	8.40	8.3	8.3	8.3	1.43	3
4	6.84	6.8	6.8	8.7	10.0	8.59	8.40	8.16	7.7	7.7	7.7	1.4	4
5	6.00	6.55	6.71	8.63	11.8	8.55	8.40	8.3	8.3	8.3	8.3	1.44	5
6	6.1	6.74	6.7	13.00	10.24	8.53	8.40	8.1	8.1	8.1	8.1	1.4	6
7	6.77	6.4	6.4	11.12	10.24	8.53	8.40	7.97	8.87	8.87	8.87	1.4	7
8	6.73	6.03	6.18	8.38	8.14	8.06	8.14	7.94	8.87	8.87	8.87	1.4	8
9	6.51	6.59	6.15	8.04	8.44	8.00	8.77	7.91	8.66	8.66	8.66	1.49	9
10	6.55	6.63	6.11	8.31	8.69	8.77	8.4	7.94	8.66	8.66	8.66	1.44	10
11	6.57	6.6	6.38	8.39	8.11	8.70	8.45	7.87	8.66	8.66	8.66	1.40	11
12	6.79	6.70	6.11	7.89	8.41	8.6	8.49	7.87	8.66	8.66	8.66	1.33	12
13	6.70	6.99	6.43	7.78	8.77	8.77	8.48	7.87	8.66	8.66	8.66	1.33	13
14	6.77	7.45	6.13	7.64	8.70	8.70	8.46	7.87	8.66	8.66	8.66	1.37	14
15	6.70	7.74	6.12	7.55	8.74	8.74	8.40	7.77	8.66	8.66	8.66	1.37	15
16	6.77	6.98	6.39	7.40	8.74	8.71	8.44	7.58	8.53	8.53	8.53	1.37	16
17	6.14	6.54	6.10	7.44	8.74	8.71	8.77	7.66	8.55	8.55	8.55	1.40	17
18	6.38	7.69	6.44	7.44	8.77	8.70	8.44	7.66	8.47	8.47	8.47	1.40	18
19	6.38	7.74	6.44	7.40	8.77	8.77	8.44	7.59	8.47	8.47	8.47	1.34	19
20	6.27	5.61	6.07	7.43	8.56	8.57	8.39	7.59	8.47	8.47	8.47	1.3	20
21	6.27	6.01	6.43	7.40	8.44	8.70	8.46	7.58	8.31	4.67	1.4	1.7	21
22	6.27	6.27	5.96	7.47	8.46	8.70	8.70	7.50	8.27	4.62	1.20	1.3	22
23	6.36	6.42	5.42	7.42	8.00	8.74	8.70	7.46	8.27	4.62	1.20	1.3	23
24	6.27	7.44	6.40	7.44	8.77	8.77	8.3	4.4	8.27	4.62	1.20	1.1	24
25	6.26	8.35	7.40	7.51	8.07	8.77	8.47	7.59	8.10	4.7	1.2	NP	25
26	6.27	8.4	7.13	7.55	8.71	8.74	8.31	7.58	8.40	3.94	1.5	NP	26
27	6.27	7.90	7.46	7.46	8.69	8.38	8.25	7.58	8.04	3.93	1.5	NP	27
28	6.35	7.52	7.40	7.47	8.36	8.70	8.11	7.20	8.27	3.9	1.43	NP	28
29	6.35	7.50	8.40	7.02	8.70	8.70	8.11	7.50	8.27	3.61	1.40	NP	29
30	6.22	7.04	8.76	7.73	8.70	8.70	8.16	7.00	8.27	3.61	1.41	NP	30
31	6.35		8.7	8.65		8.39		7.33		1.7	1.7		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1- 4-66	0630	17.10									
2- 4-66	1930	12.36									

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE				
LATITUDE	LONGITUDE	14 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
45° 00' N	120° 30' W	1 mi. S of NW	1000	1.0	1966		NOV 59-DATE	1966	12.1	12.1	12.1
Station located 0.1 mi. S of State Highway 14, 0.7 mi. W of Upper Lake. Gage ht. reflects the elevation of Clear Lake as well as flow of South Fork. Daily gage height given is shown at 1200 hours.											



TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1960	4441	WATER GAGE AT L...

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NF	NF	1.65E	2.00	4.00	1.00	1.10	1.00	NF	NF	NF	NF	1
2	NF	NF	1.55E	2.00	4.00	1.00	1.10	1.00	NF	NF	NF	NF	2
3	NF	NF	1.70	2.00	4.00	1.00	1.10	1.00	NF	NF	NF	NF	3
4	NF	NF	2.00	2.00	1.00	4.00	NF	NF	NF	NF	NF	NF	4
5	NF	NF	NF	1.14	11.00	2.00	NF	NF	NF	NF	NF	NF	5
6	NF	NF	1.7	10.00	1.00	1.00	NF	NF	NF	NF	NF	NF	6
7	NF	NF	1.7	10.00	1.00	1.00	NF	NF	NF	NF	NF	NF	7
8	NF	NF	NF	7.00	9.1	1.00	NF	NF	NF	NF	NF	NF	8
9	NF	NF	NF	2.00	0.00	1.1	NF	NF	NF	NF	NF	NF	9
10	NF	NF	NF	2.1	2.72	1.1	NF	NF	NF	NF	NF	NF	10
11	NF	NF	NF	2.00	2.40	1.00	NF	NF	NF	NF	NF	NF	11
12	NF	NF	NF	2.00	2.00	1.4	NF	NF	NF	NF	NF	NF	12
13	NF	NF	NF	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	13
14	NF	NF	NF	2.12	2.00	2.00	NF	NF	NF	NF	NF	NF	14
15	NF	NF	NF	2.7	2.77	2.00	NF	NF	NF	NF	NF	NF	15
16	NF	NF	NF	4.72	2.00	2.00	NF	NF	NF	NF	NF	NF	16
17	NF	2.41	NF	2.00	2.00	2.40	NF	NF	NF	NF	NF	NF	17
18	NF	2.00	NF	2.00	2.40	7.40	NF	NF	NF	NF	NF	NF	18
19	NF	4.00	NF	2.00	2.40	7.00	NF	NF	NF	NF	NF	NF	19
20	NF	3.71	NF	2.00	4.00	7.00	NF	NF	NF	NF	NF	NF	20
21	NF	2.24	NF	2.00	2.71	2.41	NF	NF	NF	NF	NF	NF	21
22	NF	2.96	NF	2.14	2.11	4.00	NF	NF	NF	NF	NF	NF	22
23	NF	2.77	NF	2.00	2.00	2.41	NF	NF	NF	NF	NF	NF	23
24	NF	2.71	NF	2.00	2.00	2.10	NF	NF	NF	NF	NF	NF	24
25	NF	2.60	2.10	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	25
26	NF	4.00	4.00	2.00	4.00	2.00	NF	NF	NF	NF	NF	NF	26
27	NF	2.42	2.00	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	27
28	NF	1.97E	2.00	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	28
29	NF	2.00E	2.00	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	29
30	NF	1.75E	2.00	2.00	2.00	2.00	NF	NF	NF	NF	NF	NF	30
31	NF		4.00	4.74		2.47							31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
10/29/60	10:00	2.27	1/8/66	5:15	2.00	1/4/66	14:00	14.00			
1/2/66	11:00	17.44	1/8/66	10:00	11.10	1/8/66	10:00	11.00			

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R M O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY		PERIOD		REF DATUM
			CFS	GAGE HT	DATE				FROM	TO	
36° 44' N	101° 40' W		~14	3.11	1/8/66	JAN 8-DATUM	JAN 13-DATUM		1/7/11	1/14	
Station located 200 ft. abv. U.S. Highway 100, 100 ft. S. of U.S. 101. Tributary to U.S. 101. Maximum discharge listed at present datum. Maximum from 1960. Discharge at 1,140 ft. elevation.											



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A02935	YOLO BYPASS NEAR WOODLAND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1				16.15	16.62	16.17							1
2				15.61	16.06	16.13							2
3				14.82	16.22	16.36							3
4				14.47	16.44	15.32							4
5				14.45	16.77	14.83							5
6				14.1	21.22	12.43							6
7				14.38	21.22	11.79							7
8				14.24	21.22	11.28							8
9				14.13	20.22	11.73							9
10				14.12	20.21	11.73							10
11				14.26	19.96	11.41							11
12				14.26	19.83	11.20							12
13				14.26	17.73	11.73							13
14				14.26	15.41	11.41							14
15				14.26	14.43	11.55							15
16				14.24	17.70	13.63							16
17				14.81	15.14	15.25							17
18				14.31	16.64	16.27							18
19				14.57	16.55	16.94							19
20				14.38	17.25	18.27							20
21				13.64	17.14	16.23							21
22				13.32	16.69	15.20							22
23				13.21	16.78	14.01							23
24				13.08	16.25	13.43							24
25				13.25	16.27	11.71							25
26				14.72	14.46								26
27				14.51	14.25								27
28				14.44	15.27								28
29			16.7	14.46									29
30			16.41	14.45									30
31				15.4									31

## CREST STAGES

E - ESTIMATED

HR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-5-66	11:00	16.95	1-5-66	24:00	16.73	3-21-66		15.1			
1-5-66	24:00	16.53	3-1-66	16:00	16.73						

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38° 40' N	122° 00' W	14 SEC. T & R M D B & M	1,000	16.73	1-5-66	1,000	16.73	1-5-66	1-5-66	16.73	16.73
Station located at Yolo Bypass near Woodland, California. Gage heights for low flow are not recorded.											
# - For Woodland only											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	AD2910	YOLO BYPASS ABOVE SACRAMENTO BYPASS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NR	NR	10.13	14.47	14.22	14.46	NR	NR	11.05	10.24	NR	NR	1
2	NR	NR	NR	14.10	14.48	14.44	NR	NR	11.04	10.27	NR	9.88	2
3	NR	NR	NR	13.43	15.01	14.39	NR	NR	11.09	10.27	NR	10.17	3
4	NR	NR	NR	12.70	15.61	14.26	NR	NR	11.09	10.19	NR	10.26	4
5	NR	NR	NR	15.38	16.81	12.77	NR	9.84	11.10	10.13	NR	10.32	5
6	NR	NR	NR	17.12	16.89	11.36	NR	10.11	11.24	10.06	NR	10.38	6
7	NR	NR	NR	16.99	16.86	10.83	NR	10.09	11.24	9.94	NR	10.38	7
8	NR	NR	NR	16.74	16.81	10.50	NR	10.12	11.14	9.90	NR	10.26	8
9	NR	NR	NR	16.52	16.70	10.29	NR	10.49	10.97	9.77	NR	10.22	9
10	NR	NR	NR	16.52	16.60	10.21	NR	10.89	10.90	9.69	NR	10.29	10
11	NR	NR	NR	16.46	16.46	10.25	NR	11.09	10.88	NR	NR	10.42	11
12	NR	NR	NR	16.39	16.33	10.58	NR	11.29	10.74	NR	NR	10.45	12
13	NR	NR	NR	16.29	15.48	10.61	NR	11.41	10.69	NR	NR	10.31	13
14	NR	NR	NR	15.95	14.48	10.46	NR	11.52	10.56	NR	NR	NR	14
15	NR	NR	NR	15.73	13.64	10.37	NR	11.48	10.34	NR	NR	NR	15
16	NR	NR	NR	15.51	12.79	11.79	NR	11.27	9.88	NR	NR	NR	16
17	NR	NR	NR	14.66	12.21	13.65	NR	11.06	NR	NR	NR	NR	17
18	NR	11.74	NR	13.88	11.67	14.32	NR	11.06	NR	NR	NR	NR	18
19	NR	13.02	NR	13.39	11.65	15.69	NR	11.18	NR	NR	NR	NR	19
20	NR	14.26	NR	13.03	11.61	15.95	NR	11.24	NR	NR	NR	NR	20
21	NR	14.76	NR	12.65	11.95	15.73	NR	11.11	NR	9.64	NR	NR	21
22	NR	13.94	NR	12.33	11.59	14.43	NR	11.02	NR	9.71	NR	NR	22
23	NR	12.26	NR	12.23	11.30	12.82	NR	10.88	NR	9.74	NR	NR	23
24	NR	10.98	NR	12.08	11.11	11.44	NR	10.72	9.72	9.66	NR	NR	24
25	NR	10.15	NR	11.92	11.08	10.68	NR	10.65	9.80	9.62	NR	NR	25
26	NR	10.18	NR	11.80	11.29	9.99	NR	10.67	9.84	9.62	NR	NR	26
27	NR	10.62	NR	11.70	13.14	NR	NR	10.86	10.01	NR	NR	NR	27
28	NR	10.50	10.17	11.56	14.26	NR	NR	11.02	10.08	NR	NR	NR	28
29	NR	10.66	11.00	11.53	NR	NR	NR	11.03	10.18	NR	NR	NR	29
30	NR	10.65	14.56	12.09	NR	NR	NR	11.06	10.27	NR	NR	NR	30
31	NR	NR	14.57	13.52	NR	NR	NR	11.06	NR	NR	NR	NR	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
10-30-65	1430	14.30	8-6-66	03	16.30	7-31-60	00	10.00			
1-5-66	2330	17.15	8-14-66	1630	14.30						

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M.O.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38° 32' 53"	121° 48' 00"	NED: 9N 3E		14.3	10-30-65		45-LATE	10-30-65	10-30-65	10.00	10.00

Station located at intersection of east levee of Yolo Bypass and north levee of Sacramento Bypass, 1.5 mi. NW of Sacramento. Gage heights below 4.0 are not recorded.

TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1966	A-105	PATTON CREEK NEAR WINTERS

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1					5.77							6.65	1
2					5.80							6.61	2
3					5.80							6.56	3
4					5.80							6.65	4
5					5.80							6.65	5
6					5.77							7.00	6
7					5.80							6.71	7
8					5.80							6.53	8
9					5.80							7.00	9
10					5.80							7.00	10
11					5.80							8.00	11
12					5.80							7.26	12
13					5.80							7.80	13
14					5.80							7.00	14
15					5.80							7.00	15
16					5.80							7.00	16
17					5.80							7.00	17
18					5.80							7.00	18
19					5.80							7.00	19
20					5.80							7.00	20
21					5.80							7.00	21
22					5.80							7.00	22
23					5.80							7.00	23
24					5.80							7.00	24
25					5.80							7.00	25
26					5.80							7.00	26
27					5.80							7.00	27
28					5.80							7.00	28
29					5.80							7.00	29
30					5.80							7.00	30
31					5.80							7.00	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
7-11-66	5:15	8.13									
9-11-66	5:44	8.11									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T. & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO	
36 30 00	120 00 00	N.E. 1/4 Sec. 36, T. 1N, R. 1E	34000	10.0	10-1-66	0.1 10-1-66	10.0 10-1-66	1970	1971	161.1
								1970	1971	161.1

Station located 1.3 mi. S.W. of Winters, 3 mi. W. of Winters. Flow regulated by Lake Berryessa.  
Maximum discharge listed at previous station. Record furnished by 1963. Rainfall from 1970 to 1971.



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1956	B02530	CALAVERAS RIVER AT JENNY LIND

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	2.80	1.57	1.47	NR	1.90	NR	1.83	2.15	2.44	2.62	2.51	2.47	1
2	2.80	1.46	1.46	NR	1.79	NR	1.83	2.46	2.11	2.53	2.51	2.37	2
3	2.80	1.46	1.46	NR	1.79	NR	1.83	2.37	2.41	2.53	2.51	2.37	3
4	1.92	1.49	1.49	NR	1.65	1.57 F	1.83	2.35	2.41	2.53	2.51	2.36	4
5	1.93	1.53	1.49	1.50 H	1.62	1.57 F	1.81	2.35	2.42	2.52	2.47	2.38	5
6	1.93	1.54	1.53	2.27	2.59	1.57	1.83	2.35	2.42	2.57	2.41	2.36	6
7	1.91	1.54	1.50	2.19	1.99	1.58	1.83	2.35	2.27	2.67	2.40	2.34	7
8	1.92	1.54	1.50	2.91	1.89	1.58	1.83	2.35	2.36	2.63	2.40	2.34	8
9	1.92	1.54	1.50	2.80	1.72	1.53	1.83	2.35	2.47	2.64	2.30	2.26	9
10	1.92	1.54	1.50	2.49	NR	2.13	1.81	2.35	2.44	2.64	2.37	2.26	10
11	1.36	1.54	1.51	2.14	NR	1.60	2.19	2.35	2.35	2.45	2.60	1.92	11
12	1.34	1.53	1.53	2.13	NR	1.60	2.19	2.35	2.38	2.42	2.66	1.92	12
13	1.34	1.99	1.52	1.99	NR	1.65	2.13	2.34	2.45	2.60	2.66	1.18	13
14	1.35	1.72	1.52	1.53	NR	1.71	1.63	2.24	2.52	2.63	2.66	1.16	14
15	1.35	0.65	1.50	1.50	NR	1.72	1.63	2.24	2.53	2.63	2.66	1.15	15
16	1.34	1.53	1.53	1.56	NR	1.72	1.83	2.34	2.59	2.39	2.65	2.07	16
17	1.34	1.68	1.54	1.56	NR	1.72	2.38	2.38	2.63	2.46	2.66	2.07	17
18	1.34	1.73	1.54	1.50	NR	1.70	2.43	2.42	2.63	2.47	2.65	2.07	18
19	1.34	1.66	1.55	1.50	NR	1.70	2.43	2.42	2.64	2.55	2.63	1.99	19
20	1.34	1.65	1.55	1.55	NR	1.70	2.49	2.41	2.64	2.54	2.64	1.97	20
21	1.35	1.65	1.55	1.55	NR	1.87	2.55	2.44	2.64	2.67	2.54	1.99	21
22	1.35	1.66	1.55	1.55	NR	1.82	2.55	2.34	2.66	2.69	2.54	1.95	22
23	1.35	1.70	1.56	1.55	NR	1.83	2.54	2.64	2.66	2.60	2.66	1.73	23
24	1.36	1.68	1.55	1.55	NR	1.87	2.54	2.64	2.69	2.60	2.60	1.60	24
25	1.36	1.54	1.95	1.55	NR	2.13	2.52	2.74	2.60	2.55	2.51	1.50	25
26	1.36	1.53	1.01	1.54	NR	1.93	2.53	2.54	2.60	2.51	2.43	1.50	26
27	1.36	1.54	1.50	1.53	NR	1.93	2.52	2.62	2.60	2.51	2.39	1.50	27
28	1.36	1.53	1.14	1.53	NR	1.93	2.51	2.65	2.60	2.51	2.38	1.48	28
29	1.36	1.53	NR	1.61	NR	1.93	2.51	2.65	2.60	2.51	2.38	1.79	29
30	1.36	1.53	NR	2.99	NR	1.93	2.51	2.65	2.64	2.51	2.37	1.99	30
31	1.36		NR	2.13	NR	1.93		2.65		2.51	2.38		31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

F - Fragmentary

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1	6:00	1.99	6.10	2	1:00	1.4					
1	5:00	0.40	3.31								

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
38° 20'	122° 51' 34"	NW 1/4 Sec 1 E		11.	1911	JAN 1-DATE	JAN 1-DATE	1.1	1.1	1.1	1.1
								1.1	1.1	1.1	1.1
								1.1	1.1	1.1	1.1

Station located 7.5 ft. below Milt. Falls bridge, 1/4 mi. S of Jenny Lind. Flow regulated by New Hope dam.

Maximum discharge listed at site then in use and present intakes. Records from 1900 to 1903. Drainage area 10,000 sq. mi.

Station discontinued Oct. 2, 1903.

TABLE B-11 (Cont.).

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1961	1	McLennan River at Austin, Texas

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	1
2	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	2
3	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	3
4	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	4
5	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	5
6	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	6
7	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	7
8	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	8
9	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	9
10	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	10
11	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11
12	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	12
13	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	13
14	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	14
15	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	15
16	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	16
17	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	17
18	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	18
19	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	19
20	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	20
21	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	21
22	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	22
23	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	23
24	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	24
25	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	25
26	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	26
27	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	27
28	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	28
29	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	29
30	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	30
31	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	11.77	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
11-1	6:51	11.10									

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT.	DATE					
30° 15' 00" N	101° 15' 00" W	NELSON COUNTY HIGHWAY BRIDGE, 1/4 MI. S. OF AUSTIN, TEXAS	27,000	11.10	11-1-65	11-1-65	11.10	11-1-65	11.10	11.10

Station located on McLennan County Highway bridge, 1/4 mi. S. of Austin, Texas.

Irrigation laterals flow regulated by reservoir and gravity control.

Discharge measured by weir.

11-1 - Irrigation laterals.



TABLE B-11 (Cont.)

## DAILY MEAN GAGE HEIGHT

(IN FEET)

TABLE B-11 (Cont.)			WATER YEAR		STATION NO.	STATION NAME							
DAILY MEAN GAGE HEIGHT			1960		B11150	COLUMBES RIVER AT MICHIGAN BAR							
(IN FEET)													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1			2.51	2.53	2.55	2.57	2.58	2.59	2.60	2.61	2.62	2.63	1
2			2.53	2.55	2.57	2.59	2.61	2.63	2.65	2.67	2.69	2.71	2
3			2.55	2.57	2.59	2.61	2.63	2.65	2.67	2.69	2.71	2.73	3
4			2.57	2.59	2.61	2.63	2.65	2.67	2.69	2.71	2.73	2.75	4
5			2.59	2.61	2.63	2.65	2.67	2.69	2.71	2.73	2.75	2.77	5
6			2.61	2.63	2.65	2.67	2.69	2.71	2.73	2.75	2.77	2.79	6
7			2.63	2.65	2.67	2.69	2.71	2.73	2.75	2.77	2.79	2.81	7
8			2.65	2.67	2.69	2.71	2.73	2.75	2.77	2.79	2.81	2.83	8
9			2.67	2.69	2.71	2.73	2.75	2.77	2.79	2.81	2.83	2.85	9
10			2.69	2.71	2.73	2.75	2.77	2.79	2.81	2.83	2.85	2.87	10
11			2.71	2.73	2.75	2.77	2.79	2.81	2.83	2.85	2.87	2.89	11
12			2.73	2.75	2.77	2.79	2.81	2.83	2.85	2.87	2.89	2.91	12
13			2.75	2.77	2.79	2.81	2.83	2.85	2.87	2.89	2.91	2.93	13
14			2.77	2.79	2.81	2.83	2.85	2.87	2.89	2.91	2.93	2.95	14
15			2.79	2.81	2.83	2.85	2.87	2.89	2.91	2.93	2.95	2.97	15
16			2.81	2.83	2.85	2.87	2.89	2.91	2.93	2.95	2.97	2.99	16
17			2.83	2.85	2.87	2.89	2.91	2.93	2.95	2.97	2.99	3.01	17
18			2.85	2.87	2.89	2.91	2.93	2.95	2.97	2.99	3.01	3.03	18
19			2.87	2.89	2.91	2.93	2.95	2.97	2.99	3.01	3.03	3.05	19
20			2.89	2.91	2.93	2.95	2.97	2.99	3.01	3.03	3.05	3.07	20
21			2.91	2.93	2.95	2.97	2.99	3.01	3.03	3.05	3.07	3.09	21
22			2.93	2.95	2.97	2.99	3.01	3.03	3.05	3.07	3.09	3.11	22
23			2.95	2.97	2.99	3.01	3.03	3.05	3.07	3.09	3.11	3.13	23
24			2.97	2.99	3.01	3.03	3.05	3.07	3.09	3.11	3.13	3.15	24
25			2.99	3.01	3.03	3.05	3.07	3.09	3.11	3.13	3.15	3.17	25
26			3.01	3.03	3.05	3.07	3.09	3.11	3.13	3.15	3.17	3.19	26
27			3.03	3.05	3.07	3.09	3.11	3.13	3.15	3.17	3.19	3.21	27
28			3.05	3.07	3.09	3.11	3.13	3.15	3.17	3.19	3.21	3.23	28
29			3.07	3.09	3.11	3.13	3.15	3.17	3.19	3.21	3.23	3.25	29
30			3.09	3.11	3.13	3.15	3.17	3.19	3.21	3.23	3.25	3.27	30
31			3.11	3.13	3.15	3.17	3.19	3.21	3.23	3.25	3.27	3.29	31

## CREST STAGES

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
10	00	2.55	10	00	2.55	10	00	2.55	10	00	2.55
17	00	2.60	17	00	2.60	17	00	2.60	17	00	2.60

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC. T & R MOB & R	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	
41° 15' N	84° 15' W	1/4 SEC. T & R MOB & R	100,000	10.0	10/1/60	100,000	10.0	10/1/60	10/1/60	100,000
Located on the right bank of the river, 1/4 mile upstream from the mouth of the river, regulated by the Michigan Lake. The gage is a float and wire type. The discharge is measured by the float and wire type.										



TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1965	0011	DOWN AT BOONVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	NF	NF	41.7	41.8	41.9	41.8	41.7	41.6	41.5	41.4	41.3	41.2	1
2	NF	NF	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	2
3	NF	NF	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	3
4	NF	NF	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	4
5	NF	NF	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	5
6	NF	NF	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	6
7	NF	NF	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	7
8	NF	NF	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	8
9	NF	NF	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	9
10	NF	NF	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	42.4	10
11	NF	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	11
12	NF	41.3	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	12
13	NF	41.4	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	42.4	13
14	NF	41.5	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	42.4	42.5	14
15	NF	41.6	41.7	41.8	41.9	42.0	42.1	42.2	42.3	42.4	42.5	42.6	15
16	NF	41.7	41.8	41.9	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	16
17	NF	41.8	41.9	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	17
18	NF	41.9	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	18
19	NF	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	43.0	19
20	NF	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	43.0	43.1	20
21	NF	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	43.0	43.1	43.2	21
22	NF	42.3	42.4	42.5	42.6	42.7	42.8	42.9	43.0	43.1	43.2	43.3	22
23	NF	42.4	42.5	42.6	42.7	42.8	42.9	43.0	43.1	43.2	43.3	43.4	23
24	NF	42.5	42.6	42.7	42.8	42.9	43.0	43.1	43.2	43.3	43.4	43.5	24
25	NF	42.6	42.7	42.8	42.9	43.0	43.1	43.2	43.3	43.4	43.5	43.6	25
26	NF	42.7	42.8	42.9	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	26
27	NF	42.8	42.9	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	27
28	NF	42.9	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	28
29	NF	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	44.0	29
30	NF	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	44.0	44.1	30
31	NF	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	44.0	44.1	44.2	31

## CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1965	10:00	42.00	1965	10:00	42.00	1965	10:00	42.00	1965	10:00	42.00
1965	10:00	42.00	1965	10:00	42.00	1965	10:00	42.00	1965	10:00	42.00

E - ESTIMATED

NR - NO RECORD

NF - NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M.D.B. & M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
36° 14' 24" N	84° 10' 34" W	6N 60	10000	42.00	1965-1966	10000-20000	41.00-42.00	1965	1966		
Station located on U.S. Highway 3 at bridge, 1.5 miles upstream from mouth of river. Station located at point located 1.5 miles up to the left of bridge. Station located at point located 1.5 miles up to the left of bridge.											
# - River gauge only											

TABLE B-11 (Cont.)

DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1964	G5-100	EAGLE LAKE NEAR SUSANVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	5.12	5.17	5.21	5.5	5.54	5.54	6.17	6.35	5.83	5.5	5.15	4.65	1
2	5.12	5.16	5.21	5.51	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.64	2
3	5.13	5.17	5.21	5.52	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	3
4	5.13	5.17	5.21	5.52	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	4
5	5.13	5.17	5.21	5.52	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	5
6	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	6
7	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	7
8	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	8
9	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	9
10	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	10
11	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	11
12	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	12
13	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	13
14	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	14
15	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	15
16	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	16
17	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	17
18	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	18
19	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	19
20	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	20
21	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	21
22	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	22
23	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	23
24	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	24
25	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	25
26	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	26
27	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	27
28	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	28
29	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	29
30	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	30
31	5.13	5.17	5.21	5.54	5.54	5.54	6.17	6.35	5.83	5.5	5.17	4.65	31

## MAXIMUM INSTANTANEOUS GAGE HEIGHTS

E — ESTIMATED

NR — NO RECORD

NF — NO FLOW

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
4-17-60	0:00	5.10									

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1.4 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE
			CFS	GAGE HT.	DATE			FROM	TO	
39° 43' N	120° 43' W	30' 2" N 11E	7,000	5.10	4-17-60			OCT 1960-LATE 1963		5.10
Station located on west shore, 1 mi. NW of Susanville.										

TABLE B-12  
DAILY MAXIMUM AND MINIMUM TIDES

This table shows the water surface elevations for the daily high and low tides referenced to gage datum. The maximum and minimum water surface elevations are reported for those days where normal tide patterns did not occur.

TABLE 8-12  
DAILY MAXIMUM AND MINIMUM TIDES  
SACRAMENTO RIVER AT SACRAMENTO WEIR

STATION NO. 4278  
A02105 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	9:20 8:51	8:77 8:09	12:11A 11:14A	14:29A 13:71A	14:47A 13:93A	11:87 11:57	13:05 12:61	8:20 7:53	7:77 6:53	8:26 6:87	8:82 7:79	8:51 7:82	
2	9:21 8:45	8:76 8:06	12:13A 11:16A	13:71A 12:30A	14:30A 13:17A	11:57 11:24	13:28 12:45	8:11 7:43	7:45 6:47	8:30 6:71	8:92 7:82	8:49 7:47	2
3	9:29 8:31	8:52 7:55	10:16 10:13	13:09 12:90	14:93A 14:14A	10:87 10:63	13:61 13:15	8:28 7:32	7:83 6:31	7:99 6:62	8:83 7:84	8:31 7:64	3
4	8:95 8:16	8:51 7:53	10:37 10:32	12:79 12:58	14:92A 14:38A	10:63 10:39	13:76 13:51	8:96 7:97	7:69 6:17	8:12 6:84	8:58 7:66	8:25 7:61	4
5	8:02 8:02	8:64 8:01	10:98 10:18	14:34A 12:22A	15:53A 14:49A	10:29 9:83	13:51 13:15	9:02 8:15	7:68 6:29	8:28 7:02	8:25 7:42	8:40 7:54	5
6	8:70 7:97	8:76 8:08	11:35 10:66	17:91A 14:34A	16:62A 15:53A	10:12 9:58	13:12 12:74	8:23 6:53	7:87 6:53	8:21 7:05	8:02 7:26	8:56 7:65	6
7	8:77 8:08	8:81 8:11	11:61 10:52	18:99A 17:91A	17:28A 16:45A	10:13 9:79	12:83 11:35	9:58 8:51	7:71 6:57	8:00 6:57	8:15 7:33	8:56 7:49	7
8	9:00 8:22	8:96 8:17	11:78 11:08	20:19B 18:99A	17:48A 17:26A	10:09 9:65	12:37 11:79	9:89 9:14	7:68 6:65	7:56 6:62	8:33 7:48	8:37 7:40	8
9	9:26 8:55	9:06 8:19	11:93 11:21	21:23B 20:21A	17:48A 16:90A	10:12 9:72	11:92 11:35	10:02 9:19	7:63 6:69	7:48 6:55	8:52 7:61	8:35 7:46	9
10	8:97 8:29	8:21 8:26	12:09 11:36	21:52 20:65A	16:91A 15:63A	10:26 9:79	11:66 11:35	9:94 9:29	7:51 6:57	7:45 6:09	8:84 7:52	8:57 7:48	10
11	8:70 8:05	9:21 8:28	12:16 11:41	21:36A 20:67A	15:63A 14:31A	11:03 10:23	12:90A 11:52A	10:04 9:43	7:32 6:16	7:62 6:89	9:17 8:16	8:77 7:69	11
12	8:87 8:00	9:30 8:30	12:05 11:51	20:69A 19:47A	14:31A 13:15A	12:26A 11:28A	13:63A 12:90A	10:54 9:46	7:08 6:09	7:94 6:46	9:28 8:20	8:63 7:37	12
13	9:00 8:05	9:81 8:38	11:77 11:53	19:47A 18:05A	13:15A 12:24A	12:65A 12:27A	13:71A 13:35A	10:74 10:28	7:13 5:95	8:00 7:02	9:44 8:27	8:59 7:32	13
14	9:17 8:16	9:51 9:02	12:01 11:56	18:05A 16:78A	12:25A 11:63A	13:05A 12:42A	13:35A 12:46A	10:71 9:98	7:15 5:95	8:02 7:27	9:46 8:31	8:20 7:15	14
15	8:65 8:06	10:02 9:26	11:88 11:49	16:78A 15:85A	11:63A 11:41A	13:66A 13:05A	12:46A 11:25A	10:27 9:49	7:39 6:00	8:51 7:50	9:42 8:29	7:98 7:08	15
16	8:71 7:74	11:71A 10:41A	11:72 11:35	15:86A 14:31A	11:31 11:04	13:66 13:53	11:19 10:82	10:26 9:53	8:00 6:38	8:84 7:79	9:35 8:35	7:83 7:01	16
17	8:33 7:88	12:96A 11:71A	11:76 11:32	15:23A 14:85A	11:05 10:73	13:57 13:49	11:06 10:39	9:84 9:06	8:06 6:26	9:07 7:94	9:21 8:29	8:10 7:04	17
18	8:91 8:06	13:01A 12:47A	11:61 11:36	14:85A 13:44A	10:91 10:53	13:48 13:35	10:86 10:53	9:53 8:95	8:11 6:43	9:15 8:03	9:04 8:08	8:22 7:18	18
19	8:99 8:18	13:96A 12:46A	11:68 11:20	14:43 14:27	10:78 10:42	13:29 13:13	10:95 10:52	9:57 8:85	8:22 6:59	9:16 8:12	8:74 7:87	8:29 7:16	19
20	8:86 8:08	14:49A 13:96A	11:71 11:27	14:09 13:89	10:44 10:06	13:14 12:93	10:78 10:32	9:60 8:69	8:41 6:73	9:13 8:05	8:52 7:60	8:38 7:16	20
21	8:66 8:21	14:22A 13:26A	11:66 11:06	13:77 13:56	10:44 10:12	13:14 12:98	10:47 9:76	9:66 8:57	8:29 6:74	9:55 8:14	9:45 7:50	8:38 7:10	21
22	8:86 8:26	13:26A 12:56A	11:48 11:00	13:66 13:32	10:84 10:38	13:00 12:82	9:76 8:85	9:27 8:07	8:00 6:55	8:47 7:60	8:55 7:58	8:20 6:90	22
23	8:91 8:26	12:52 12:18	11:22 10:58	13:39 13:16	10:59 10:27	12:90 12:65	9:24 8:42	9:05 7:83	7:80 6:54	8:28 7:29	8:53 7:54	7:89 6:76	23
24	8:91 8:23	12:36 11:94	11:43 10:58	13:26 13:02	10:47 10:11	12:84 12:53	9:10 8:26	8:95 7:61	7:36 6:37	7:59 7:50	8:51 7:31	7:94 6:86	24
25	8:96 8:20	12:46 11:67	11:21 10:79	13:06 12:91	10:49 10:08	12:69 12:33	9:16 8:25	8:65 7:40	7:29 6:48	8:50 7:43	8:38 7:25	7:94 6:80	25
26	8:96 8:17	12:61 11:10	11:66A 11:16A	12:99A 12:78A	11:24A 10:58A	12:58 12:27	9:01 8:03	8:42 7:16	7:56 6:56	7:41 7:41	8:44 7:17	7:75 6:74	26
27	9:00 8:13	12:76 12:36	11:65 11:28	13:03A 12:77A	11:76A 11:24A	12:66A 12:29A	8:97 8:15	7:86 6:55	7:73 6:55	8:58 7:53	8:18 7:20	7:56 6:64	27
28	8:91 8:11	12:60 12:41	12:11A 11:19A	12:86 12:48	12:12A 11:62A	12:36 11:92	9:47 8:64	7:82 6:86	7:87 6:77	8:74 7:54	8:37 7:46	7:56 6:67	28
29	8:77 8:03	12:46 12:28	12:69A 11:06A	12:48A 12:17A	12:27A 11:54A	12:27 11:44	9:16 8:02	7:89 6:83	8:14 6:86	8:66 7:01	8:63 6:73	7:75 6:47	29
30	8:35 7:94	12:48 12:09	13:96A 12:67A	12:72 12:26	12:44 11:99	8:50 7:68	7:72 6:47	8:14 6:77	8:65 7:75	8:95 7:75	8:56 7:65	7:80 6:65	30
31	8:68 7:91		14:48B 13:96A	13:98 12:63	12:78A 12:26A	7:63 6:47				8:71 7:73	8:40 7:69		31
MAXIMUM	9:29	14:49	14:48	21:42	17:48	13:66	13:76	10:74	8:41	9:16	9:46	8:77	MAXIMUM
MINIMUM	7:74	7:93	9:71	12:26	10:06	9:58	10:32	6:47	5:95	6:55	7:17	6:64	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

1. This table is to be used to determine the stage of the river at the weir for any given date and time. It is based on the assumption that the river is in its normal stage at the weir.

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M.D.B.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	

STATE NO	DATE
A02100	1966

E - Estimated  
NR - No Record

CREST STAGES																	
DATE			TIME			STAGE			DATE			TIME			STAGE		
11-20-65	1	PM	10.0			1-14-66	11	AM	15.0			10-31-65	16	PM	10.0		
10-31-65			16.0			- 8-00			14.0								

\* High flow off the normal tidal pattern. Page height. listed are maximum and minimum.

[illegible]

TABLE 8-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

PERIOD NO.	WATER YEAR
1	1951

DATE	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
1										1
2										2
3										3
4										4
5										5
6										6
7										7
8										8
9										9
10										10
11										11
12										12
13										13
14										14
15										15
16										16
17										17
18										18
19										19
20										20
21										21
22										22
23										23
24										24
25										25
26										26
27										27
28										28
29										29
30										30
31										31
MAXIMUM										MAXIMUM
MINIMUM										MINIMUM

1. CREST STAGES  
OR No Record

CREST STAGES								
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R MOD BR	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES  
SACRAMENTO RIVER AT SNODGRASS SLOUGH

STATION NO. 891750  
WATER YEAR 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
	6:05 4:39	6:27 4:51	7:22 5:05	NR NR	9:19 7:37	7:57 5:70	7:05 5:24	NR NR	6:58 5:05	7:07 5:01	7:08 4:23	6:44 4:11	
2	6:50 4:39	5:05 4:11	6:49 5:43	NR NR	8:07 7:11	7:47 5:24	7:98 5:51	NR NR	6:72 5:16	7:14 5:01	7:16 4:22	6:32 4:00	2
3	6:00 4:52	5:07 3:99	6:73 5:05	NR NR	9:33 7:56	6:93 4:62	6:26 4:85	NR NR	6:70 5:55	6:74 5:03	7:00 4:38	6:24 4:26	3
4	6:35 4:42	6:10 4:02	6:09 5:05	NR NR	9:66 8:52	7:03 5:29	8:56 6:30	NR NR	6:50 5:41	6:82 5:08	6:77 4:22	6:28 4:25	4
5	6:50 4:27	6:29 4:23	7:35 5:44	NR NR	9:52 7:57	7:04 5:16	8:37 6:09	NR NR	6:56 5:46	6:93 5:07	6:83 4:11	6:27 4:35	5
6	6:51 4:33	6:56 4:46	7:64 5:44	NR NR	10:06 7:47	7:10 4:73	6:36 4:79	NR NR	6:66 5:07	6:74 4:03	6:09 3:91	6:06 4:08	6
7	6:54 4:43	6:73 4:02	7:92 5:05	10:64 9:09	10:04 8:52	6:98 5:08	8:37 6:30	NR NR	6:34 5:43	6:50 5:08	6:34 4:47	6:74 4:25	7
8	6:47 4:92	6:67 4:57	8:22 5:43	11:32 9:65	9:91 8:76	6:70 4:66	7:98 5:92	NR NR	6:27 5:08	5:98 5:00	6:45 4:28	6:64 3:89	8
9	7:16 5:20	6:98 4:49	6:49 5:97	11:79 10:41	9:70 8:76	6:64 4:83	7:79 5:59	NR NR	6:09 5:04	5:78 4:51	7:05 4:49	5:42 3:63	9
10	6:77 4:62	7:21 4:49	8:56 6:12	11:96 11:10	9:46 8:03	6:76 5:54	7:58 5:71	6:89 4:39	5:69 2:99	5:01 3:86	7:53 4:78	6:87 4:26	10
11	6:68 4:66	7:18 4:51	8:46 6:15	11:66 11:18	8:68 7:27	6:90 4:94	7:24 5:71	6:38 4:39	5:75 2:99	5:98 3:86	6:09 4:78	7:19 4:26	11
12	6:96 4:50	7:27 4:45	8:22 6:19	11:21 10:48	8:31 6:61	7:30 5:51	7:51 6:14	6:35 4:65	5:50 3:05	6:33 4:01	7:63 4:69	7:03 4:05	12
13	7:19 4:62	7:40 4:51	7:94 6:05	10:54 9:51	7:76 6:11	7:50 5:77	7:30 6:11	6:63 4:96	5:65 3:05	6:43 4:01	7:81 4:69	6:90 4:05	13
14	7:42 4:75	7:66 5:08	7:62 6:09	9:91 8:58	7:67 5:84	7:45 5:87	7:10 5:61	6:88 4:68	5:85 3:49	6:79 3:93	7:78 4:68	6:60 3:90	14
15	6:98 4:72	7:13 5:08	7:59 6:04	9:48 8:02	7:31 5:51	7:66 6:25	6:84 5:24	6:55 4:82	6:31 3:65	6:92 3:94	7:67 4:61	6:33 3:88	15
16	6:61 4:19	6:98 5:13	7:64 5:92	9:03 7:56	7:22 5:99	7:61 6:16	6:65 5:06	6:73 4:70	7:01 4:20	7:17 4:14	7:53 4:62	6:24 3:92	16
17	6:64 4:06	7:84 5:92	7:42 6:00	9:17 7:48	7:30 5:35	7:50 6:42	7:44 5:70	6:63 4:60	7:15 3:95	7:28 4:19	7:33 4:56	6:58 4:00	17
18	6:70 4:12	8:56 6:70	7:60 5:47	9:14 7:90	7:50 5:34	7:93 6:94	NR 4:55	6:76 4:55	7:12 3:84	7:36 4:24	7:18 4:56	6:60 4:27	18
19	6:07 4:27	8:23 6:54	7:75 5:88 E	8:93 7:34	7:55 5:39	7:91 6:62	NR 4:60	7:10 4:60	7:20 3:88	7:33 4:32	6:91 4:54	6:48 4:12	19
20	6:51 4:18	8:82 7:24	7:91 6:21	8:75 7:17	6:95 5:35	7:76 6:55	NR 4:74	7:42 4:74	7:38 4:03	7:29 4:29	6:83 4:33	6:98 4:14	20
21	6:36 4:25	8:65 7:26	6:17 5:06	8:62 7:02	6:63 5:01	7:83 6:81	NR 4:90	7:78 4:90	7:16 4:23	7:11 4:37	6:97 4:05	6:78 4:05	21
22	6:30 4:32	8:53 6:83	7:06 5:89 E	8:61 6:67	6:94 5:45	7:56 6:51	NR 4:34	7:51 4:34	6:69 3:76	6:61 4:04	6:61 4:54	6:46 3:89	22
23	6:53 4:41	8:61 6:53	7:72 5:71	8:30 6:85	6:32 5:22	7:61 6:43	NR 4:30	7:34 4:30	6:55 3:74	6:53 4:05	6:92 4:39	5:58 3:68	23
24	6:70 4:43	8:73 6:48	8:09 5:47	8:05 6:66	6:74 5:07	7:81 6:51	NR 4:24	7:37 4:24	5:93 3:32	6:65 4:13	5:50 4:10	6:51 4:00	24
25	6:86 4:42	8:44 6:38	7:65 5:90 E	7:78 6:54	6:62 5:06	7:99 6:56	NR 4:22	7:18 4:22	6:10 3:47	5:41 4:09	6:86 4:01	6:58 3:89	25
26	6:90 4:42	8:00 6:30	7:38 5:53 E	7:79 6:47	6:74 5:27	7:99 6:38	NR 4:16	6:96 4:16	5:86 3:61	6:70 4:19	6:90 3:91	6:29 3:79	26
27	6:80 4:40	7:63 6:23	7:57 5:66	8:01 6:69	6:82 5:32	8:00 6:38	NR 3:99	6:37 3:79	6:31 3:79	7:07 4:32	6:53 3:76	6:09 3:63	27
28	6:49 4:36	7:55 6:28	8:06 5:93 E	7:83 6:63	7:03 5:43	7:75 5:96	NR 4:10	6:40 4:10	6:57 4:00	7:24 4:32	6:69 4:01	6:11 3:84	28
29	6:43 4:16	7:48 6:15	7:61 6:33 E	7:98 6:49	7:63 5:91	7:63 5:91	NR 4:05	6:59 4:05	6:91 4:08	7:37 4:31	6:89 4:28	6:33 4:00	29
30	6:19 4:03	7:41 6:18	8:18 6:36 E	8:31 6:69	7:59 5:91	7:59 5:91	NR 3:83	6:40 3:83	6:95 4:07	7:41 4:38	6:81 4:24	6:55 4:36	30
31	6:27 4:01	NR NR	NR NR	8:58 7:04	7:73 6:13	7:73 6:13	NR 3:84	6:39 3:84	6:96 4:06	6:43 4:10	6:43 4:10		31
MAXIMUM	7:42	8:82	8:58	11:96	10:06	8:00	8:56	7:77	7:38	7:41	7:81	7:19	MAXIMUM
MINIMUM	4:01	3:99	5:05	6:47	4:95	4:73	NR	NR	2:99	3:48	3:76	3:63	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R MOB & W	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						



STATION NO	WATER YEAR
B91700	1966

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

date operation: 5.11.52 - 1.12.52 d, vel. 1 - opened, Mar. 18 - closed, Apr. 7 - opened.

[illegible]

TABLE B-12 (CONT)  
DAILY MAXIMUM AND MINIMUM TIDES

SACRAMENTO RIVER AT WALNUT GROVE

— feet

STATION NO.	WATER YEAR
891650	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	3.35 0.40	3.01 0.35	3.37 1.52	3.29 2.40	5.20 2.49	3.81 1.11	4.06 1.61	2.86 0.06	3.41 0.21	3.80 0.29	3.67 0.30	3.20 0.29	1
2	3.62 0.44	2.70 0.20	3.04 1.12	4.16 2.07	4.91 2.19	3.63 0.72	4.06 1.74	2.93 0.13	3.60 0.08	4.05 0.07	3.95 0.54	3.08 0.40	2
3	3.30 0.60	3.71 0.11	4.25 0.92	5.56 2.90	5.30 3.17	3.33 0.29	4.41 2.22	3.21 0.36	3.80 -0.16	3.64 -0.13	3.81 0.22	2.99 0.53	3
4	3.07 0.52	2.83 0.22	3.56 1.07	5.04 2.09	5.63 2.55	3.51 0.31	4.62 2.30	3.96 0.66	3.44 -0.27	3.70 0.07	3.55 0.39	3.09 0.52	4
5	3.16 0.36	3.03 0.38	3.88 1.35	5.16 2.84	5.47 2.64	3.60 0.94	4.46 2.21	3.81 0.33	3.43 -0.25	3.78 0.21	3.22 0.34	3.60 0.63	5
6	3.24 0.44	3.21 0.65	4.11 1.40	5.74 2.26	5.77 2.76	3.70 0.38	4.58 2.13	3.79 0.21	3.51 -0.07	3.56 0.26	2.90 0.17	3.61 1.00	6
7	3.29 0.56	3.46 0.71	4.45 1.98	6.24 3.47	5.55 3.24	3.54 0.64	4.62 1.34	3.76 0.21	3.19 -0.32	3.33 0.16	3.16 0.38	3.60 0.76	7
8	3.67 1.16	3.64 1.00	4.75 1.47	6.48 3.97	5.27 3.24	3.27 0.64	4.24 1.23	4.01 0.60	3.12 -0.10	2.83 -0.09	3.47 0.63	3.47 0.12	8
9	3.91 1.40	3.76 0.83	5.06 1.62	6.53 4.36	5.02 3.39	3.18 0.63	4.11 0.94	3.96 0.58	2.88 -0.08	2.66 -0.15	3.64 0.78	3.73 0.06	9
10	3.51 1.05	3.97 0.60	5.14 1.74	6.47 4.76	4.95 2.94	3.29 0.62	3.93 0.95	3.54 0.33	2.50 -0.16	2.62 -0.16	4.32 0.84	2.61 0.19	10
11	3.49 0.93	3.94 0.59	4.97 1.76	6.04 4.78	4.39 2.36	3.39 0.69	3.37 0.74	2.97 -0.62	2.60 -0.78	1.79 0.27	2.85 0.95	4.06 0.44	11
12	3.77 0.74	4.04 0.51	4.67 1.78	5.77 4.41	4.27 1.88	3.58 0.94	3.26 1.01	2.90 0.31	2.36 -0.47	3.19 0.33	4.43 0.80	3.84 0.23	12
13	4.05 0.84	4.24 0.56	4.31 1.70	5.64 3.85	3.63 1.46	3.56 0.96	2.91 0.61	3.10 0.52	2.54 -0.19	3.30 0.10	4.58 0.83	3.77 0.30	13
14	4.27 0.94	4.36 1.06	3.92 1.56	5.11 3.25	3.90 1.34	3.43 0.95	2.75 0.36	3.30 0.11	2.77 -0.36	3.66 0.27	4.55 0.81	3.43 0.45	14
15	3.85 0.93	3.75 1.04	3.93 1.62	4.93 2.80	3.67 1.09	3.43 1.19	2.74 0.62	3.03 0.61	3.22 0.17	3.77 0.04	4.46 0.80	3.18 0.14	15
16	3.45 0.35	3.61 0.89	4.03 1.55	4.67 2.44	3.63 0.95	3.31 1.01	2.90 0.66	3.25 0.55	3.86 0.68	4.02 0.21	4.32 0.64	3.10 0.24	16
17	3.49 0.49	3.99 1.36	4.22 1.62	4.95 2.77	3.77 1.56	3.35 1.01	3.62 1.56	3.19 0.45	4.06 0.41	4.31 0.01	4.11 0.61	3.40 0.37	17
18	3.49 0.21	4.80 2.14	3.98 1.46	5.05 2.40	4.06 1.87	3.81 1.79	3.70 1.05	3.36 0.43	4.04 0.20	4.16 0.23	3.94 0.67	3.60 0.58	18
19	2.85 0.34	4.41 2.14	4.19 1.48	4.90 3.20	4.11 1.16	3.78 1.72	3.49 0.92	3.74 0.58	4.10 0.24	4.11 0.30	3.71 0.75	3.74 0.43	19
20	3.27 0.29	3.77 1.56	4.37 1.48	4.81 2.30	3.53 1.16	3.65 1.82	3.31 0.69	4.08 0.72	4.25 0.34	4.05 0.32	3.64 0.81	3.82 0.45	20
21	3.14 0.31	4.77 2.25	4.70 2.25	4.71 2.18	3.04 0.90	3.72 2.05	3.43 0.55	4.45 0.91	4.05 0.26	3.66 0.32	3.77 0.72	3.62 0.37	21
22	3.07 0.41	4.77 2.57	4.52 1.55	4.75 2.09	3.36 0.58	3.40 1.75	3.35 0.20	4.22 0.31	3.79 0.09	3.44 0.21	3.79 0.89	3.32 0.18	22
23	3.28 0.24	4.97 2.06	4.25 1.40	4.38 2.00	3.02 0.90	3.53 1.72	3.32 0.09	4.13 0.31	3.65 0.09	3.33 0.32	3.57 0.65	2.86 0.00	23
24	3.48 0.73	4.97 2.08	4.64 1.15	4.11 1.95	3.22 0.81	3.61 1.84	3.52 0.05	4.16 0.31	4.16 -0.33	4.16 0.36	2.35 0.35	3.68 0.29	24
25	3.69 0.54	4.78 2.06	4.11 1.64	3.75 1.84	3.09 0.84	4.10 1.95	3.69 0.26	3.97 0.37	2.45 -0.19	2.18 0.41	3.70 0.26	3.44 0.27	25
26	3.68 0.54	4.25 1.85	3.70 1.22	3.80 1.79	3.13 0.85	4.14 1.76	3.61 -0.11	2.99 0.34	3.53 -0.01	3.77 0.39	3.18 0.16	3.18 0.17	26
27	3.70 0.53	3.92 1.67	3.90 1.25	4.16 2.13	3.01 0.70	4.18 1.76	3.00 -0.20	3.19 0.22	3.18 0.26	3.91 0.51	3.40 -0.01	2.99 0.04	27
28	3.50 0.47	3.58 1.64	4.42A 1.59A	3.95 2.11	3.11 0.73	3.91 1.36	3.25 0.27	3.20 0.35	3.44 0.34	4.08 0.46	3.56 0.24	2.99 0.25	28
29	3.22 0.29	3.49 1.56	4.13 1.93	4.23 2.08	3.82 2.08	3.78 1.31	3.06 0.12	3.38 0.34	3.78 0.41	4.18 0.44	3.72 0.49	3.23 0.47	29
30	2.96 0.11	3.56 1.61	4.17 2.01	4.61 2.22	3.76 1.24	3.76 1.24	2.92 0.07	3.22 0.17	3.81 0.18	4.24 0.47	3.64 0.47	3.42 0.87	30
31	2.96 0.11		4.42 2.35	4.66 2.26	3.63 1.41			3.19 0.14	3.77 0.11	3.77 0.11	3.28 0.32		31
MAXIMUM	4.27	5.09	5.14	6.53	5.77	4.18	4.62	4.45	4.25	4.24	4.58	4.06	MAXIMUM
MINIMUM	0.11	0.11	0.92	1.79	0.58	0.29	-0.20	0.06	-0.62	-0.16	-0.01	0.04	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

A = Rating which reflected the normal tidal situation. Stage height 11.16 feet was maximum and minimum stage for a day.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R MOB & M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAUGE	REF DATUM	
			CFS	GAUGE HT	DATE						

SACRAMENTO RIVER AT ISLETON

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Strongly affected the tidal stream. High and low water are maximum and minimum stage

238

STAT ON NC	WATER YEAR
891560	1966

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
- 9-55	11.0										
- 1-55	11.0										

[illegible]

STATION NO	WATER YEAR
091500	1966

YOLC BYPASS AT LIBERTY ISLAND

in feet

	DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
2		6.16 1.91	5.96 1.86	6.16 1.89	6.54 2.36	7.74 2.29	6.70 2.33	6.1 1.47	6.19 1.39	6.26 1.71	7.40 1.76	NR	6.44 1.79	
		6.63 1.98	5.79 1.87	5.84 1.81	6.63 2.33	7.66 2.39	6.82 2.39	6.55 1.39	6.33 1.27	6.33 1.39	7.39 1.39	NR	6.29 1.35	2
		6.13 2.15	5.84 1.69	6.16 1.81	7.27 2.03	7.75 2.05	6.34 0.99	7.10 2.32	6.66 1.43	7.10 1.09	7.03 1.16	NR	6.28 2.25	3
4		6.22 1.66	5.94 1.43	6.48 1.56	7.43 2.12	8.36 2.13	6.61 2.34	7.25 1.87	7.33 1.87	6.20 1.07	7.14 1.44	6.75 1.68	6.33 2.34	4
		5.48 1.99	6.33 1.75	6.77 1.88	8.25 2.46	8.68 2.46	6.76 1.21	7.13 2.14	7.18 1.26	6.72 1.45	6.18 1.95	6.38 1.95	6.20 2.40	5
		6.33 1.99	6.55 2.16	7.71 1.81	7.84 1.84	8.20 2.27	6.89 1.51	7.30 2.35	7.30 1.72	6.95 1.29	6.87 1.83	6.15 1.65	6.96 2.99	6
7		6.39 2.13	6.73 2.13	7.71 2.13	8.36 2.43	7.73 2.43	6.73 2.43	7.44 2.43	6.30 1.47	6.50 1.47	6.59 2.22	6.35 2.22	5.70 2.22	7
		6.36 2.41	6.88 1.99	7.68 2.38	8.12 2.45	8.12 2.38	6.73 1.86	7.28 1.88	7.18 1.78	6.15 1.55	6.02 1.63	7.05 2.67	6.62 1.81	8
		7.00 2.83	7.25 2.70	7.98 1.78	7.68 2.12	6.77 2.24	6.33 1.43	7.21 1.68	7.07 1.77	6.04 1.68	5.92 1.59	7.05 2.66	6.90 1.65	9
10		6.72 2.12	7.27 2.12	8.28 2.49	7.29 2.49	6.83 1.98	6.43 1.62	6.98 1.62	6.98 1.73	5.82 1.59	6.11 1.71	7.50 2.71	6.50 2.71	10
		6.73 2.42	7.27 1.64	7.44 1.49	6.57 2.9	6.59 2.5	6.49 1.55	6.30 1.48	5.91 1.27	5.72 1.25	6.44 2.33	7.60 2.68	7.32 1.87	11
		7.15 2.19	7.28 1.55	7.60 1.87	6.65 1.91	6.72 1.62	6.81 1.74	6.08 1.49	5.63 1.61	5.90 1.48	NR	5.68 2.35	7.17 1.60	12
13		7.33 1.98	7.69 1.98	7.62 1.98	6.73 1.84	6.31 1.64	6.23 1.64	5.21 1.64	6.13 1.64	5.27 1.64	NR	7.77 2.24	7.16 2.24	13
		7.55 2.36	7.51 2.19	6.70 1.84	6.40 2.25	6.57 1.58	6.49 1.59	5.55 1.23	5.66 1.69	6.25 1.80	NR	7.80 2.00	6.85 1.39	14
		7.31 2.31	6.81 2.22	6.80 1.88	7.10 2.00	6.30 1.35	6.17 1.72	5.66 1.40	6.13 2.23	6.75 1.49	NR	7.17 1.75	6.80 1.46	15
16		6.53 1.98	6.88 1.98	6.89 1.98	6.68 1.74	6.55 1.74	6.35 1.74	5.91 1.69	6.34 1.69	5.99 2.11	NR	7.87 1.77	6.57 1.90	16
		6.54 1.43	7.23 2.14	7.12 2.12	7.30 2.23	6.37 1.37	5.71 1.15	6.91 3.16	6.34 1.69	5.57 2.11	NR	7.41 1.77	6.87 1.90	17
		6.56 1.64	7.63 2.36	6.80 1.81	7.50 2.41	7.00 1.63	6.23 1.70	6.72 2.22	6.59 1.74	7.57 2.22	NR	7.31 2.00	7.07 2.02	18
19		5.99 1.12	7.16 2.14	7.35 1.93	7.34 1.93	7.34 1.66	6.24 1.63	6.58 1.82	6.97 1.55	NR	6.59 1.55	7.02 1.58	7.11 1.54	19
		6.44 1.36	7.25 1.93	7.25 1.76	7.23 1.86	6.44 1.43	6.17 1.63	6.42 1.65	7.33 2.07	7.67 1.65	NR	7.05 2.15	7.13 2.05	20
		6.40 1.36	7.50 2.13	7.59 1.93	7.32 1.71	6.08 1.63	6.25 1.64	6.55 1.64	5.66 2.30	7.51 1.98	NR	7.18		
21		6.40 1.36	7.50 2.13	7.59 1.93	7.32 1.71	6.08 1.63	6.25 1.64	6.55 1.64	5.66 2.30	7.51 1.98	NR	7.18		
		6.28 1.50	7.61 2.21	7.26 1.61	7.41 1.98	6.43 1.43	5.85 1.64	7.61 1.43	7.15 1.38	7.15 1.38	NR	6.71		
		6.28 1.50	7.61 2.21	7.26 1.61	7.41 1.98	6.43 1.43	5.85 1.64	7.61 1.43	7.15 1.38	7.15 1.38	NR	6.71		
22		6.28 1.50	7.61 2.21	7.26 1.61	7.41 1.98	6.43 1.43	5.85 1.64	7.61 1.43	7.15 1.38	7.15 1.38	NR	6.71		
		6.58 1.68	7.91 2.22	7.18 3.49	6.96 1.98	6.07 1.87	6.79 1.81	6.64 1.04	7.31 1.57	6.81 1.50	NR	7.30		
		6.58 1.68	7.91 2.22	7.18 3.49	6.96 1.98	6.07 1.87	6.79 1.81	6.64 1.04	7.31 1.57	6.81 1.50	NR	7.30		
23		6.58 1.68	7.91 2.22	7.18 3.49	6.96 1.98	6.07 1.87	6.79 1.81	6.64 1.04	7.31 1.57	6.81 1.50	NR	7.30		
		6.78 1.92	8.06 2.06	7.60 1.46	6.63 1.85	6.35 1.93	6.08 1.31	6.72 1.18	7.42 1.02	6.06 1.02	NR	6.93		
		6.78 1.92	8.06 2.06	7.60 1.46	6.63 1.85	6.35 1.93	6.08 1.31	6.72 1.18	7.42 1.02	6.06 1.02	NR	6.93		
24		6.78 1.92	8.06 2.06	7.60 1.46	6.63 1.85	6.35 1.93	6.08 1.31	6.72 1.18	7.42 1.02	6.06 1.02	NR	6.93		
		6.97 2.39	7.58 2.46	7.37 2.20	6.80 1.79	6.49 1.59	6.70 2.01	7.19 1.52	7.19 1.83	6.42 1.41	NR	6.58		
		6.97 2.39	7.58 2.46	7.37 2.20	6.80 1.79	6.49 1.59	6.70 2.01	7.19 1.52	7.19 1.83	6.42 1.41	NR	6.58		
25		6.97 2.39	7.58 2.46	7.37 2.20	6.80 1.79	6.49 1.59	6.70 2.01	7.19 1.52	7.19 1.83	6.42 1.41	NR	6.58		
		6.93 1.63	6.94 2.17	6.49 1.47	6.27 1.93	6.13 1.91	6.83 2.01	6.66 0.90	6.94 1.90	6.64 1.73	NR	7.00		
		6.93 1.63	6.94 2.17	6.49 1.47	6.27 1.93	6.13 1.91	6.83 2.01	6.66 0.90	6.94 1.90	6.64 1.73	NR	7.00		
27		6.93 1.63	6.94 2.17	6.49 1.47	6.27 1.93	6.13 1.91	6.83 2.01	6.66 0.90	6.94 1.90	6.64 1.73	NR	7.00		
		6.90 1.63	6.46 1.67	6.72 1.83	6.79 2.04	5.93 1.63	5.84 2.04	5.89 1.63	6.91 2.04	5.18 1.36	NR	6.68		
		6.90 1.63	6.46 1.67	6.72 1.83	6.79 2.04	5.93 1.63	5.84 2.04	5.89 1.63	6.91 2.04	5.18 1.36	NR	6.68		
28		6.90 1.63	6.46 1.67	6.72 1.83	6.79 2.04	5.93 1.63	5.84 2.04	5.89 1.63	6.91 2.04	5.18 1.36	NR	6.68		
		6.65 1.56	5.98 1.51	7.10A 2.27A	6.55 2.65	5.99 1.51	6.51 1.51	6.27 1.64	6.16 2.14	6.96 1.99	NR	6.82		
		6.65 1.56	5.98 1.51	7.10A 2.27A	6.55 2.65	5.99 1.51	6.51 1.51	6.27 1.64	6.16 2.14	6.96 1.99	NR	6.82		
29		6.65 1.56	5.98 1.51	7.10A 2.27A	6.55 2.65	5.99 1.51	6.51 1.51	6.27 1.64	6.16 2.14	6.96 1.99	NR	6.82		
		6.78 1.43	5.88 1.59	6.94 2.61	6.98 7.95	6.98 7.95	6.40 1.47	6.99 1.45	6.76 2.07	7.30 2.00	NR	6.96		
		6.78 1.43	5.88 1.59	6.94 2.61	6.98 7.95	6.98 7.95	6.40 1.47	6.99 1.45	6.76 2.07	7.30 2.00	NR	6.96		
30		6.78 1.43	5.88 1.59	6.94 2.61	6.98 7.95	6.98 7.95	6.40 1.47	6.99 1.45	6.76 2.07	7.30 2.00	NR	6.96		
		5.96 1.13	6.14 1.78	6.90 1.78	7.34 2.82	6.32 1.43	6.16 1.43	6.65 1.43	6.65 1.56	7.29 1.56	NR	6.89		
		5.96 1.13	6.14 1.78	6.90 1.78	7.34 2.82	6.32 1.43	6.16 1.43	6.65 1.43	6.65 1.56	7.29 1.56	NR	6.89		
31		5.96 1.13	6.14 1.78	6.90 1.78	7.34 2.82	6.32 1.43	6.16 1.43	6.65 1.43	6.65 1.56	7.29 1.56	NR	6.89		
		5.98 1.41	6.80 2.61	6.80 2.61	7.25 7.25	6.43 1.25	6.43 1.25	6.43 1.25	6.43 1.25	6.43 1.25	NR	6.49		
		5.98 1.41	6.80 2.61	6.80 2.61	7.25 7.25	6.43 1.25	6.43 1.25	6.43 1.25	6.43 1.25	6.43 1.25	NR	6.49		
MAXIMUM		7.55	8.06	8.08	8.12	8.36	6.89	7.44	7.66	7.67			7.32	MAXIMUM
		7.55	8.06	8.08	8.12	8.36	6.89	7.44	7.66	7.67			7.32	MAXIMUM
		7.55	8.06	8.08	8.12	8.36	6.89	7.44	7.66	7.67			7.32	MAXIMUM
MINIMUM		1.33	1.49	1.46	1.74	1.20	0.89	0.90	1.22	1.02	1.37	1.37	1.37	MINIMUM
		1.33	1.49	1.46	1.74	1.20	0.89	0.90	1.22	1.02	1.37	1.37	1.37	MINIMUM
		1.33	1.49	1.46	1.74	1.20	0.89	0.90	1.22	1.02	1.37	1.37	1.37	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

[illegible]



STATION NO	DATE YEAR
891475	1966

E → Estimated  
NR → No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

A strong wind after the normal time attempt. One night lists are a lower and minimum stage for the

[illegible]

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES  
YOLD BYPASS AT LINOSEY SLOUGH

STATION NO	WATER YEAR
891260	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	6:32 1:07	5:85 1:83	5:99 1:67	6:46 2:47	7:59 2:21	6:47 1:91	6:56 1:45	6:06 1:39	6:81 1:19	7:22 1:10	7:06 1:12	6:44 1:73	1
2	6:55 1:75	5:86 1:63	5:74 1:70	6:51 2:04	7:31 1:74	6:44 1:47	6:55 1:58	6:22 1:61	6:94 1:35	7:25 1:27	7:13 1:89	6:48 1:91	2
3	6:25 1:48	5:77 1:52	6:08 1:79	7:15 2:15	7:75 2:00	6:18 0:78	6:89 2:27	6:54 1:69	6:93 1:05	6:89 1:14	6:91 1:91	6:11 2:19	3
4	6:15 1:57	5:92 1:86	6:39 1:90	7:79 2:45	8:23 2:19	6:39 1:46	7:04 2:29	7:18 1:82	6:78 0:92	7:00 1:72	6:68 1:19	6:22 2:52	4
5	5:80 1:70	6:17 1:80	6:73 1:83	7:90 2:16	7:99 3:56	6:56 1:07	6:98 2:16	7:01 1:41	6:77 1:06	6:99 1:61	6:27 1:94	6:42 2:44	5
6	6:23 1:76	6:49 1:72	6:95 1:75	7:75 3:76	8:04 2:20	6:70 1:44	7:18 2:28	6:94 1:21	6:78 1:26	6:72 1:74	6:02 1:81	6:81 2:88	6
7	6:29 1:83	6:29 1:70	7:25 1:74	7:92 2:59	7:59 2:39	6:53 1:40	7:28 2:01	6:81 1:30	6:36 1:07	6:47 1:72	6:26 2:19	6:61 2:52	7
8	6:76 2:57	6:80 1:79	7:57 1:91	7:99 2:17	6:96 2:21	6:24 1:84	7:10 1:81	7:00 1:69	6:22 1:40	5:87 1:58	6:57 2:61	6:48 1:76	8
9	6:99 2:81	6:97 2:72	7:84 3:93	7:58 2:11	6:63 2:13	6:18 1:51	7:02 1:65	6:93 1:70	5:88 1:52	5:86 1:56	6:91 2:63	6:77 1:60	9
10	6:61 2:29	7:18 1:73	7:94 1:99	7:18 2:07	6:74 1:98	6:28 1:63	6:79 1:77	6:43 1:50	5:70 1:59	5:98 1:71	7:32 2:87	5:55 2:67	10
11	6:63 2:06	7:14 1:64	7:81 1:98	6:45 2:10	6:45 1:90	6:34 1:54	6:16 1:45	5:79 1:24	5:60 1:17	6:29 2:29	7:47 2:56	7:11 1:76	11
12	6:94 2:72	7:19 1:54	7:46 1:96	6:51 1:93	6:55 1:38	6:47 1:65	5:92 1:44	5:49 1:51	4:24 1:45	6:50 2:16	5:80 2:23	7:02 1:55	12
13	7:18 2:18	7:54 1:59	7:03 1:92	6:40 1:89	6:38 1:49	6:37 1:61	6:58 1:15	6:98 1:81	7:27 1:80	7:19 2:18	7:53 2:61	6:42 1:91	13
14	7:38 2:23	7:42 2:37	6:55 1:92	6:68 2:25	6:43 1:52	6:20 1:54	5:43 1:18	6:20 1:60	6:11 1:71	6:78 1:69	7:67 1:96	6:74 1:36	14
15	6:91 2:21	6:72 2:17	6:65 1:97	6:82 2:07	6:20 1:52	6:11 1:66	5:55 1:37	6:00 1:41	6:60 1:40	6:94 1:71	7:64 1:71	6:50 1:43	15
16	6:43 1:45	6:54 1:86	6:77 2:00	6:59 1:79	6:30 1:18	5:92 1:31	5:77 1:69	6:21 1:99	7:22 2:37	7:16 1:47	7:53 1:77	6:42 1:65	16
17	6:43 1:36	7:12 2:11	7:00 2:32	7:17 2:17	6:51 1:36	5:59 1:09	6:58 2:99	6:20 1:65	7:37 1:87	7:27 1:31	7:32 1:74	6:75 1:89	17
18	6:46 1:38	7:51 2:94	6:76 1:88	7:35 2:19	6:82 1:61	6:07 1:54	6:59 2:21	6:44 1:68	7:39 1:51	7:32 1:29	7:16 1:90	6:96 2:00	18
19	5:84 1:47	7:09 2:42	6:97 1:82	7:23 2:13	6:87 1:66	6:11 1:55	6:44 1:85	6:81 1:80	7:40 1:46	7:29 1:40	6:90 2:12	6:97 1:91	19
20	6:29 1:38	7:28 2:28	7:17 1:85	7:14 2:09	6:31 1:45	6:01 1:64	6:29 1:95	7:22 1:56	7:49 1:46	7:22 1:46	6:91 2:14	6:99 1:96	20
21	6:17 1:40	7:40 2:12	7:49 2:01	7:17 2:79	5:92 2:38	6:14 1:71	6:43 2:15	7:50 1:46	7:29 1:54	7:03 1:75	7:00 2:45	6:70 1:86	21
22	6:19 1:54	7:52 2:13	7:18 1:75	7:20 2:20	6:27 1:40	5:75 1:68	6:28 1:40	7:32 1:40	6:98 1:29	6:54 1:59	7:00 2:60	6:41 1:72	22
23	6:45 1:69	7:79 3:19	7:12 3:71	6:77 2:23	5:89 1:86	5:94 1:79	6:36 1:51	7:21 1:40	6:53 1:75	6:54 1:75	6:88 2:32	6:45 1:57	23
24	6:68 1:65	7:95 2:42	7:50 1:53	6:45 2:05	6:15 1:91	6:33 2:00	6:58 1:17	7:29 1:53	5:97 1:02	6:65 2:02	6:73 1:90	5:81 1:61	24
25	6:84 2:42	7:52 2:42	6:89 2:29	6:03 1:71	5:99 2:07	6:44 2:19	6:72 1:43	7:04 1:68	6:31 1:36	6:76 2:17	5:40 1:72	6:59 1:78	25
26	6:82 1:63	6:83 1:97	6:39 1:72	6:11 1:78	5:94 1:93	6:68 1:92	6:54 0:94	6:77 1:74	6:50 1:66	7:13 1:99	6:83 1:53	6:37 1:72	26
27	6:78 1:64	6:32 1:63	6:64 1:61	6:45 2:49	5:78 1:60	6:74 1:94	5:87 0:90	6:41 1:77	5:06 1:99	6:40 1:33	6:54 1:55	6:10 1:45	27
28	6:53 1:59	5:85 1:48	6:96 2:31	6:40 2:58	5:84 1:50	6:36 1:46	6:05 1:53	6:00 2:00	6:81 1:92	6:71 1:91	6:71 1:66	6:24 1:80	28
29	6:18 1:45	5:75 1:47	6:82 2:71	6:82 2:88	6:27 1:44	6:29 1:44	6:00 1:35	6:62 1:97	7:12 1:91	7:32 1:81	6:80 1:96	6:49 2:11	29
30	5:68 1:35	6:03 1:74	6:75 2:68	7:19 2:75	7:19 2:75	6:22 1:22	6:00 1:35	7:03 1:63	7:36 1:52	7:36 1:80	6:75 1:80	6:61 2:52	30
31	5:84 1:52	6:72 2:70	7:09 2:19	7:09 2:19	6:31 1:27	6:57 1:64	6:57 1:64	6:57 1:64	6:95 1:34	6:38 1:71	6:38 1:71	6:38 1:71	31
MAXIMUM	7:38	7:95	7:94	7:99	8:23	6:70	7:28	7:50	7:49	7:36	7:67	7:11	MAXIMUM
MINIMUM	1:35	1:47	1:53	1:71	1:18	0:78	0:90	1:21	0:92	1:14	1:33	1:36	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Strong wind affects the tidal stage pattern. Stage heights listed are maximum and minimum stage for day.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M D B & W	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SACRAMENTO RIVER AT RIO VISTA

feet

STATION NO.	WATER YEAR
891210	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
	6:08 1:44	5:49 2:02	5:73 1:48	6:24 2:42	7:43 2:36	8:40 2:05	6:35 1:41	5:81 1:46	6:61 1:42	7:03 1:42	6:87 1:44	6:14 1:59	
2	6:24 1:52	5:48 1:40	5:49 1:43	6:26 2:00	7:09 1:48	8:50 1:40	6:39 1:73	5:98 1:46	6:74 1:58	7:14 1:49	6:92 2:14	5:98 2:19	
3	5:08 2:12	5:53 1:48	5:82 1:51	6:86 2:08	7:54 2:16	8:02 0:95	6:30 2:46	6:76 1:96	6:76 1:30	6:75 1:23	6:75 2:17	5:87 2:44	3
4	5:00 2:11	5:43 1:45	6:13 2:08	7:50 2:35	7:03 2:28	6:20 1:05	6:81 2:51	6:56 2:04	6:57 1:17	6:81 1:22	6:68 2:10	5:98 2:54	4
5	5:59 1:84	5:05 2:02	6:43 1:96	7:63 2:09	7:73 2:29	6:35 1:20	6:74 2:41	6:78 1:65	6:59 1:27	6:80 1:84	6:10 2:20	6:43 2:61	5
6	5:96 1:97	6:22 1:86	6:66 1:87	7:50 2:07	7:78 2:28	6:47 1:63	6:91 2:46	6:71 1:47	6:59 1:52	6:52 1:79	5:88 2:06	6:66 2:99	6
7	6:05 2:06	6:39 2:23	6:99 1:82	7:67 3:00	7:32 2:46	6:29 1:69	7:03 2:17	6:45 1:52	6:14 1:25	6:22 1:88	6:10 2:43	5:50 2:69	7
8	6:52 2:79	6:51 1:98	7:30 1:96	7:75 2:07	6:79 2:40	5:98 1:75	6:87 2:00	6:80 1:85	6:02 1:59	5:70 1:78	6:41 2:85	6:34 1:97	8
9	6:69 1:02	6:47 1:85	7:61 2:07	7:32 2:07	6:38 2:28	5:69 1:93	6:80 1:79	6:72 1:90	5:70 1:71	5:65 1:79	6:80 2:02	6:64 2:99	9
10	6:27 2:50	6:44 3:33	7:69 4:34	6:94 1:99	6:53 2:19	6:05 1:03	6:61 1:91	6:23 1:69	5:56 1:74	5:81 1:94	7:20 2:67	6:96 1:88	0
11	6:32 2:23	6:40 1:79	7:55 2:07	6:20 2:02	6:21 2:06	6:12 1:73	5:99 1:60	5:64 1:46	5:43 1:39	6:12 2:51	7:34 2:60	5:50 2:04	1
12	6:67 2:35	6:49 1:89	7:20 2:07	6:22 1:86	6:35 1:69	6:26 1:72	5:79 1:47	5:77 1:86	5:65 1:72	6:33 2:31	7:48 2:02	6:65 1:79	12
13	6:94 3:40	7:13 1:77	6:80 2:04	6:30 1:92	6:07 1:60	5:19 1:75	5:19 1:30	5:11 1:89	4:22 2:05	6:46 1:97	5:64 2:55	6:82 1:74	13
14	7:12 2:40	7:12 2:43	6:30 2:02	6:44 2:26	6:29 1:62	5:23 1:67	5:23 1:35	5:99 1:80	5:92 1:93	4:75 1:85	7:57 2:30	6:54 1:64	14
15	6:69 2:35	6:47 2:29	6:42 2:06	6:64 2:10	6:13 1:42	5:95 1:85	5:33 1:58	5:78 2:09	6:46 1:82	6:78 1:82	7:55 2:57	6:75 1:75	15
16	6:22 1:60	6:27 2:01	6:57 2:12	6:49 1:80	6:12 1:31	5:75 1:44	5:58 1:93	5:99 2:22	7:10 2:55	6:98 1:64	7:40 2:10	6:21 2:00	16
17	6:17 1:52	6:77 2:27	6:75 2:45	6:97 2:09	6:31 1:53	5:42 1:22	6:43 3:13	6:01 1:90	7:21 2:10	7:03 2:02	7:13 2:24	6:53 2:24	17
18	6:21 1:55	7:13 3:07	6:55 1:55	7:15 2:09	6:82 1:80	5:84 1:68	6:41 2:46	5:23 1:92	7:27 1:80	7:09 1:51	6:92 2:14	6:74 2:29	18
19	6:06 1:63	6:73 2:62	6:72 1:69	7:10 2:03	6:68 1:82	5:86 1:68	6:22 2:20	6:63 2:06	7:26 1:65	7:09 1:65	6:67 2:40	6:80 2:15	19
20	5:61 1:56	6:93 2:44	6:90 1:90	6:97 1:95	6:12 1:63	5:76 1:45	6:09 2:18	7:00 1:85	7:34 2:18	7:01 1:70	6:70 2:42	6:81 2:22	20
21	5:00 1:62	7:05 2:27	7:24 2:05	6:95 2:02	5:78 1:87	5:84 1:87	6:22 1:77	7:31 2:33	7:19 1:80	6:83 1:76	6:82 2:73	6:53 2:08	21
22	5:88 1:78	7:19 2:29	7:13 1:84	7:01 3:88	6:09 2:69	5:54 1:69	6:27 1:48	7:11 1:66	6:81 1:57	6:36 1:83	6:87 2:87	6:19 1:90	22
23	6:16 1:94	7:44 2:56	6:84 1:94	6:52 2:09	5:71 1:54	5:69 1:26	6:16 1:74	7:01 1:85	6:48 1:65	6:38 2:02	6:75 2:57	6:29 1:76	23
24	6:37 1:87	7:59 4:39	7:21 3:96	6:30 1:98	5:95 2:15	6:06 2:19	6:41 1:38	7:09 1:77	5:80 1:30	6:51 2:27	6:64 2:14	5:62 2:02	24
25	6:59 1:83	7:22 2:56	6:68 2:31	5:89 1:91	5:80 2:30	6:44 2:35	6:55 1:64	6:89 1:89	6:13 1:65	6:42 1:92	6:64 1:92	6:37 1:99	25
26	6:57 2:95	6:58 2:13	6:17 1:74	5:96 1:99	5:61 2:11	6:47 2:00	6:40 1:20	6:61 1:93	6:31 1:94	6:95 2:23	5:10 1:77	6:18 1:94	26
27	6:54 1:84	6:10 1:77	6:37 1:63	6:46 2:71	5:64 1:72	6:50 2:04	5:83 1:17	6:23 1:94	4:89 2:28	7:10 2:31	6:39 1:60	5:98 1:81	27
28	6:31 1:76	5:63 1:63	6:76 2:29	6:25 2:80	5:75 1:61	6:20 1:60	6:00 1:70	6:40 2:20	6:65 2:16	5:44 1:25	6:53 1:85	6:03 2:09	28
29	5:95 1:63	5:53 1:62	6:61 2:69	6:66 3:11		6:14 1:56	5:87 1:54	5:61 2:22	6:97 2:15	7:19 2:05	6:68 2:18	6:30 2:39	29
30	5:69 1:49	5:79 1:86	6:45 2:63	7:05 2:90		6:07 1:35	5:82 1:56	6:28 2:10	6:26 1:72	7:22 2:06	6:60 2:06	6:41 2:80	30
31	5:68 1:67		6:46 2:62	6:92 2:34		6:14 1:41		6:36 1:86		6:77 1:59	6:20 1:95		31
MAXIMUM	7:12	7:59	7:69	7:75	7:93	6:50	7:03	7:31	7:34	7:22	7:57	6:96	MAXIMUM
MINIMUM	1:49	1:62	1:54	1:80	1:31	0:95	1:17	1:41	1:17	1:23	1:60	1:64	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

For information when the crest is not a stage, the stage is given in parentheses and the crest is given in parentheses.

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DATING OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R MOD B&M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD FROM	TO	ZERO ON GAUGE
			CF5	GAGE HT	DATE					

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES  
THREEMILE SLOUGH AT SACRAMENTO RIVER

STATION NO.	WATER YEAR
891160	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	3.09 -1.09	2.66 -0.96	2.73 -0.99	3.20 -0.51	4.37 -0.60	3.37 -0.94	3.29 -1.36	2.71 -1.27	3.57 -1.20	3.98 -1.10	3.81 -1.09	3.09 -0.94	1
2	3.29 -1.01	2.46 -1.20	2.46 -0.81	3.22 -0.87	4.06 -1.10	3.47 -1.35	3.33 -1.24	2.84 -1.09	3.71 -1.38	4.06 -1.38	3.88 -0.83	2.93 -0.74	2
3	3.04 -0.82	2.48 -1.26	2.78 -0.98	3.85 -0.45	4.49 -0.80	2.99 -2.03	3.64 -0.51	3.19 -0.93	3.72 -1.64	3.68 -1.58	3.68 -0.82	2.85 -0.44	3
4	2.94 -0.81	2.63 -1.10	3.13 -0.81	4.46 -0.59	4.87 -0.72	3.17 -1.67	3.69 -0.51	3.83 -0.90	3.56 -1.76	3.74 -1.32	3.41 -0.85	2.95 -0.35	4
5	2.57 -1.09	2.86 -0.90	3.61 -0.92	4.56 -0.87	4.66 -1.50	3.31 -1.13	3.64 -1.67	3.65 -1.67	3.57 -1.67	3.75 -1.13	3.04 -0.76	3.40 -0.29	5
6	2.96 -0.96	3.17 -0.57	3.62 -1.07	4.40 -1.12	4.68 0.83	3.42 -1.31	3.78 -0.52	3.60 -1.49	3.59 -1.44	3.47 -1.03	2.81 -0.65	3.65 0.08	6
7	3.06 -0.98	3.36 -0.73	3.95 -1.11	4.61 -0.90	4.24 -0.51	3.24 -1.26	3.92 -0.78	3.54 -1.67	3.16 -1.67	3.22 -1.06	3.04 -0.46	3.48 -0.25	7
8	3.48 -0.18	3.49 -0.98	4.28 -0.95	4.69 -1.15	3.70 -2.59	2.96 -1.18	3.79 -0.96	3.68 -1.09	3.05 -1.34	2.67 -1.15	3.38 -0.04	3.30 -0.98	8
9	3.66 0.08	3.64 -1.06	4.61 -0.86	4.25 -0.89	3.28 -0.72	2.87 -1.00	3.72 -1.16	3.62 -1.03	2.72 -1.24	2.62 -1.11	3.76 -0.06	3.61 -1.16	9
10	3.28 -0.45	3.82 0.41	4.69 1.49	3.86 -0.99	3.45 -0.66	2.99 -1.07	3.55 -1.07	3.19 -1.23	2.55 -1.23	2.78 -0.97	4.16 -0.12	3.89 -1.10	10
11	3.28 -0.70	3.81 -1.17	4.64 -0.87	3.83 -0.96	3.13 -0.87	3.07 -1.25	3.00 -1.43	2.60 -1.43	2.82 -1.43	3.09 -1.43	4.26 -0.46	3.61 -0.99	11
12	3.62 -0.61	3.88 -1.27	4.20 -0.87	3.12 -1.14	3.30 -1.16	3.24 -1.12	2.82 -1.31	2.70 -1.23	-1.18 -1.20	3.26 -0.58	4.41 -0.46	3.73 -1.23	12
13	3.88 -0.47	4.16 -1.22	3.79 -0.92	3.21 -1.06	3.04 -1.35	3.16 -1.37	2.41 -0.88	2.07 -1.05	2.62 -0.88	1.57 -0.96	2.71 -0.60	3.76 -1.22	13
14	4.07 -0.55	4.16 -0.53	3.27 -0.88	3.34 -0.69	3.28 -1.35	3.01 -1.27	2.24 -1.60	1.88 -1.12	2.90 -1.01	1.08 -1.08	2.73 -0.75	3.47 -1.31	14
15	3.66 -0.62	3.49 -0.68	3.36 -0.86	3.55 -0.83	3.15 -1.53	2.96 -1.11	2.32 -1.33	2.68 -0.66	3.41 -0.87	3.72 -1.31	4.35 -0.98	3.20 -1.18	15
16	3.21 -1.29	3.28 -0.96	3.51 -1.09	3.48 -0.91	3.07 -1.16	2.74 -1.75	2.56 -0.49	2.88 -0.49	4.07 -1.25	3.91 -1.20	4.24 -0.94	3.12 -0.82	16
17	3.16 -1.43	3.40 -0.68	3.72 -0.44	3.90 -0.89	3.24 -1.45	3.33 -1.75	3.33 0.15	2.98 -1.02	4.17 -0.87	3.99 -1.41	-0.03 -0.98	3.45 -0.73	17
18	3.17 -1.43	4.12 0.12	3.50 -0.97	4.09 -0.89	3.57 -1.17	2.82 -1.28	3.37 -0.47	3.22 -1.00	4.20 -1.17	4.03 -1.41	3.63 -0.80	3.68 -0.72	18
19	3.02 -1.34	3.71 -0.31	3.71 -1.03	4.05 -0.91	3.63 -1.16	2.83 -1.26	3.19 -0.49	3.57 -0.88	4.24 -1.25	4.62 -1.20	3.99 -0.53	3.75 -0.82	19
20	2.55 -1.40	3.90 -0.49	3.88 -1.03	3.95 -0.99	3.07 -1.35	2.72 -1.02	3.66 -1.05	3.98 -0.77	4.29 -1.18	3.95 -1.22	3.61 -0.50	3.74 -0.78	20
21	2.87 -1.34	4.03 -0.68	4.25 -0.85	3.89 -1.01	2.73 -1.35	2.79 -1.06	3.19 -1.19	4.31 -0.63	4.09 -1.20	3.75 -1.16	3.75 -0.20	3.47 -0.91	21
22	2.82 -1.18	4.18 -0.67	4.17 -1.03	3.90 -0.89	3.01 -0.89	2.51 -1.41	3.24 -1.27	4.13 -1.27	3.79 -1.42	3.31 -1.09	3.77 -0.51	3.14 -1.11	22
23	3.11 -1.01	4.44 -0.42	3.85 -1.35	3.55 0.82	2.65 -0.92	2.64 -0.93	3.15 -1.66	4.01 -1.21	3.44 -1.33	3.28 -0.90	3.66 -0.41	3.25 -1.26	23
24	3.30 -1.11	4.55 1.52	4.19 1.09	3.23 -1.01	2.89 -0.81	3.01 -0.74	3.39 -1.53	4.10 -1.18	2.80 -1.63	3.42 -0.64	3.55 -0.91	2.57 -1.01	24
25	3.52 -1.14	4.21 -0.40	3.68 -0.41	3.83 -1.08	3.78 -0.45	3.07 -0.59	3.88 -1.34	3.88 -1.07	3.06 -0.51	3.54 -0.51	3.65 -1.10	3.31 -1.04	25
26	3.50 0.01	3.50 -0.82	3.18 -1.20	2.90 -0.98	2.79 -0.83	3.41 -0.84	3.42 -1.71	3.62 -1.04	3.27 -1.00	3.90 -0.70	2.11 -1.19	3.16 -1.01	26
27	3.50 -1.18	3.11 -1.18	3.37 -1.30	3.37 -0.26	2.61 -1.24	3.42 -0.92	2.61 -1.78	3.22 -1.02	1.86 -0.66	2.30 -0.61	3.35 -1.32	2.97 -1.14	27
28	3.27 -1.22	2.66 -1.32	3.86 -0.60	3.18 -0.16	2.72 -1.35	3.17 -1.36	2.91 -1.24	3.22 -0.72	3.46 -0.79	4.91 -0.78	3.10 -1.11	3.00 -0.90	28
29	2.92 -1.46	2.52 -1.33	3.61 -0.23	3.61 0.15	3.03 -1.38	2.77 -1.37	3.39 -0.70	3.88 -0.87	4.13 -0.87	3.61 -0.84	3.42 -0.57	3.22 -0.57	29
30	2.69 -1.47	2.78 -1.09	3.45 -0.26	3.99 -0.06	3.03 -1.62	2.71 -1.35	2.71 -1.35	3.28 -1.17	3.91 -1.17	4.16 -0.86	3.53 -0.91	3.31 -0.16	30
31	2.68 -1.29	2.68 -1.29	3.42 -0.26	3.88 -0.65	3.09 -1.55	3.09 -1.55	3.32 -1.07	3.32 -1.07	3.32 -1.07	3.32 -1.07	3.32 -1.07	3.32 -1.07	31
MAXIMUM	4.07	4.55	4.69	4.69	4.87	3.47	3.92	4.31	4.29	4.16	4.43	3.89	MAXIMUM
MINIMUM	-1.47	-1.33	-1.35	-1.14	-1.65	-2.03	-1.78	-1.49	-1.76	-1.58	-1.32	-1.31	MINIMUM

E - Est. mated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Long wave affluents from north, south, and west. Stage height increases by maximum and minimum stage.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R W O B & M	OF RECORD			DISCHARGE			PERIOD		
			CFS	GAGE HT	DATE	DISCHARGE	GAGE HEIGHT ONLY		FROM	TO	REF DATUM

**TABLE B-12 (Cont.)**  
**DAILY MAXIMUM AND MINIMUM TIDES\***  
 SACRAMENTO RIVER AT COLLINSVILLE

DATE	in feet												DATE
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
1	15.29 11.97	16.40 12.77	16.28 12.28	17.20 12.24	16.70 12.39	15.64 11.51	15.91 12.53	16.13 11.69	17.77 11.43	16.75 11.19	15.61 11.73	16.12 12.40	1
2	16.10 11.96	15.79 12.55	16.52 12.33	17.34 12.90	16.54 12.31	15.88 11.69	16.09 12.41	16.23 11.42	16.93 11.42	16.37 11.41	15.95 12.05	16.22 12.27	2
3	16.09 12.13	15.70 11.86	16.28 11.66	17.62 12.81	16.57 12.35	15.85 11.65	15.99 12.10	16.28 11.28	16.78 11.43	16.69 11.35	16.03 12.33	16.15 12.19	3
4	16.05 12.41	15.86 11.89	16.15 11.62	17.65 12.76	16.21 12.55	16.30 12.32	16.31 12.05	16.48 11.42	16.67 11.49	16.72 11.49	16.28 12.44	16.11 12.76	4
5	15.87 12.52	15.96 11.89	16.02 11.59	18.02 12.41	16.30 12.89	15.72 12.22	16.39 12.00	16.29 12.93	16.33 11.43	15.96 11.77	16.18 12.17	16.24 11.94	5
6	15.94 12.45	16.33 11.95	15.83 11.46	17.92 12.73	16.39 12.93	15.74 12.26	16.31 12.35	15.68 10.70	15.71 11.43	15.06 12.36	16.25 12.40	16.07 12.19	6
7	15.05 12.44	15.24 11.89	15.80 11.55	17.28 12.47	15.10 12.91	15.85 12.33	16.28 11.77	15.36 12.80	15.90 11.60	16.24 12.24	16.29 11.94	15.25 11.86	7
8	15.86 12.14	16.41 12.10	15.74 11.73	18.61 12.81	15.18 12.09	16.34 12.18	16.61 12.24	15.14 10.84	15.76 11.96	16.48 12.38	14.91 11.72	16.13 11.91	8
9	15.89 13.19	15.22 12.12	15.54 11.62	16.52 12.41	15.11 12.01	16.15 12.15	16.54 11.46	15.30 11.97	16.16 11.97	16.35 11.89	16.28 11.71	16.12 12.03	9
10	15.85 12.17	15.93 12.48	15.18 11.67	16.76 12.12	16.25 12.30	15.11 11.81	16.38 12.08	15.56 11.28	16.83 11.77	14.43 11.50	16.25 11.71	16.17 12.10	10
11	15.79 12.10	15.91 12.16	15.24 11.48	17.75 12.01	16.47 11.96	16.18 11.91	15.89 11.72	15.53 11.68	16.43 11.96	16.36 11.49	16.29 11.75	15.96 12.22	11
12	15.60 12.18	15.60 12.76	15.01 11.61	17.19 12.81	16.65 11.80	16.50 11.59	16.09 11.98	15.82 11.98	16.74 11.63	16.40 11.50	16.11 11.64	15.78 12.24	12
13	15.62 12.45	15.49 12.20	14.89 11.38	17.38 12.12	16.74 11.99	16.47 11.30	16.74 12.06	16.16 11.11	16.36 11.43	15.95 11.52	15.75 11.59	15.46 12.46	13
14	15.35 12.01	15.32 11.80	15.39 11.78	17.22 12.00	17.20 12.19	16.23 11.58	16.11 12.51	16.18 11.51	16.38 11.38	16.44 11.59	15.84 11.83	15.70 12.71	14
15	15.54 11.93	15.21 11.65	15.86 11.92	17.55 12.78	17.10 12.78	16.39 11.89	16.39 12.60	16.11 11.38	16.35 11.29	16.34 11.64	15.83 12.08	16.24 12.78	15
16	15.35 12.06	15.21 12.71	15.87 11.87	17.58 12.48	16.75 12.23	16.33 11.53	16.33 12.47	16.17 11.48	16.38 11.48	15.62 11.62	15.55 11.55	15.94 12.46	16
17	15.32 11.92	15.23 11.91	15.91 12.01	17.51 12.01	16.76 11.96	15.72 11.68	16.34 12.64	16.15 11.55	16.26 11.67	15.84 11.64	15.62 12.44	16.27 11.94	17
18	15.30 11.95	16.28 12.33	16.92 11.89	17.36 12.48	16.34 12.08	15.47 11.78	16.32 12.01	15.98 11.76	15.71 11.76	15.71 11.78	15.92 12.60	16.27 11.77	18
19	15.37 12.03	16.35 11.70	17.55 12.19	17.44 12.75	15.93 12.92	15.58 11.62	16.22 11.94	15.66 11.28	15.86 11.46	15.80 11.92	15.97 12.60	16.26 11.78	19
20	15.65 12.12	16.51 11.66	17.29 12.11	17.09 12.70	16.15 12.81	15.59 11.68	16.23 11.92	15.11 12.20	15.40 11.62	15.58 11.81	16.77 12.13	15.41 11.65	20
21	15.88 11.98	16.58 13.33	17.46 12.22	16.44 12.48	16.30 12.85	15.64 11.65	15.71 11.91	15.70 11.51	15.71 11.76	15.74 11.76	16.52 11.95	15.15 11.80	21
22	16.16 12.06	16.39 12.59	17.71 12.55	16.25 12.61	16.29 11.66	15.85 11.95	15.41 11.95	14.66 11.17	15.72 12.10	16.13 12.22	16.76 11.79	16.25 11.47	22
23	16.58 13.35	16.19 11.48	17.05 13.50	16.35 13.82	15.83 12.27	15.83 11.79	14.96 11.01	15.32 11.53	15.40 12.05	15.40 12.34	16.90 12.93	16.41 12.91	23
24	16.53 12.19	15.65 11.45	17.58 13.55	15.98 13.38	15.80 11.70	15.56 11.65	15.17 11.75	15.12 11.35	16.11 12.97	16.11 11.86	15.29 11.78	16.43 12.16	24
25	16.42 12.04	15.72 11.58	18.02 15.22	16.20 12.78	15.54 11.55	15.14 11.51	14.85 11.92	15.47 11.61	16.07 11.95	16.07 11.81	16.89 11.87	16.29 12.39	25
26	16.35 12.04	15.68 11.87	18.55 15.61	15.91 12.93	15.71 12.33	15.07 11.68	14.67 11.88	15.69 11.99	14.58 11.40	15.96 11.86	16.77 11.78	16.21 12.35	26
27	16.01 11.96	15.60 11.97	18.26 15.85	15.87 12.13	16.08 11.78	15.60 11.55	14.74 12.25	14.74 12.12	16.42 11.23	16.87 11.40	16.54 11.78	16.21 12.56	27
28	15.92 11.81	15.72 12.05	18.10 15.22	16.11 12.15	15.81 11.48	15.22 11.48	15.92 12.45	16.13 11.71	16.70 11.24	16.87 11.42	16.29 11.87	16.12 12.17	28
29	15.61 12.05	15.59 11.71	17.93 16.71	16.30 12.21	15.34 11.52	15.34 11.40	16.75 11.96	16.27 11.39	16.97 11.41	16.73 11.41	15.95 12.24	15.96 12.50	29
30	15.39 11.96	15.75 12.00	17.61 14.38	16.46 12.23	15.28 12.23	15.79 11.79	16.09 12.93	16.68 11.59	16.16 11.47	16.45 11.40	16.15 12.50	15.75 11.77	30
31	15.67 12.19	17.70 13.81	16.66 12.47	15.95 12.47	15.95 12.16	15.95 12.16	17.12 11.72	17.12 11.72	16.13 11.47	16.13 11.47	16.18 12.51	16.43 11.67	31
<b>MAXIMUM</b>													
<b>MINIMUM</b>													

\* - Datetime -

\*To convert to machine process unit, subtract 0.001 from the tide value.  
 Subtract 0.001 feet to obtain mean low water.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R MO B KM	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	
38°04'25"	121°51'18"	SW 2 3N E	111	4.80	1968	1000	1000	1968	1968	1968

SECTION LOCATED 0.4 mi. SW of SEISMIC Hwy 3.8 mi. N. of SEISMIC Hwy.  
Map No. 1000

Station located 0.5 mi. SW of Collinsville, La. 2.5 mi. from mouth of  
 Maximum gage height does not include maximum discharge.

**TABLE B-12 (Cont.)**  
**DAILY MAXIMUM AND MINIMUM TIDES**  
 SACRAMENTO RIVER AT COLLINSVILLE

STATION NO.	WATER YEAR
E31110	1966

in feet													ED1110	1966
DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE	
1	5.60 1.69	5.08 1.64	NR	5.70 2.24	6.83 2.10	5.80 1.64	5.76 1.23 E	5.26 1.36	5.99 1.61	6.39 1.52	6.20 1.66	5.57 1.82	1	
2	5.76 1.72	4.98 1.56	4.08 2.62	5.76 1.61	6.51 1.60	5.91 1.25 E	5.84 1.44	5.40 1.70	6.11 1.21 E	6.46 1.39	6.29 1.89	5.41 2.04	2	
3	5.50 1.78	5.01 1.52	5.30 1.81	6.35 1.92	6.93 1.88	5.51 0.60 E	6.12 2.04	5.74 1.81	6.13 1.09 E	6.08 1.20	6.09 1.89	5.28 2.30	3	
4	5.45 1.75	5.17 1.68	5.62 1.96	6.99 2.22	7.31 1.98	5.69 0.81	6.01 2.12	6.31 1.80	5.97 1.00 E	6.19 1.43	5.80 1.87	5.38 2.40	4	
5	5.03 1.65	5.36 1.87	5.91 1.83	7.09 1.85	7.09 1.97	5.84 0.98	6.09 2.20	6.20 1.62	6.02 1.10	6.11 1.55	5.47 1.97	5.75 2.38	5	
6	5.45 1.71	5.70 2.20	6.17 1.70	6.88 1.59	7.07 2.13	5.96 1.39	6.17 2.06	6.21 1.21 E	6.02 1.17 E	5.86 1.55	5.22 1.91	5.95 2.50	6	
7	5.58 1.87	5.90 2.08	6.43 1.68	7.07 1.81	6.65 2.05	5.75 1.40	6.36 1.87	6.09 1.28 E	5.65 1.04 E	5.57 1.56	5.44 2.25	5.91 2.31	7	
8	5.90 1.78	6.00 1.70	6.77 1.80	7.10 1.80	6.12 2.98	5.47 1.55	6.27 1.66	6.20 1.51	5.48 1.25	5.09 1.55	5.79 2.68	5.74 1.73	8	
9	6.02 2.70	6.17 1.70	7.09 1.88	6.70 1.71	5.70 1.91	5.40 1.71	6.24 1.59	5.14 1.68	4.98 1.35	6.12 1.60	6.00 2.64	6.00 1.51	9	
10	5.77 2.22	6.30 1.57	7.18 1.89	6.34 3.46	5.87 1.99	5.52 1.62	6.05 1.58	5.75 1.31	4.90 1.40	5.21 1.71	6.40 2.48	6.28 1.51	10	
11	5.79 2.04	6.30 3.32	7.01 1.89	5.60 1.76	5.60 1.83	5.59 1.52	5.50 1.41	5.13 1.19 E	4.87 1.11 E	5.50 2.17	6.60 2.35	6.18 1.62	11	
12	5.10 1.62	6.43 1.46 E	6.88 1.88	5.70 1.61	5.70 1.72	5.40 1.66	6.29 1.29 E	5.21 1.21	5.85 1.34	4.29 2.08	6.71 2.12	5.70 1.71	12	
13	6.41 3.20	6.83 1.57	6.25 1.79	5.72 1.71	5.50 1.28	5.65 1.49	4.74 1.12 E	5.40 1.56	5.40 1.91	5.95 1.75	5.01 2.00	6.14 1.49	13	
14	6.60 2.25	6.72 2.29	5.78 1.90	5.79 2.03	5.71 1.28	5.49 1.38	4.67 1.02 E	4.51 1.53	4.13 1.80	6.15 1.60	6.77 1.88	5.93 1.47	14	
15	6.21 2.10	6.05 2.12	5.84 1.96	6.01 1.88	5.64 0.99 E	5.39 1.47 E	4.80 1.60 E	5.21 1.98	5.85 1.89	4.29 1.35	6.71 1.76	5.70 1.60	15	
16	5.78 1.54	5.80 1.81	5.99 2.30	5.98 1.60	5.57 0.91 E	5.21 1.02 E	5.07 1.73	5.42 2.01	6.41 2.16	6.34 1.31	6.66 1.70	5.57 1.83	16	
17	5.73 1.29	6.29 2.09	6.18 2.30	6.39 1.81	5.75 1.20 E	4.90 0.83 E	5.70 2.63	5.43 1.78	6.51 1.79	6.40 1.26	5.82 1.67	5.26 2.06	17	
18	5.71 1.33	6.58 2.69	5.98 1.78	6.57 1.61	6.03 1.58	5.29 1.38	5.91 2.19	5.68 1.75	6.61 1.54	6.43 1.27	6.20 1.85	6.11 1.98	18	
19	5.61 1.43	6.20 2.46	6.17 1.70	6.57 1.75	6.11 1.55	5.29 1.31 E	5.72 2.08	6.00 1.80	6.66 1.40	6.42 1.36	5.95 2.10	6.18 1.90	19	
20	5.49 1.41	6.37 2.28	6.37 1.71	6.48 1.70	5.57 1.30	5.18 1.51	5.56 1.71	6.43 1.89	6.68 1.42	6.39 1.50	5.95 2.20	6.03 1.93	20	
21	5.28 1.48	6.50 2.09	6.70 1.89	6.38 1.72	5.25 1.32	5.22 1.61	5.73 1.56	6.73 1.92	6.48 1.36 E	6.18 1.60	6.02 2.47	5.86 1.80	21	
22	5.42 1.70	6.66 2.10	6.65 1.68	6.39 1.79	5.53 1.85	4.98 1.71	5.80 1.37 E	6.59 1.61	6.17 1.18 E	5.73 1.66	6.12 2.35	5.59 1.64	22	
23	5.70 1.81	NR	6.30 1.36	6.02 1.70	5.16 1.92	5.16 1.81	5.71 1.11 E	6.43 1.46	5.80 1.28	5.65 1.80	6.05 2.21	5.66 1.51	23	
24	5.88 1.71	NR	6.51 2.08	5.71 3.42	5.40 2.49	5.50 2.01	5.91 1.34 E	6.44 1.47	5.27 1.10 E	5.82 2.08	5.90 1.72	5.71 1.62	24	
25	6.09 1.68	NR	6.12 1.51	5.31 1.69	5.27 2.11	5.80 2.04	6.03 1.45 E	6.21 1.51	5.49 1.45	5.98 2.20	6.00 1.52	4.96 1.71	25	
26	6.06 1.56	NR	5.67 1.43	5.40 1.78	5.28 1.85	5.81 1.80	5.89 1.05 E	5.93 1.56	5.67 1.73	6.25 1.99	5.78 1.50	5.56 1.70	26	
27	6.00 3.16	NR	5.89 3.88	5.89 2.50	5.10 1.46	5.86 1.70	5.46 0.97 E	5.60 1.53	5.97 2.04	6.35 1.95	5.45 1.36	5.43 1.69	27	
28	5.80 1.52	NR	6.19 2.18	5.69 2.60	5.20 1.33 E	5.62 1.22 E	5.71 1.33 E	5.71 1.87	4.48 1.90	4.78 1.82	5.90 1.56	5.50 1.92	28	
29	5.49 1.40	NR	6.10 2.56	6.10 2.91	5.59 2.91	5.59 1.09 E	5.38 1.24 E	5.75 1.94	6.22 1.74	6.45 1.75	6.01 2.24	5.64 2.24	29	
30	5.23 1.27	NR	5.92 2.50	6.47 2.67	5.46 2.67	5.46 0.92 E	5.25 1.30 E	4.60 1.95	6.31 1.52	6.51 1.82	5.90 1.78	5.70 2.51	30	
31	5.17 1.42	NR	5.90 2.51	6.26 2.07	5.58 2.07	5.58 1.09 E	5.75 1.09 E	5.75 1.65	6.18 1.41	5.61 1.70	6.18 1.70	5.61 1.70	31	
MAXIMUM	6.60	NR	7.18	7.10	7.31	5.96	6.36	6.73	6.68	6.51	6.77	6.28	MAXIMUM	
MINIMUM	1.29	NR	1.36	1.59	0.91 E	0.60 E	0.97 E	1.19	1.00	1.20	1.36	1.41	MINIMUM	

E - Estimated  
 NR - No Record

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R MOB & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	
38°04'25"	121°51'18"	SH27 35.1E	9.2		-1/6/58			June 29-Date	1929 1929	0.00 -3.05 USED USGS
Station located 0.4 mi. SW of Collinsville, 3.3 mi. NE of Pittsburg. Maximum gage height does not indicate maximum discharge.										

SAN JOAQUIN RIVER AT MOSSDALE BRIDGE

E = Estimated	CREST STAGES											
NR = No Record	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

A Strong winds affected the normal tidal pattern. Gage height listed are maximum and minimum stage.

247



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES  
SAN JOAQUIN RIVER AT BRANOT BRIDGE

STATION NO. 895740  
WATER YEAR 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	6:30 2:42	5:99 3:01	6:13 3:50	6:82 4:78	7:62 5:08	6:79 3:25	6:00 2:46	5:32 2:34	6:00 2:48	6:54 2:49	6:42 2:61	5:78 2:61	1
2	6:58 2:45	5:68 3:19	6:08 4:13	6:98 5:16	7:29 4:53	6:68 3:03	5:95 2:46	5:43 2:40	6:22 2:17	6:74 2:37	6:51 2:45	5:63 2:46	2
3	5:41 3:12	5:61 2:70	6:41 4:46	7:59 5:70	7:67 4:19	6:20 3:89	6:12 3:26	5:73 2:72	6:28 2:47	6:28 2:16	6:37 2:81	5:66 2:95	3
4	6:26 3:13	5:69 2:42	6:86 4:92	6:69 5:04	7:85 4:28	6:22 2:67	6:22 3:34	6:44 2:93	6:14 2:14	6:34 2:32	6:14 2:73	5:74 3:00	4
5	6:17 3:03	5:87 3:02	7:11 5:11	8:17 6:17	7:61 4:41	6:31 2:16	5:15 2:10	6:27 2:17	6:17 2:17	6:38 2:17	5:80 2:45	6:26 3:08	5
6	6:12 3:09	6:16 3:27	7:47 5:41	7:89 5:57	7:76 4:36	6:36 2:94	6:20 3:23	6:26 2:35	6:22 2:37	6:14 2:51	5:49 2:46	6:51 3:36	6
7	6:18 3:23	6:31 3:39	7:76 5:53	7:69 6:09	7:37 4:67	6:19 3:21	6:43 3:13	6:23 2:40	5:52 2:09	5:87 2:41	5:74 2:78	6:37 3:16	7
8	6:50 3:87	5:46 3:36	7:96 5:61	7:84 6:44	6:96 4:92	5:83 3:09	5:41 2:06	6:28 2:48	5:23 2:23	5:77 2:53	5:07 2:49	6:26 3:08	8
9	6:41 4:19	6:58 3:23	6:17 5:67	7:42 4:70	6:51 4:46	5:73 2:96	6:38 2:67	6:50 2:68	5:55 2:32	5:34 2:20	4:88 3:11	6:23 2:40	9
10	6:40 3:79	6:80 3:19	8:02 4:41	7:07 6:23	6:80 4:23	5:81 2:89	6:39 2:84	6:13 2:40	5:40 2:23	5:30 2:26	6:50 3:17	6:40 2:40	10
11	6:35 3:62	6:82 3:17	7:73 4:96	6:36 4:29	6:28 3:75	5:41 2:69	6:01 2:57	5:27 2:21	5:44 1:83	5:44 2:74	6:00 3:19	6:47 2:77	11
12	6:65 3:42	6:91 3:10	7:46 4:68	6:33 3:97	6:88 3:88	6:16 2:90	5:85 2:47	5:42 2:27	5:11 2:05	5:75 2:58	7:09 3:00	6:47 2:59	12
13	6:98 3:56	6:83 3:32	7:02 4:45	6:43 3:96	6:30 4:45	6:15 3:56	5:36 2:35	5:53 2:34	5:27 2:36	5:85 2:38	7:16 3:09	6:34 2:73	13
14	7:18 3:73	7:18 3:35	6:57 4:32	6:55 4:08	6:51 3:52	6:06 2:64	5:14 2:05	5:66 2:33	5:46 2:32	6:24 2:30	7:12 2:98	6:10 2:56	14
15	6:87 3:75	6:76 3:58	6:61 4:20	6:73 4:19	6:39 4:37	6:03 2:80	5:22 2:30	5:42 2:70	5:93 2:53	6:30 2:22	6:94 2:79	5:83 2:59	15
16	6:53 3:33	6:32 3:38	6:71 4:15	6:86 3:58	6:22 3:34	5:43 2:47	5:35 2:58	5:60 2:11	6:63 2:06	6:54 2:44	6:77 2:45	5:78 2:73	16
17	6:44 3:06	6:46 3:41	6:81 4:25	7:07 4:74	6:36 3:17	5:41 3:47	6:15 3:62	5:58 2:58	6:75 2:70	6:56 2:34	6:56 2:62	6:11 2:88	17
18	5:73 3:03	7:12 4:23	6:68 4:25	7:26 4:03	6:64 3:26	5:61 2:16	6:08 3:29	5:79 2:65	6:75 2:69	6:62 2:39	6:36 2:87	6:34 3:05	18
19	6:47 3:17	6:75 3:85	6:86 4:18	7:27 3:78	6:71 3:46	5:66 2:51	5:80 3:91	6:17 2:62	6:17 2:60	6:54 2:44	6:22 2:45	6:46 2:90	19
20	6:20 3:03	6:89 3:97	7:05 4:23	7:21 4:07	6:18 3:56	5:50 2:61	5:59 2:51	6:56 3:00	6:91 2:71	6:47 2:47	6:20 2:97	6:59 2:89	20
21	6:02 3:03	7:03 3:95	7:39 4:24	7:04 3:96	5:92 3:23	5:56 2:76	5:76 2:51	6:92 3:17	6:63 2:52	6:27 2:47	6:38 3:22	6:40 2:78	21
22	5:84 3:02	7:24 3:41	7:51 4:41	7:07 3:93	6:23 3:14	5:19 2:59	5:88 2:52	6:75 2:63	5:41 2:45	5:93 2:63	6:42 2:63	5:25 2:63	22
23	5:66 3:06	7:47 4:12	7:22 4:44	6:72 3:94	5:88 3:47	5:24 2:54	5:81 2:10	6:69 2:67	6:12 2:36	5:47 2:54	5:24 3:00	6:09 2:53	23
24	6:14 3:06	7:62 4:22	7:15 4:06	6:34 3:73	5:97 3:35	5:53 2:76	6:03 2:22	6:76 2:69	5:53 2:11	5:78 2:72	6:40 2:55	6:12 2:75	24
25	6:38 3:02	7:32 4:39	6:86 4:48	5:98 3:48	5:89 3:34	5:94 3:02	5:26 2:43	6:67 2:75	6:67 2:29	6:51 2:70	6:11 2:46	6:12 2:75	25
26	6:36 2:99	6:80 4:20	6:76 3:83	6:04 3:25	5:99 3:25	6:00 2:83	6:38 2:32	6:38 2:68	5:58 2:45	6:08 2:65	6:36 2:51	5:85 2:68	26
27	6:42 2:94	6:46 3:06	6:52 3:46	6:45 3:50	5:83 3:40	6:09 2:72	5:83 1:88	5:82 2:59	5:82 2:73	6:43 2:75	6:07 2:32	5:80 2:78	27
28	6:26 2:91	6:07 3:81	7:11 3:76	6:21 3:62	5:84 2:74	5:98 2:31	5:91 2:35	5:77 2:83	6:10 2:66	6:42 2:72	6:19 2:63	5:70 2:76	28
29	6:10 2:67	5:97 3:74	6:72 4:11	6:37 3:62	6:04 3:62	5:71 2:31	5:71 2:32	5:97 2:75	6:38 2:69	6:69 2:64	6:32 2:78	5:89 2:98	29
30	5:94 2:68	6:10 3:80	6:41 4:04	7:05 4:02	5:86 3:50	5:86 2:13	5:47 2:32	5:82 2:46	6:45 2:46	6:77 2:76	6:23 2:82	6:12 3:43	30
31	5:95 2:75		6:78 4:12	7:10 4:28		5:86 2:25		5:81 2:46		6:29 2:35	5:85 2:68		31
MAXIMUM	7:16	7:62	8:17	8:17	7:85	6:79	6:43	6:92	6:91	6:77	7:16	6:67	MAXIMUM
MINIMUM	2:67	2:70	3:48	3:25	2:74	2:13	1:86	2:21	1:83	2:16	2:32	2:40	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1+SEC T & R M D B & W	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						

MCLEOD LAKE AT STOCKTON

E + Estimated  
NR + No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

249



STOCKTON SHIP CHANNEL AT BURNS CUTOFF

STATION NO	WATER YEAR
895660	1966

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Timing starts at 0600 and ends at 1800 hours. The pattern shows stage height. Dotted are maximum and minimum stage for day.

[illegible]

TABLE B-12 (CONT'D)  
DAILY MAXIMUM AND MINIMUM TIDES

SAN JOAQUIN RIVER AT RINDE PUMP

feet

STATION NO. 895620  
WATER YEAR 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	3:11 -0:78	2:77 -0:75	2:61 -0:82	3:14 -0:19	4:24 -0:10	3:52 -0:46	3:12 -0:93	NR	3:25 -0:72	3:78 -0:60	3:64 -0:77	2:87 -0:66	1
2	3:33 -0:74	2:44 -1:02	2:44 -0:99	3:14 -0:53	3:92 -0:52	3:45 -0:86	3:11 -0:76	NR	3:44 -0:83	3:96 -1:01	3:72 -0:48	2:74 -0:47	2
3	3:56 -0:56	2:57 -1:05	2:60 -0:86	3:58 -0:58	4:10 -1:18	3:29 -1:39	3:32 -1:00	2:92 -0:58	3:50 -1:11	3:50 -1:21	3:54 -0:48	2:70 -0:45	3
4	3:06 -0:56	2:56 -0:91	2:99 -0:44	4:19 -0:12	4:59 -0:23	3:08 -1:33	3:41 0:31	NR	3:34 -1:28	3:61 -1:00	3:29 -0:56	2:79 -0:22	4
5	2:93 -0:73	2:72 -0:66	3:21 -0:44	4:35 1:31	4:36 -0:06	3:19 -0:07	3:28 -0:20	NR	3:36 -1:27	3:64 -0:82	2:93 -0:52	3:27 -0:22	5
6	2:96 -0:64	3:02 -0:31	3:43 0:21	4:59 -0:27	4:46 -0:09	3:29 -1:07	3:45 -0:08	NR	3:40 -0:38	3:28 -0:41	2:66 -0:59	3:54 -0:28	6
7	3:11 -0:51	3:18 -0:08	3:67 -0:57	4:38 -0:42	4:00 0:19	3:13 -0:67	3:58 -0:30	NR	3:05 -1:30	3:27 -0:77	2:89 -0:38	3:40 -0:13	7
8	3:40 0:20	3:37 -0:35	4:10 -0:53	4:40 -0:22	3:55 0:12	2:81 -0:66	3:61 -0:31	NR	2:95 -0:97	3:26 -0:94	3:20 -0:64	3:24 -0:81	8
9	3:63 0:52	3:48 -0:52	4:39 -0:34	4:00 -0:23	3:11 -0:14	2:73 -0:72	3:51 -0:73	NR	2:82 -0:95	2:56 -0:95	3:64 -0:06	1:99 -0:88	9
10	3:22 0:12	3:71 -0:56	4:50 -0:22	3:65 -0:34	3:37 -0:05	2:77 -0:70	3:44 -0:59	NR	2:22 -1:05	1:54 -0:86	4:04 -0:02	3:45 -0:85	10
11	3:24 -0:06	3:70 -0:67	4:29 -0:35	2:97 -0:41	2:92 -0:61	2:92 -0:77	2:95 -0:37	NR	2:45 -1:40	2:69 -0:37	2:62 -0:21	3:77 -0:79	11
12	3:51 -0:31	3:76 -0:62	4:02 -0:67	2:90 -0:67	3:19 -0:48	3:17 -0:72	2:76 -0:97	NR	2:29 -1:17	2:49 -0:57	4:00 -0:29	3:56 -0:79	12
13	3:81 -0:21	3:74 -0:74	3:61 -0:35	2:98 -0:74	2:94 -1:00	3:15 -0:83	2:33 -1:30	2:62 -0:87	2:47 -0:84	3:10 -0:91	4:26 -0:25	3:46 -0:71	13
14	4:03 -0:15	4:05 -0:35	3:15 -0:18	3:11 -0:48	3:18 -0:46	3:00 -0:90	2:17 -0:94	NR	2:70 -1:04	3:44 -0:58	4:26 -0:25	3:20 -0:45	14
15	3:65 -0:12	3:54 -0:31	3:16 -0:45	3:30 -0:43	3:09 -1:04	2:96 -0:77	2:20 -1:10	NR	3:20 -0:66	3:53 -1:07	4:11 -0:54	2:94 -0:73	15
16	3:28 -0:70	3:52 -0:50	3:28 -0:45	3:37 -0:37	2:96 -1:12	2:78 -1:09	2:38 -0:74	NR	3:88 -0:20	3:77 -0:93	3:96 -0:47	2:86 -0:56	16
17	3:22 -1:14	3:27 -0:35	3:42 -0:18	3:74 -0:48	3:09 -0:49	2:38 -1:37	3:24 0:21	NR	3:98 -0:58	3:84 -1:05	3:73 -0:48	3:25 -0:38	17
18	3:24 -1:06	3:92 0:43	3:25 -0:52	3:91 -0:35	3:34 -0:99	2:65 -0:94	3:20 -0:23	2:99 -0:69	4:02 -0:80	3:88 -0:97	3:62 -0:38	3:45 -0:27	18
19	2:60 -0:86	3:48 -0:03	3:40 -0:55	3:94 1:25	3:42 -0:62	2:68 -0:89	2:98 -0:53	3:37 -0:77	4:05 -0:87	3:83 -0:87	3:37 -0:18	3:55 -0:45	19
20	2:99 -0:94	3:68 -0:02	3:59 -0:35	3:84 -0:37	2:89 -0:59	2:54 -0:32	NR	3:75 -0:34	4:15 -0:67	3:76 -0:85	3:34 -0:25	3:68 -0:45	20
21	2:79 -0:86	3:77 0:40	3:97 -0:55	3:72 -0:48	2:67 -0:89	2:63 -0:63	NR	4:15 -0:21	3:87 -0:80	3:60 -0:80	3:55 0:01	3:43 -0:60	21
22	2:70 -0:71	3:97 -0:22	4:06 -0:32	3:74 -0:49	2:97 -0:69	2:27 -0:70	NR	3:93 -0:77	3:69 -0:50	3:11 -0:83	3:56 -0:02	3:13 -0:70	22
23	2:95 -0:53	4:22 -0:22	3:62 -0:15	3:37 -0:37	2:52 -0:53	2:34 -0:74	NR	3:95 -0:71	4:15 -0:94	3:03 -0:25	3:27 -0:69	2:77 -0:89	23
24	3:18 -0:55	4:33 0:03	3:85 -0:85	3:08 -0:56	2:77 -0:49	2:71 -0:48	NR	3:93 -0:69	2:70 -1:26	3:14 -0:50	2:09 -0:69	3:15 -0:60	24
25	3:35 -0:63	4:07 0:06	3:50 -0:18	2:75 -0:68	2:67 -0:40	3:12 -0:26	NR	3:80 -0:56	2:26 -1:03	1:82 -0:46	3:40 -0:17	3:16 -0:58	25
26	3:36 -0:65	3:46 -0:35	3:07 -0:68	2:79 -0:64	2:70 -0:50	3:29 -0:44	NR	3:50 -0:65	2:81 -0:79	3:28 -0:63	3:09 -0:79	2:93 -0:65	26
27	3:42 -0:68	3:07 -0:74	3:23 -0:91	3:22 -0:06	2:55 -0:95	3:23 -0:53	NR	2:91 -0:67	3:07 -0:53	3:65 -0:53	3:15 -0:99	2:87 -0:60	27
28	3:25 -0:72	2:64 -0:95	3:40 -0:32	3:01 -0:03	2:71 -1:08	3:06 1:06	NR	2:99 -0:39	3:32 -0:60	3:81 -0:62	2:98 -0:70	2:80 -0:52	28
29	2:97 -0:95	2:57 -1:02	3:40 0:01	3:29 0:12	3:09 -1:06	3:09 -1:06	NR	3:21 -0:45	3:65 -0:60	4:07 -0:70	3:40 -0:56	3:05 -0:29	29
30	2:80 -1:15	2:73 -0:84	3:17 -0:15	3:81 0:19	2:98 -1:26	2:98 -1:26	NR	3:05 -0:58	3:68 -0:85	3:97 -0:62	3:31 -0:51	3:23 0:17	30
31	2:76 -1:07	3:31 -0:27	3:77 -0:18	2:99 -0:27	2:99 -1:11	2:99 -1:11	NR	3:06 -0:76	3:50 -0:99	2:96 -0:63	2:96 -0:63	3:06 -0:63	31
MAXIMUM	4:03	4:33	4:50	4:40	4:59	3:52			4:15	3:97	4:26	3:77	MAXIMUM
MINIMUM	-1:15	-1:02	-0:93	-0:74	-1:12	-1:39			-1:40	-1:21	-0:99	-0:69	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Strong winds affected the river tide system. (Peak heights listed are maximum and minimum stages for 1966.)

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M O B S M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD	ZERO ON GAUGE	REF DATUM	
			CFS	GAGE HT	DATE			FROM	TO		

SAN JOAQUIN RIVER AT VENICE ISLAND

10 feet

[illegible]

CREST STAGES

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R MOB&W	OF RECORO			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DNUM
			CFS	GAGENT	OATE			FROM	TO		
										- - -	

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

MIDDLE RIVER AT HAWYER

in feet

STATION NO.	WATER YEAR
1055561	1962

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	5:23 3:11	5:44 3:23	5:11 4:50	5:11 4:50	5:15 3:45	5:15 3:45	5:12 3:42	5:02 3:32	5:14 3:40	5:42 3:49	5:15 3:21	5:15 3:49	1
2	5:12 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	2
3	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	3
4	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	4
5	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5
6	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	6
7	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	7
8	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	8
9	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	9
10	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	10
11	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	11
12	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	12
13	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	13
14	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	14
15	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	15
16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	16
17	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	17
18	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	18
19	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	19
20	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	20
21	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	21
22	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	22
23	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	23
24	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	24
25	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	25
26	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	26
27	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	27
28	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	28
29	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	29
30	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	30
31	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	5:16 3:16	31
MAXIMUM	7:15	7:56	8:16	8:4	7:75	6:75	6:32	6:07	6:73	6:51	6:09	6:54	MAXIMUM
MINIMUM	3:01	3:01	3:46	3:42	2:40	2:40	2:46	2:46	2:05 E	2:04 E	2:29	2:54	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES								
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Long winds affected the above tidal prediction. High 0.8 ft above maximum and minimum stage for day.

LOCATION		1/4 SEC T & R M D B M	MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE		OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE			FROM	TO	

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

MIDDLE RIVER AT BORDEN HIGHWAY

in feet

STATION NO.	WATER YEAR
895500	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
	2.93 -0.72	2.59 -0.78	2.52 -0.71	3.09 -0.06	4.16 0.01	3.36 -0.53	2.78 -0.96	2.06 -1.08	2.84 -0.95	3.37 -0.84	3.22 -0.81	2.61 -0.69	
2	2.39 -0.71	2.26 -0.98	2.30 -0.81	3.07 -0.32	3.82 1.21	3.28 -0.86	2.75 -0.78	2.17 -0.86	3.07 -0.93	3.57 -0.98	3.28 -0.57	2.63 -0.55	2
3	3.22 -0.52	2.19 -0.98	2.52 -0.73	3.61 -0.17	4.14 -0.38	2.70 -1.36	2.92 0.04	2.48 -0.62	3.10 -1.15	3.10 -1.22	3.17 -0.60	2.43 -0.29	3
4	2.88 -0.88	2.39 -0.89	2.59 -0.89	3.18 -0.18	3.33 -0.33	2.78 -0.78	3.03 -1.30	3.23 -1.22	3.23 -1.31	2.60 -0.66	2.91 -0.61	2.53 -0.51	4
5	2.73 -0.51	2.51 -0.55	3.13 0.03	4.29 0.15	4.15 0.07	2.84 -1.22	2.93 -0.21	3.05 -0.86	3.01 -1.22	3.23 -0.82	2.58 -0.66	3.07 -0.25	5
6	2.72 -0.62	2.79 -0.26	3.37 -0.26	4.14 0.05	4.23 0.10	2.91 -1.00	3.06 -0.15	3.08 -1.03	3.11 -1.04	2.99 -0.83	2.24 -0.82	3.33 0.06	6
7	2.79 -0.49	2.76 -0.26	3.71 -0.28	4.24 -0.14	4.80 0.30	3.81 -0.83	3.24 -1.30	3.07 -0.77	2.78 -1.31	2.72 -0.66	2.51 -0.52	3.19 -0.51	7
8	3.12 0.23	3.14 -0.27	4.02 -0.22	4.28 0.03	3.41 0.25	2.46 -0.66	3.19 -0.41	3.30 -0.76	2.69 -1.06	2.24 -1.03	1.75 -0.21	1.49 -0.88	8
9	3.33 0.54	3.27 -0.42	4.36 -0.04	3.85 0.01	2.95 0.00	2.37 -0.72	3.17 -0.74	3.32 -0.31	2.39 -1.07	2.17 -1.06	2.79 -0.23	3.04 -0.97	9
10	2.95 0.14	3.60 -0.45	4.39 0.10	4.53 -0.18	3.39 0.25	2.76 -0.76	3.27 -0.31	2.97 -0.95	2.72 -1.19	2.17 -1.00	3.26 -0.16	2.88 -0.68	10
11	2.91 -0.06	3.53 -0.53	4.20 0.01	2.87 -0.51	2.75 -0.82	2.55 -0.98	2.73 -1.18	2.42 -1.47	2.05 -1.47	2.24 -0.53	3.70 -0.17	3.29 -0.62	11
12	3.23 -0.29	3.60 -0.65	3.93 -0.02	2.74 -0.48	3.09 -0.75	2.83 -1.06	2.28 -1.10	1.88 -1.22	2.58 -0.72	2.58 -0.71	3.86 -0.36	3.32 -0.80	12
13	3.56 -0.19	3.59 -0.59	3.54 -0.13	2.84 -0.58	2.87 -0.85	2.84 -0.87	2.84 -1.36	2.59 -0.95	2.58 -0.89	3.10 -0.81	3.48 -0.34	3.13 -0.13	13
14	3.77 -0.10	3.87 -0.34	3.07 -0.21	2.97 -0.36	3.12 -0.75	2.77 -0.99	1.87 -1.38	2.51 -0.99	2.26 -0.93	3.05 -1.05	3.87 -0.45	2.84 -0.81	14
15	3.46 -0.09	2.91 -0.19	3.04 -0.27	3.17 -0.24	3.03 -0.90	2.75 -1.15	1.96 -0.83	2.22 -1.14	2.77 -0.66	3.12 -0.73	3.70 -0.62	2.58 -0.74	15
16	3.12 -0.56	3.36 -0.42	3.16 -0.30	3.29 -0.43	2.85 0.49	2.51 -1.15	2.11 -0.81	2.60 -0.62	3.43 -0.25	3.34 -1.00	3.50 -0.53	2.52 -0.59	16
17	3.06 -0.94	3.11 -0.32	3.26 -0.09	3.61 0.82	2.97 -0.96	2.11 -1.40	2.91 0.13	2.39 -0.75	3.61 -0.60	3.40 -1.05	3.29 -0.45	2.83 -0.10	17
18	3.04 -0.93	3.73 0.51	3.08 -0.40	3.76 -0.29	3.19 -0.81	2.35 -1.01	2.87 -0.10	2.63 -0.69	3.59 -0.78	2.61 -1.02	3.10 -0.48	3.10 -0.51	18
19	2.34 -0.75	3.28 0.11	3.26 0.17	3.81 -0.22	3.28 -0.52	2.39 0.17	2.55 -0.40	2.99 -0.54	3.64 -0.79	3.35 -0.91	2.93 -0.26	3.24 -0.49	19
20	2.76 -0.83	3.43 0.21	3.46 -0.38	3.73 -0.22	2.75 -0.45	2.21 -0.97	2.35 -0.80	3.39 -0.35	3.78 -0.67	3.27 -0.85	2.90 -0.35	3.32 -0.49	20
21	2.57 -0.76	3.55 0.09	3.84 -0.34	3.60 -0.30	2.48 -0.73	2.25 -0.75	2.55 -0.86	3.76 -0.26	3.48 -0.84	3.09 -0.74	3.09 -0.61	2.00 -0.61	21
22	2.43 -0.63	3.75 -0.05	3.85 -0.15	3.59 -0.33	2.80 -0.78	1.94 -0.75	2.66 -0.82	3.59 -0.79	3.27 -0.94	2.72 -0.85	2.01 -0.15	3.19 -0.78	22
23	2.62 -0.49	4.02 0.04	3.48 -0.14	3.29 -0.24	2.47 -0.61	1.96 -0.84	3.56 -1.28	2.87 -0.71	2.25 -0.75	3.16 -0.75	2.84 -0.65	2.84 -0.65	23
24	2.67 -0.55	4.18 0.22	3.72 -0.54	2.95 -0.56	2.53 -0.51	2.27 -0.84	3.62 -1.10	2.33 -0.70	2.56 -0.84	3.19 -0.79	2.92 -0.60	2.92 -0.60	24
25	3.06 -0.59	3.94 0.20	3.41 0.01	2.63 -0.58	2.47 -0.37	2.70 -0.36	3.08 -1.00	3.52 -0.61	2.04 -1.12	2.72 -0.52	3.10 -0.89	2.93 -0.56	25
26	3.09 0.22	3.39 -0.18	2.97 -0.54	2.71 -0.56	2.58 -0.51	2.77 -0.84	3.14 -1.10	3.24 -0.70	2.35 -0.89	2.85 -0.69	3.16 -0.51	2.68 -0.64	26
27	3.18 -0.64	3.01 -0.60	3.23 -0.74	3.10 0.00	2.40 -0.92	2.88 -0.68	2.69 -1.47	2.67 -0.75	2.60 -0.60	3.25 -0.61	2.85 -1.08	2.62 -0.48	27
28	3.03 -0.70	2.59 -0.79	3.74 -0.27	2.88 0.01	2.59 -1.02	2.76 -1.14	2.70 -1.01	2.42 -0.45	2.86 -0.70	3.42 -0.67	2.97 -0.79	2.52 -0.49	28
29	2.81 -0.91	2.46 -0.90	3.31 0.10	3.21 0.15	2.81 -1.15	2.81 -1.15	2.86 -1.08	2.81 -0.52	3.21 -0.72	3.50 -0.61	3.10 -0.64	2.72 -0.26	29
30	2.62 -1.08	2.64 -0.74	3.01 -0.10	3.71 0.21	2.71 -1.29	2.71 -1.29	2.28 -1.06	2.64 -0.68	3.26 -0.90	3.60 -0.61	2.99 -0.51	2.94 -0.19	30
31	2.64 -1.05	3.17 -0.16	3.63 -0.53	2.63 -0.20	2.66 -1.19	2.66 -1.19	2.66 -0.82	2.66 -0.82	3.09 -1.08	2.67 -0.65	2.67 -0.65	2.67 -0.65	31
MAXIMUM	3.77	4.18	4.39	4.29	4.37	3.36	3.19	3.76	3.78	3.60	3.92	3.49	MAXIMUM
MINIMUM	-1.08	-0.98	-0.81	-0.58	-1.02	-1.40	-1.47	-1.18	-1.47	-1.22	-1.08	-0.97	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	T.M.E.	STAGE	DATE	T.M.E.	STAGE	DATE	T.M.E.	STAGE	DATE	T.M.E.	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M.O.B.M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

MIDDLE RIVER AT BACON ISLAND

Feet

STATION NO.	WATER YEAR
695460	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	5.96 2.28	5.60 2.30	5.53 2.27	6.02 2.80	7.08 2.82	6.38 2.31	5.93 2.10	5.40 2.02	6.10 2.32	6.61 2.33	6.51 2.49	5.75 2.43	
2	5.31 2.50	5.30 2.08	5.23 2.16	5.98 2.54	6.82 2.52	6.34 2.14	5.90 2.29	5.46 2.32	6.32 2.21	6.76 2.12	6.65 2.55	5.62 2.59	2
3	5.37 2.49	5.27 2.04	5.44 2.26	6.57 2.72	7.09 2.42	5.81 1.61	6.12 3.07	5.79 2.50	6.34 1.92	6.36 1.91	6.32 2.55	5.59 2.61	3
4	5.88 2.44	5.38 2.73	5.80 3.64	7.06 2.21	7.37 3.25	5.89 1.76	6.24 2.68	6.52 1.83	6.19 2.16	6.43 2.16	6.11 2.68	5.85 2.95	4
5	5.61 2.29	5.58 2.43	6.06 2.60	7.22 4.42	7.19 3.01	5.93 2.93	6.12 2.93	6.34 2.25	6.22 1.87	6.47 2.30	5.77 2.50	6.18 2.88	5
6	5.79 2.42	5.83 2.74	6.29 2.56	7.06 2.86	7.25 3.01	6.00 1.96	6.29 3.07	6.33 2.05	6.27 2.07	6.21 2.33	5.48 2.33	6.43 3.21	6
7	5.86 2.56	6.01 2.73	6.64 2.66	7.21 2.80	6.81 3.25	5.87 2.85	5.41 2.81	6.10 2.12	5.93 1.81	5.84 2.27	5.74 2.68	5.74 2.96	7
8	6.19 3.27	6.17 3.24	6.93 2.61	7.28 2.85	6.39 3.11	5.60 2.36	6.42 2.66	6.49 2.34	5.84 2.07	5.40 2.08	6.05 2.99	6.16 2.26	8
9	6.39 3.36	6.28 3.54	6.28 2.76	6.83 2.80	5.94 2.88	5.51 2.35	6.37 2.32	6.50 2.38	5.55 2.11	5.32 2.08	6.50 3.01	4.90 2.28	9
10	6.02 3.19	6.27 2.87	7.35 2.67	5.88 2.67	5.18 3.01	5.61 2.36	5.92 2.39	6.10 2.12	5.15 2.00	5.49 2.18	6.93 3.05	6.36 2.26	10
11	5.99 3.00	6.51 2.42	7.17 2.63	5.87 2.66	5.77 2.44	5.72 2.22	5.86 2.09	5.58 1.90	5.31 1.70	4.29 2.68	5.47 3.02	6.63 2.49	11
12	6.30 2.76	6.60 2.81	6.86 2.81	5.75 2.40	6.02 2.55	5.92 2.02	5.67 2.02	5.43 1.93	5.14 2.51	5.78 2.51	7.07 2.51	6.41 2.28	12
13	6.61 2.96	6.50 2.96	6.57 2.96	5.84 2.32	5.83 2.95	5.92 2.21	5.52 1.74	5.32 2.17	5.14 2.28	5.91 2.20	7.15 2.80	6.32 2.34	13
14	6.84 2.93	6.88 2.73	6.02 2.66	5.98 2.59	6.05 2.13	5.82 2.07	5.56 1.72	5.03 2.13	5.25 2.25	6.26 2.14	7.13 2.69	6.03 2.24	14
15	6.49 2.96	6.34 2.77	6.05 2.61	6.16 2.69	5.97 2.69	5.79 2.61	5.11 2.44	5.43 2.44	6.04 2.31	6.35 2.03	6.98 2.52	5.75 2.30	15
16	6.14 2.53	6.11 2.53	5.12 2.63	6.25 2.41	5.82 1.92	5.36 1.91	5.28 2.29	5.62 2.93	6.72 2.93	6.58 2.17	6.81 2.61	5.68 2.48	16
17	6.09 1.98	6.15 2.72	6.26 2.87	6.59 2.63	5.96 2.12	5.20 1.65	6.09 3.30	5.63 2.33	6.80 2.54	6.64 2.07	6.56 2.58	6.00 2.63	17
18	6.09 2.01	6.70 3.50	6.12 2.54	6.78 2.64	6.17 3.62	5.45 2.08	6.07 2.86	5.84 2.44	6.83 2.31	6.69 2.13	6.36 2.68	6.25 2.74	18
19	5.37 2.20	6.28 3.07	6.26 2.51	6.79 4.33	6.25 2.38	5.46 2.11	5.81 2.70	6.89 2.58	6.89 2.31	6.63 2.25	6.20 2.89	6.36 2.59	19
20	5.82 2.13	6.41 3.03	6.45 2.84	6.69 2.69	5.72 2.40	5.33 2.41	5.67 2.34	6.63 2.74	6.97 2.46	6.56 2.49	6.19 2.81	6.45 2.57	20
21	5.64 2.19	6.53 4.46	6.53 4.01	6.58 2.58	5.48 2.17	5.48 2.40	5.81 2.25	6.97 2.88	6.37 2.29	6.36 2.30	6.36 3.06	6.27 2.45	21
22	5.52 2.34	6.73 2.86	6.91 2.76	6.56 2.60	5.81 2.15	5.10 2.35	5.93 2.21	6.80 2.30	6.48 2.16	6.02 2.26	6.40 3.04	5.97 2.28	22
23	5.73 2.51	7.00 2.94	6.50 2.71	6.23 2.65	5.47 2.55	5.15 2.26	5.87 1.82	6.76 2.36	6.10 2.09	5.88 2.41	6.35 2.79	5.12 2.15	23
24	5.95 2.85	7.14 3.13	6.76 2.27	5.90 2.46	5.60 2.58	5.53 2.58	6.10 1.92	6.79 2.37	5.55 1.82	5.06 2.00	4.92 2.36	5.99 2.43	24
25	6.17 2.47	6.88 3.14	6.61 2.94	5.56 2.34	5.55 2.68	5.91 2.76	6.28 2.10	6.67 2.50	5.16 2.05	6.18 2.62	6.26 2.25	6.02 2.45	25
26	6.19 2.45	6.32 2.73	5.96 2.36	5.64 2.39	5.64 2.51	5.96 2.53	6.30 1.92	5.86 2.44	5.65 2.29	4.80 2.48	6.32 2.24	5.78 2.39	26
27	6.25 2.39	5.93 2.30	6.16 2.18	6.05 2.49	5.47 2.07	6.04 2.46	5.83 1.63	5.81 2.39	5.85 2.58	6.53 2.56	6.04 2.05	5.70 2.46	27
28	6.07 2.33	5.53 2.10	6.76 2.77	5.84 2.99	5.63 1.98	5.90 1.97	5.88 2.13	5.84 2.72	6.15 2.50	6.68 2.46	6.13 2.30	5.68 2.56	28
29	5.63 2.11	5.40 2.01	6.32 3.11	6.20 3.17	5.91 1.93	5.66 1.93	6.07 2.08	6.44 2.60	6.77 2.51	6.77 2.41	6.24 2.51	5.84 2.79	29
30	5.64 1.94	5.55 2.19	6.09 2.94	6.21 4.21	5.80 1.77	5.80 1.77	5.49 2.09	5.91 2.52	6.49 2.23	6.87 2.50	6.16 2.56	6.06 3.25	30
31	5.64 1.99		6.17 2.87	6.67 2.75	5.79 1.90		5.92 2.31			6.36 2.01	5.79 2.43		31
MAXIMUM	6.84	7.14	7.32	7.28	7.37	6.38	6.42	6.97	6.97	6.67	7.15	6.63	MAXIMUM
MINIMUM	1.94	2.01	2.16	2.32	1.92	1.61	1.63	1.90	1.70	1.91	2.05	2.15	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES								
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Strong winds affected the normal tidal pattern. Stage heights listed are maximum and minimum stage for day.

LOCATION		14 SEC T & R MOB AM	MAXIMUM DISCHARGE			PERIOD OF RECORD		DATION OF GAGE		
LATITUDE	LONGITUDE		OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CF5	GAGE HT	DATE			FROM	TO	

TAB.E 8-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

TOM PAINE SLOUGH ABOVE MOUTH

in feet

STATION NO	WATER YEAR
895420	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	5:30 2:67	5:94 2:70	6:03 3:19	6:62 3:83	7:30 3:44	6:70 3:49	5:82 2:55	4:53 2:10	3:67 2:22	6:07 2:67	5:56 2:40		
2	6:22 2:71	5:72 2:52	5:83 3:21	6:60 3:98	7:19 3:77	6:65 4:31	5:79 2:29	5:04 2:10	5:91 2:25	6:40 2:11	6:17 2:52	5:40 2:60	2
3	6:49 2:88	5:56 2:44	6:13 3:36	7:14 3:93	7:52 3:47	6:11 2:71	5:94 2:26	5:34 2:04	5:98 1:92	5:93 1:92	6:08 2:53	5:40 2:84	3
4	6:18 2:89	5:68 2:65	6:50 3:82	7:67 4:24	7:75 3:76	6:10 2:39	6:06 3:10	6:15 2:68	5:85 1:92	6:16 2:10	5:81 2:85	5:29 2:85	4
5	6:04 2:78	5:85 2:83	6:75 4:00	7:80 4:47	7:58 3:84	6:29 2:51	5:95 3:00	5:94 2:35	5:99 1:98	6:12 2:22	5:48 2:40	6:07 2:87	5
6	6:02 2:85	6:13 3:13	6:99 4:11	7:66 4:33	7:61 3:85	6:35 2:71	6:07 3:03	5:98 2:19	6:00 2:14	5:87 2:25	5:08 2:23	6:34 3:17	6
7	6:05 2:92	6:31 3:20	7:30 4:16	7:75 4:06	7:23 4:02	6:19 2:99	6:24 2:88	5:99 2:25	5:71 1:90	5:62 2:19	5:09 2:50	4:95 2:95	7
8	6:45 3:55	6:44 3:16	7:58 4:23	7:79 4:03	6:81 3:83	5:81 2:86	6:18 2:78	6:27 2:50	5:65 2:13	5:15 2:05	5:34 2:74	6:16 2:29	8
9	6:66 3:62	6:64 3:06	7:80 4:35	7:33 4:00	6:40 3:85	5:70 2:74	6:20 2:49	6:35 2:46	5:35 2:07	5:02 1:95	5:65 2:40	6:02 2:83	9
10	6:28 3:48	6:85 3:02	7:89 4:33	7:06 3:81	NR	5:79 2:67	6:23 2:57	6:02 2:23	5:04 1:97	4:96 2:02	6:13 2:83	6:23 2:33	10
11	6:24 3:30	6:85 2:56	7:59 4:10	6:38 3:73	NR	5:87 2:63	5:93 2:33	5:56 2:08	4:89 1:59	5:08 2:45	6:56 2:83	6:46 2:66	11
12	6:57 3:12	6:98 2:93	7:42 3:97	6:29 3:40	NR	6:10 2:65	5:80 2:25	5:34 2:09	4:68 1:31	5:39 2:31	6:73 2:49	6:26 2:72	12
13	6:88 3:23	6:78 2:98	7:01 3:83	NR	NR	6:09 2:50	5:28 1:92	5:34 2:24	4:84 2:07	5:52 2:07	6:82 2:73	6:10 2:54	13
14	7:09 3:39	7:21 3:12	6:56 NR	NR	NR	6:04 2:38	5:02 1:85	5:37 2:18	5:10 2:08	5:92 2:05	6:73 2:65	5:80 2:42	14
15	6:78 3:40	6:31 3:33	6:58 3:62	NR	NR	5:96 2:48	5:14 3:14	5:20 2:49	5:31 2:49	5:98 1:95	6:50 2:50	5:79 2:72	15
16	6:42 3:04	6:71 3:13	6:67 3:56	NR	NR	5:68 3:75	5:25 2:06	5:37 2:50	6:25 2:78	6:18 2:13	6:33 2:59	5:55 2:64	16
17	5:47 2:68	6:46 3:16	6:78 3:69	NR	NR	5:30 NR	5:78 2:21	5:38 2:43	5:36 2:46	6:21 2:08	6:13 2:55	5:81 2:74	17
18	6:34 2:68	7:13 3:91	6:62 3:72	NR	NR	5:46 NR	5:88 3:05	5:61 2:49	6:38 2:31	6:26 2:13	5:90 2:64	6:10 2:85	18
19	6:31 2:61	6:71 3:61	6:79 3:54	7:28 3:62	6:68 3:14	5:51 2:27	5:49 2:74	5:98 2:64	6:43 2:32	6:16 2:23	5:78 2:62	6:21 2:72	19
20	6:10 2:73	6:85 3:72	6:97 3:59	7:19 3:60	6:11 3:23	5:28 2:53	5:27 2:34	6:37 2:81	6:66 2:47	6:11 2:24	5:73 2:45	5:14 2:72	20
21	5:89 2:74	6:97 3:64	7:33 3:62	7:05 3:51	5:84 2:90	5:38 2:48	5:51 2:31	6:76 2:99	6:29 2:33	5:87 2:53	5:15 2:93	6:34 2:60	21
22	5:76 2:78	7:16 3:60	7:47 3:79	7:03 3:50	6:16 2:86	5:01 2:46	5:63 2:37	6:55 2:49	6:11 2:15	5:54 2:22	5:92 2:94	6:24 2:40	22
23	5:82 2:85	7:42 3:75	6:99 3:83	6:72 3:85	5:85 3:14	5:00 2:46	5:55 2:34	6:56 2:50	5:74 2:14	5:11 2:29	6:07 2:46	5:95 2:36	23
24	6:17 2:88	7:61 3:86	7:16 3:42	6:39 3:35	5:91 3:01	5:30 2:53	5:82 2:04	6:61 2:51	5:26 1:87	5:29 2:51	6:07 2:34	5:99 2:57	24
25	6:36 2:84	7:36 3:92	6:88 3:89	6:03 3:09	5:85 3:02	5:78 2:78	6:06 2:15	6:50 2:56	4:89 1:98	5:44 2:47	5:96 2:28	5:98 2:60	25
26	6:39 2:82	6:86 3:66	6:43 3:35	6:13 3:03	5:94 3:03	5:80 2:96	6:14 2:62	6:27 2:51	5:21 2:00	5:61 2:30	6:07 2:35	5:74 2:52	26
27	6:47 2:76	6:46 3:34	6:56 3:07	6:53 3:45	5:78 2:58	5:45 2:53	5:71 1:73	5:67 2:46	5:45 2:43	6:00 2:42	5:77 2:15	5:66 2:68	27
28	6:32 2:69	6:06 3:18	6:92 3:36	6:20 3:40	5:94 2:51	5:84 2:11	5:70 2:17	5:49 2:69	5:71 2:35	6:23 2:37	5:89 2:39	5:55 2:64	28
29	6:11 2:48	5:90 3:07	6:75 3:73	6:46 3:41	5:93 3:41	5:45 2:09	5:93 2:09	5:45 2:52	5:02 2:40	6:20 2:30	6:01 2:35	5:74 2:52	29
30	5:89 2:41	6:13 3:16	6:43 3:58	7:07 3:59	5:79 1:93	5:22 2:08	5:48 2:37	6:12 2:18	6:38 2:18	5:94 2:67	6:00 3:27		30
31	5:56 2:45		6:69 3:53	7:02 4:13		5:75 2:03		5:44 2:30		5:86 2:01	5:60 2:52		31
MAX. MIN.	7:09 2:41	7:61 2:46	7:90 3:07	NR	NR	6:70 1:93	6:24 1:73	6:76 2:08	6:66 1:59	6:40 1:92	6:82 2:15	6:46 2:20	MAX. MIN.

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

A Strong wind off to the normal tidal pattern. Gage height 1.85m are maximum and minimum stage for day.

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			STATUS OF GAGE		
LATITUDE	LONGITUDE	1 SEC. T & R W.D.B.M.	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAUGE	DATE			FROM	TO	



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

OLD RIVER NEAR TRACY ROAD BRIDGE

in feet

STATION NO.	WATER YEAR
895380	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	6:19 2:48	5:59 2:51	5:58 2:85	6:59 3:50	7:53 3:20	6:68 2:76	5:87 3:33	4:98 2:38	5:76 2:14	6:27 1:51	6:13 1:23	5:58 1:52	1
2	5:73 2:51	5:73 2:53	6:80 2:86	6:57 3:60	7:20 3:48	6:24 2:42	5:83 2:15	5:10 1:51	5:29 2:08	6:48 1:97	6:18 2:35	5:43 2:44	2
3	6:47 2:68	5:58 2:29	6:06 2:59	7:28 3:40	7:55 3:15	6:06 2:49	5:99 2:40	5:41 2:08	6:08 1:41	6:02 1:49	6:11 2:35	5:55 2:71	3
4	6:16 2:68	5:70 2:46	6:42 3:39	7:42 3:78	7:80 3:45	6:07 2:13	6:12 2:59	5:53 2:51	5:93 1:73	6:12 1:52	6:27 2:27	6:15 2:35	4
5	6:02 2:56	5:88 2:68	6:49 3:56	7:79 4:00	7:58 3:58	6:25 2:25	5:99 2:05	6:01 2:16	5:98 1:80	6:17 2:09	5:50 2:23	5:44 2:74	5
6	6:05 2:62	5:17 2:25	6:40 3:63	7:60 3:88	7:66 3:59	6:31 2:40	6:14 2:31	6:06 2:41	6:08 1:49	5:91 2:08	5:11 2:10	6:38 1:07	6
7	6:29 2:74	6:33 3:03	7:23 3:65	7:73 3:63	7:24 3:77	6:16 2:76	6:27 2:75	6:06 2:08	5:76 1:71	5:65 2:04	5:12 2:39	5:21 2:82	7
8	6:49 3:40	6:48 2:98	7:53 3:73	7:77 3:67	6:82 3:83	5:78 2:69	6:23 2:66	6:32 2:32	5:71 1:94	5:19 1:85	5:39 2:68	4:60 2:15	8
9	6:73 3:70	6:66 2:65	7:84 3:86	7:31 3:62	6:30 3:70	5:69 2:54	6:24 2:34	6:50 2:29	5:43 1:90	5:08 1:02	5:70 2:66	6:07 2:58	9
10	6:30 3:32	6:86 2:83	7:87 3:90	7:00 3:45	6:30 3:43	5:76 2:51	6:28 2:40	6:07 2:08	5:11 1:78	5:03 1:89	6:19 2:70	6:30 2:19	10
11	6:28 3:12	6:88 2:78	7:68 3:72	6:33 3:36	6:24 2:94	5:84 2:43	5:94 2:17	5:60 1:91	4:94 1:61	5:16 2:31	6:64 2:74	6:50 2:46	11
12	6:60 2:93	6:98 2:70	7:38 3:64	6:25 3:11	6:55 3:15	5:08 2:47	5:85 2:59	5:40 1:49	4:74 1:49	5:49 2:09	6:80 2:59	6:23 2:58	12
13	6:90 3:03	6:79 2:76	7:00 3:51	6:33 3:01	6:29 2:63	6:11 2:33	5:30 1:75	5:42 1:75	4:91 1:94	5:61 1:91	6:88 2:53	6:16 2:36	13
14	7:13 3:15	7:23 3:15	6:54 3:15	6:46 3:15	6:47 3:15	6:03 2:23	5:07 1:47	5:39 2:02	5:18 1:92	6:00 1:92	6:80 2:52	5:87 2:29	14
15	6:82 3:21	6:31 3:13	6:58 3:30	6:66 3:31	6:42 2:70	5:96 3:01	5:47 3:03	5:24 2:32	4:74 2:16	5:73 1:79	6:80 2:59	6:15 2:58	15
16	6:43 2:80	6:72 2:91	6:66 3:24	6:82 3:52	6:26 2:58	5:72 2:51	5:27 1:87	5:42 2:48	6:36 2:65	6:25 1:96	6:42 2:44	5:64 2:49	16
17	5:44 2:41	6:48 2:98	6:79 3:42	7:05 3:14	6:32 2:53	5:33 2:05	5:84 2:19	5:43 2:22	6:47 2:34	6:26 1:89	6:20 2:39	5:86 2:63	17
18	6:34 2:40	7:13 3:73	6:60 3:44	7:22 3:24	6:54 2:65	5:53 1:79	5:96 2:91	5:67 2:31	6:49 2:16	6:31 1:94	5:99 2:49	6:15 2:72	18
19	6:33 2:58	6:73 3:42	6:78 3:22	7:26 3:31	6:66 2:91	5:55 2:13	5:54 2:60	6:04 2:47	6:52 2:14	6:24 2:04	5:86 2:70	6:28 2:58	19
20	6:10 2:49	6:87 3:52	6:97 3:27	7:17 3:29	6:09 2:46	5:35 2:17	5:31 2:19	6:44 2:67	6:74 2:30	6:16 2:09	5:77 2:61	5:13 2:58	20
21	5:91 2:53	7:00 3:41	7:34 3:29	7:01 3:20	5:82 2:69	5:36 2:33	5:56 2:16	6:82 2:79	6:35 2:13	5:96 2:09	5:19 2:81	6:41 2:47	21
22	5:76 2:61	7:17 3:34	7:45 3:47	7:00 3:19	6:14 2:63	5:04 2:31	5:70 2:23	6:18 2:31	6:18 2:01	5:61 2:09	5:99 2:82	6:27 2:33	22
23	5:92 2:71	7:48 3:48	6:97 3:52	6:69 3:25	5:79 2:46	5:06 2:18	5:62 2:33	6:52 2:16	5:79 2:15	5:17 1:16	5:12 2:22	5:96 2:22	23
24	6:18 2:71	7:63 3:62	7:12 3:07	6:35 3:06	5:89 2:80	5:36 2:39	5:84 1:85	6:68 2:37	5:29 1:73	5:36 2:34	6:12 2:19	6:02 2:47	24
25	6:38 2:68	7:39 3:66	6:85 3:61	6:01 2:84	5:82 2:82	5:78 2:66	6:09 2:00	6:58 2:38	4:91 1:79	5:58 2:37	6:04 2:11	5:99 2:48	25
26	6:41 2:61	6:83 3:34	6:60 3:07	6:09 2:81	5:91 2:76	5:66 2:47	6:18 1:94	6:29 2:33	5:27 2:09	5:71 2:05	5:13 2:17	5:74 2:37	26
27	6:52 2:60	6:42 3:04	6:20 2:78	6:50 3:24	5:76 2:35	5:97 2:39	5:75 1:61	5:69 2:30	5:52 2:28	6:12 2:31	5:83 1:96	5:66 2:57	27
28	6:35 2:54	6:02 2:64	6:90 3:12	6:27 3:22	5:92 2:30	5:68 1:92	5:75 2:00	5:54 2:54	5:78 2:21	6:31 2:25	5:96 2:25	5:59 2:51	28
29	6:13 2:32	5:86 2:71	6:75 3:52	6:48 3:28	5:97 2:49	5:07 1:93	5:89 2:43	5:70 2:16	6:11 2:28	6:28 2:29	5:95 2:59	5:75 2:79	29
30	5:86 2:20	6:08 2:84	6:40 3:33	7:06 3:41	5:84 1:78	5:84 1:88	5:28 2:02	5:55 2:21	6:18 2:02	6:48 2:30	6:01 2:52	6:03 3:17	30
31	5:58 2:25	5:58 2:25	6:66 3:23	7:03 3:98	5:79 1:87	5:79 1:87	5:54 2:13	5:54 2:13	5:98 1:85	5:66 2:39	5:66 2:39	5:66 2:39	31
MAXIMUM	7:13	7:63	7:87	7:79	7:80	6:68	6:28	6:82	6:74	6:48	6:88	6:50	MAXIMUM
MINIMUM	2:20	2:29	2:78	2:81	2:30	1:78	1:61	1:91	1:61	1:77	1:96	2:04	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

A Strong wind affected the normal tidal pattern. Stage heights listed are maximum and minimum stage for day.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R N D B A W	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE NT	DATE			FROM	TO		

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

OLIO RIVER AT CLIFTON COURT FERRY

Feet

STATION NO. 895340  
WATER YEAR 1966

DATE	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	5.07 2.22	NR	5.68 2.43	6.29 2.59	7.26 3.04	8.42 3.27	9.77 3.50	10.83 3.73	NR	6.14 2.01	5.98 2.33	5.46 2.23
2	5.48 2.24	NR	5.53 2.36	6.25 2.85	6.89 3.04	6.37 2.12	5.71 3.06	4.96 1.98	NR	6.07 1.63	5.81 2.28	5.31 2.35
3	6.26 2.47	NR	5.72 2.48	6.81 3.66	7.24 3.17	5.81 3.29	5.87 2.12	5.28 2.24	NR	5.85 1.61	6.00 2.26	5.31 2.65
4	5.94 2.40	NR	5.10 2.86	7.85 3.09	7.85 3.04	5.91 3.11	5.99 2.59	6.08 1.57	5.81 1.62	5.96 1.63	5.76 2.34	5.41 2.68
5	5.74 2.24	NR	6.34 3.22	7.49 3.35	7.26 3.17	5.96 1.62	5.45 2.73	5.90 1.97	5.86 1.62	6.05 1.99	5.39 2.20	5.95 2.67
6	5.76 2.36	NR	6.59 3.22	7.32 3.13	7.32 3.13	6.02 2.03	5.98 2.78	5.93 1.83	5.93 1.61	5.75 2.03	5.00 2.06	6.23 2.96
7	5.79 2.40	NR	6.91 2.96	7.40 3.03	6.91 3.13	5.91 2.87	5.10 2.77	5.92 1.94	5.64 1.54	5.50 1.63	5.79 2.34	6.06 2.73
8	6.18 3.20	NR	7.24 3.04	7.48 3.15	6.54 3.56	5.53 2.30	6.06 2.45	6.13 2.07	5.55 1.72	5.09 1.61	5.26 2.65	4.46 2.05
9	6.41 3.43	6.34 3.40	7.56 3.22	7.03 3.13	6.08 3.06	5.40 2.19	6.10 2.17	6.25 2.16	5.19 1.68	4.93 1.77	5.56 2.69	5.90 1.94
10	6.01 3.13	6.56 2.58	7.59 3.31	6.68 2.98	6.47 3.06	5.50 2.19	6.09 2.18	5.92 1.92	4.87 1.60	4.91 1.63	6.05 2.71	6.35 2.01
11	5.95 2.69	NR	7.39 3.20	6.03 2.88	5.93 2.59	5.57 2.11	5.74 1.91	5.41 1.73	5.41 1.32	5.06 2.27	6.06 2.69	6.32 2.27
12	6.27 2.68	NR	7.11 3.16	5.92 2.65	6.25 2.82	5.82 2.16	5.61 1.83	5.23 1.80	4.58 1.60	5.34 2.15	6.06 2.47	6.16 2.10
13	6.58 2.75	6.40 2.45	6.72 3.04	6.00 2.55	6.03 2.15	5.65 2.05	5.98 1.93	5.25 1.89	4.73 1.90	5.85 1.82	5.71 2.50	5.99 2.19
14	6.81 2.93	6.96 2.71	6.24 2.94	6.15 2.75	6.23 2.25	5.79 1.92	4.85 1.51	NR	5.05 1.87	5.85 1.81	6.65 2.36	5.72 2.10
15	6.53 2.91	6.45 2.84	6.24 2.66	6.35 2.90	6.16 2.87	5.76 2.09	4.94 1.70	NR	5.58 2.03	5.93 1.63	6.44 2.35	5.49 2.53
16	6.19 2.45	6.06 2.62	6.31 2.82	6.52 2.70	5.99 2.11	5.50 1.72	5.28 2.00	NR	6.19 2.52	6.12 1.61	5.44 2.51	5.64 2.35
17	6.11 2.05	6.21 2.79	6.44 3.04	6.76 3.65	6.08 2.12	5.10 1.45	5.85 2.94	NR	6.31 2.21	6.16 1.77	6.05 2.28	5.71 2.47
18	5.32 2.05	6.84 3.51	6.25 2.76	6.95 2.82	6.30 2.26	5.31 2.69	5.80 2.80	NR	6.33 2.03	6.18 1.63	5.85 2.35	5.98 2.53
19	6.06 2.23	6.40 3.21	6.46 3.26	6.97 2.90	6.40 2.56	5.30 1.85	5.39 2.50	NR	6.38 1.97	6.10 1.46	5.70 2.56	6.12 2.42
20	5.80 2.15	6.55 3.40	6.67 3.81	6.87 2.90	5.81 2.58	5.12 1.91	5.18 2.09	NR	6.50 2.11	6.08 1.96	5.65 2.51	6.22 2.47
21	5.62 2.22	6.59 3.12	7.04 2.82	6.74 2.78	5.56 2.30	5.23 2.01	5.42 2.02	NR	6.16 1.89	5.47 1.76	5.06 2.06	NR
22	5.45 2.34	6.57 3.01	7.15 3.02	6.70 2.78	5.87 2.24	4.86 2.11	5.63 2.09	NR	6.05 1.82	5.50 1.99	5.83 2.74	NR
23	5.64 2.51	7.15 3.13	6.69 2.83	6.38 2.78	5.54 2.04	4.89 2.57	5.48 2.67	NR	5.67 1.77	5.05 2.06	5.96 2.49	NR
24	5.98 2.48	7.30 3.27	6.95 2.55	6.07 2.67	5.62 2.46	5.23 2.27	5.72 1.68	NR	5.18 2.58	5.24 2.25	5.98 2.06	NR
25	6.10 2.42	7.09 3.30	6.60 2.50	5.71 2.50	5.56 2.52	5.67 2.52	5.94 1.78	NR	4.78 1.71	5.40 2.32	5.88 1.96	NR
26	5.13 2.40	6.56 2.94	6.16 2.63	5.75 2.47	5.66 2.49	5.75 2.30	6.03 1.78	NR	5.16 1.94	5.60 2.03	5.98 2.03	NR
27	6.23 2.34	6.17 2.59	6.30 2.41	6.17 3.00	5.49 2.07	5.83 2.17	5.59 1.36	NR	5.36 2.24	5.96 2.22	5.70 1.81	NR
28	6.07 2.28	5.76 2.39	6.81 A 2.90 A	5.99 3.02	5.68 1.99	5.77 1.77	5.57 1.83	NR	5.63 2.13	6.18 2.18	5.80 2.08	NR
29	5.83 2.05	5.61 2.39	6.50 3.23	6.28 3.13	5.81 1.74	5.32 1.72	5.82 1.72	NR	5.95 2.12	6.25 2.11	5.85 2.16	NR
30	5.66 1.89	5.81 2.41	6.20 3.13	6.80 3.18	5.70 1.59	5.15 1.74	5.15 1.74	NR	6.03 1.91	6.38 2.22	5.85 2.41	NR
31	5.67 1.93	5.81 2.41	6.20 3.13	6.80 3.18	5.70 1.59	5.15 1.74	5.15 1.74	NR	6.03 1.91	6.38 2.22	5.85 2.41	NR
MAX MIN	6.81 1.89	7.30 2.05	7.59 2.36	7.49 2.47	7.51 1.99	6.42 1.45	6.10 1.36	NR	6.60 1.20	6.36 1.61	6.71 1.81	6.32 2.04

E - Estimated  
NR - No Record

CREST STAGES											
DATE	T ME	STAGE	DATE	T ME	STAGE	DATE	T ME	STAGE	DATE	T ME	STAGE

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	4 SEC T & R MOD BSW	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	

TABLE B-12 (CDNT)  
DAILY MAXIMUM AND MINIMUM TIDES  
GRANT LINE CANAL AT TRACY ROAD BRIDGE

STATION NO.	WATER
895300	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	6:13 2:43	5:01 2:41	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42	5:02 2:42
2	5:67 2:59	5:66 2:42	5:73 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42	5:69 2:42
3	6:44 2:73	5:53 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40	5:98 2:40
4	6:10 2:76	5:63 2:58	5:76 2:44	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40	5:77 2:40
5	5:98 2:65	5:80 2:78	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63	5:80 2:63
6	5:98 2:71	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04	5:09 2:04
7	6:01 2:82	6:27 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13	7:18 2:13
8	6:39 3:47	6:40 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07	7:48 3:07
9	6:46 3:76	6:57 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05	7:80 3:05
10	6:20 3:36	6:20 2:92	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49	7:41 3:49
11	6:15 3:15	6:82 2:87	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01	7:62 3:01
12	6:20 2:97	6:89 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78	7:33 2:78
13	6:80 3:09	6:74 2:83	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45	6:92 3:45
14	7:02 3:23	7:17 3:02	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44	6:44 3:44
15	6:72 3:24	6:72 3:19	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16	6:47 3:16
16	6:35 2:83	6:66 2:97	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31	6:59 3:31
17	6:29 2:49	6:39 3:07	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45	6:71 3:45
18	5:56 2:48	7:07 3:81	6:52 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50	7:14 3:50
19	6:26 2:64	6:63 3:50	6:72 3:28	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39	7:17 3:39
20	6:00 2:56	6:80 3:60	6:88 3:30	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37	7:09 3:37
21	5:81 2:61	6:91 3:50	7:24 3:35	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49	6:55 3:49
22	5:66 2:68	7:13 3:43	7:38 3:54	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30	6:91 3:30
23	5:82 2:80	7:40 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56	6:89 3:56
24	6:10 2:81	7:54 3:69	7:10 3:14	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18	6:28 3:18
25	6:30 2:77	7:34 3:75	6:79 3:65	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96	5:94 2:96
26	6:34 2:73	6:79 3:43	6:35 3:14	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03	6:04 3:03
27	6:42 2:71	6:19 3:14	6:49 2:87	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36	6:42 3:36
28	6:27 2:64	5:99 2:94	6:00 3:24	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33	6:22 3:33
29	6:07 2:40	5:84 2:83	6:47 3:57	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40	6:43 3:40
30	5:88 2:30	6:06 2:93	6:36 3:39	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55	6:36 3:55
31	5:24 2:35	5:24 2:35	6:49 3:29	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31	6:49 3:31
MAXIMUM	7:02	7:54	7:81	7:72	7:71	6:65	6:23	6:74	6:70	6:44	6:81	6:46	MAXIMUM	6:46	MAXIMUM
MINIMUM	2:30	2:40	2:87	2:93	2:35	1:86	1:68	2:07	1:53	1:82	2:13	2:21	MINIMUM	2:21	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DATE OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D S & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATE
			CFS	GAGE HT	DATE			FROM	TO	

TABLE B-12 (CONT)  
DAILY MAXIMUM AND MINIMUM TIDES

ITALIAN SLOUGH NEAR BYRON

in feet

STATION NO.	WATER YEAR
895280	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
	2.83 -0.83	2.60 -0.77	2.60 -0.70	3.17 -0.04	4.19 0.10	3.31 -0.53	2.79 -0.99	2.02 -1.04	2.78 -1.03	3.33 -1.02	3.20 -0.73	2.60 -0.73	
2	3.21 -0.78	2.49 -0.99	2.37 -0.75	3.16 -0.28	3.85 1.16	3.28 -0.85	2.77 -0.84	2.34 -0.98	3.00 -1.08	3.11 -1.11	2.78 -0.78	2.44 -0.61	2
3	2.38 -0.61	2.26 -0.97	2.59 -0.66	3.68 0.55	4.18 0.38	2.72 0.31	2.94 -0.12	2.46 -0.75	3.12 -1.28	3.05 -1.33	3.17 -0.68	2.43 -0.53	3
4	2.89 -0.85	2.38 -0.88	2.26 -0.96	3.22 -0.72	3.84 0.84	2.82 -0.53	3.04 -0.18	3.23 -0.38	2.95 -1.38	3.17 -1.02	2.89 -0.73	2.54 -0.54	4
5	2.69 -0.79	2.56 -0.57	3.23 0.08	4.37 0.19	4.20 0.07	2.88 -1.20	2.91 -0.28	3.01 -1.02	3.01 -1.31	3.21 -0.97	2.57 -0.75	3.00 -0.30	5
6	2.72 -0.68	2.83 -0.25	3.48 -0.19	4.19 0.09	4.26 0.10	2.98 -1.01	3.06 -0.24	3.08 -1.17	3.06 -1.12	2.92 -1.11	2.22 -0.91	3.29 0.02	6
7	2.77 -0.54	2.81 -0.23	3.81 -0.20	5.12 -0.12	5.87 0.32	3.89 -0.63	3.23 -0.21	3.05 -0.99	2.76 -1.38	2.52 -1.56	2.67 -0.60	2.16 -0.78	7
8	3.14 0.16	3.16 -0.31	4.10 -0.15	4.37 0.04	3.43 0.24	2.52 -0.70	3.15 -0.57	3.21 -0.95	2.66 -1.22	2.21 -1.16	1.73 -0.31	1.49 -0.93	8
9	3.35 0.43	3.32 -0.46	4.42 0.03	3.92 0.01	3.00 -0.01	2.42 -0.77	3.15 -0.83	3.34 -0.80	2.31 -1.25	2.13 -1.21	2.76 -0.27	3.00 -1.03	9
10	2.94 0.07	2.94 -0.50	4.12 0.12	3.60 -0.12	3.39 0.11	2.50 -0.79	3.13 -0.64	3.08 -1.08	2.97 -1.07	2.98 -1.23	3.26 -0.72	3.50 -0.66	10
11	2.92 -0.14	2.57 -0.57	4.28 0.05	2.95 -0.23	2.65 -0.50	2.62 -0.84	2.78 -1.08	2.44 -1.28	1.96 -1.56	2.21 -0.75	2.25 -0.25	3.60 -0.75	11
12	3.23 -0.37	3.67 -0.37	4.01 -0.34	2.85 -0.46	3.13 -0.27	2.84 -0.79	2.62 -1.14	2.25 -1.23	1.82 -1.29	2.50 -0.84	3.82 -0.42	3.23 -0.68	12
13	3.54 -0.29	3.58 -0.60	3.61 -0.12	2.92 -0.55	2.94 -0.82	2.87 -0.91	2.14 -1.44	2.29 -1.21	2.06 -0.99	2.65 -1.18	3.91 -0.42	3.12 -0.81	13
14	3.75 -0.24	3.97 -0.31	3.14 -0.19	3.06 -0.35	3.14 -0.82	2.79 -1.04	1.90 -1.38	2.32 -1.15	2.22 -1.01	3.03 -1.17	3.65 -0.57	2.64 -0.89	14
15	3.47 -0.14	3.38 -0.22	3.16 -0.26	3.26 -0.22	3.07 -0.62	2.75 -0.88	2.01 -0.99	2.19 -0.80	2.76 -1.23	3.12 -1.02	3.65 -0.72	2.61 -0.78	15
16	3.12 -0.63	3.00 -0.45	3.26 -0.27	3.39 -0.41	2.89 -0.92	2.52 -1.22	2.31 -0.96	2.11 -0.81	3.42 -0.41	3.31 -1.18	3.44 -0.63	2.55 -0.63	16
17	3.09 -1.04	3.15 -0.32	3.38 -0.04	3.67 -0.27	3.02 -0.97	2.14 -1.50	2.73 0.02	2.37 -0.88	3.52 -0.73	3.37 -1.19	3.03 -0.68	2.83 -0.50	17
18	2.27 -1.03	3.77 0.47	3.19 -0.34	3.85 1.16	3.25 -0.79	3.25 -0.05	2.33 -0.38	2.92 -0.83	2.60 -0.88	3.56 -1.14	3.37 -0.61	3.08 -0.43	18
19	3.03 -0.83	3.37 0.09	3.16 0.21	3.89 -0.20	3.33 -0.51	2.33 -1.11	2.60 -0.45	2.99 -0.68	3.59 -0.98	3.30 -1.13	2.88 -0.42	3.22 -0.55	19
20	2.75 -0.89	3.45 0.18	3.57 -0.33	3.79 -0.21	2.77 -0.47	2.16 -1.07	2.35 -0.89	3.39 -0.50	3.71 -0.88	3.26 -1.00	2.83 -0.45	3.32 -0.53	20
21	2.59 -0.84	3.59 -0.03	3.95 -0.31	3.63 -0.29	2.52 -0.5	2.26 -0.85	2.59 -0.95	3.71 -1.09	3.34 -0.97	3.07 -0.79	3.05 -0.29	2.05 -0.66	21
22	2.43 -0.59	3.81 -0.09	4.06 -0.11	3.64 -0.29	2.83 -0.79	1.94 -0.83	2.68 -0.89	3.56 -0.91	3.21 -1.13	2.73 -0.96	2.02 -0.25	3.19 -0.84	22
23	2.62 -0.54	4.08 0.01	3.56 -0.08	3.34 -0.22	2.52 -0.45	1.99 -0.91	2.64 -1.40	3.55 -0.81	2.84 -1.40	2.27 -0.89	3.15 -0.46	2.86 -0.91	23
24	2.86 -0.57	4.27 0.14	3.86 -0.03	3.03 -0.29	2.57 -0.50	2.31 -0.85	2.86 -1.30	3.63 -0.82	2.35 -1.39	2.50 -0.77	3.13 -0.93	2.91 -0.72	24
25	3.09 -0.62	4.01 0.18	3.48 0.05	2.69 -0.55	2.49 -0.40	2.75 -0.42	3.09 -1.24	3.52 -0.78	2.00 -1.26	2.68 -0.63	3.02 -1.01	2.93 -0.65	25
26	3.12 -0.64	3.43 -0.19	3.06 -0.49	2.77 -0.49	2.57 -0.50	2.61 -0.65	3.17 -1.19	3.17 -0.88	2.36 -1.02	2.81 -0.79	3.11 -0.93	2.68 -0.72	26
27	3.21 -0.68	3.05 -0.56	3.25 -0.69	2.54 -0.01	2.41 -0.91	2.00 -0.80	2.69 -1.61	2.60 -0.88	2.60 -0.71	3.22 -0.72	2.82 -1.17	2.60 -0.59	27
28	3.06 -0.74	2.67 -0.77	3.81 -0.19	2.94 0.00	2.57 -0.99	2.79 -1.16	2.70 -1.14	2.57 -0.62	2.85 -0.81	3.37 -0.79	2.92 -0.91	2.51 -0.61	28
29	2.81 -0.98	2.53 -0.95	3.39 0.14	3.28 -0.14	2.83 -0.54	2.95 -1.20	2.46 -1.18	2.75 -0.60	3.17 -0.83	3.44 -0.86	2.95 -0.88	2.66 -0.35	29
30	2.63 -1.14	2.74 -0.73	3.12 -0.04	3.78 0.19	3.78 0.19	2.71 -1.37	2.29 -0.79	2.63 -0.99	3.24 -1.03	3.58 -1.17	2.94 -0.59	2.93 0.13	30
31	2.66 -1.09	3.26 -0.14	3.72 -0.19	3.72 -0.19	2.69 -1.25	2.69 -1.25	2.60 -0.96	2.60 -0.96	3.06 -1.09	2.63 -0.74	2.63 -0.74		31
MAXIMUM	3.75	4.27	4.46	4.37	4.44	3.31	3.21	3.71	3.71	3.58	3.91	3.36	MAXIMUM
MINIMUM	-1.14	-0.99	-0.75	-0.55	-0.99	-1.50	-1.61	-1.28	-1.56	-1.33	-1.17	-1.03	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES								
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Mississippi

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD		DAMON OF GAGE			
LATITUDE	LONGITUDE	4 SEC T & R MOB SM	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DAMON
			CFS	GAGE HT	DATE			FROM	TO	

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

OLD RIVER NEAR BYRON

feet

STAT ON NO	WATER YEAR
B95270	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
1	2.91 -0.75	2.56 -0.76	2.50 -0.75	3.04 -0.64	4.08 0.02	3.32 -0.49	2.75 -0.94	2.08 -1.04	2.42 -0.86	3.34 -0.88	3.23 -0.81	2.61 -0.83	
2	2.21 -0.74	2.28 -0.76	2.28 -0.77	2.05 -0.77	3.75 1.18	3.26 -0.80	2.70 -0.78	2.16 -0.82	3.05 -0.92	3.55 -1.00	3.30 -0.95	2.45 -0.91	2
3	2.37 -0.73	2.39 -0.76	2.50 -0.75	2.57 -0.77	4.07 0.00	3.74 -0.80	2.86 -0.96	2.58 -1.01	3.07 -1.02	3.10 -1.02	3.18 -0.96	2.43 -0.93	3
4	2.63 -0.68	2.32 -0.61	2.45 -0.65	4.13 1.11	4.37 -0.05	2.75 -1.27	2.01 -0.06	3.22 -0.42	2.94 -1.29	3.16 -1.01	2.96 -0.61	2.53 -0.23	4
5	2.67 -0.72	2.50 -0.53	3.09 -0.22	4.24 0.17	4.13 0.10	2.84 -1.18	2.91 -0.16	3.02 -0.84	3.01 -1.25	3.23 -0.62	2.64 -0.61	2.04 -0.21	5
6	2.68 -0.62	2.79 -0.21	3.34 0.09	4.18 0.06	4.10 0.10	2.92 -0.51	3.05 -0.11	3.07 -1.03	3.06 -0.86	2.99 -0.78	2.27 -0.19	3.30 0.09	6
7	2.73 -0.46	2.97 -0.20	3.64 -0.24	4.19 -0.15	3.76 0.32	2.80 -0.58	3.17 -0.28	3.05 -0.93	2.76 -1.28	2.68 -0.87	2.55 -0.47	3.16 -0.18	7
8	3.09 0.22	3.11 -0.24	3.96 -0.19	4.24 0.01	3.35 0.21	2.46 -0.65	3.17 -0.38	3.24 -0.77	2.68 -1.06	2.23 -1.08	1.78 -0.16	1.48 -0.84	8
9	3.30 0.51	3.25 -0.38	4.28 0.00	3.81 0.03	2.69 -0.02	2.36 -0.89	3.16 -0.69	3.30 -1.10	2.37 -1.10	2.15 -1.10	2.84 -0.17	3.00 -0.95	9
10	2.90 0.11	3.48 -0.41	4.32 0.11	3.51 -0.16	3.23 0.04	2.46 -0.71	3.14 -0.69	2.95 -0.92	2.13 -1.20	2.10 -1.03	3.29 -0.11	3.20 -0.85	10
11	2.87 -0.07	3.51 -0.03	4.14 0.03	2.85 -0.51	2.76 -0.51	2.55 -0.94	2.74 -1.17	2.43 -1.17	2.41 -1.45	2.24 -0.59	3.76 -0.14	3.44 -0.61	11
12	3.20 -0.31	3.58 -0.61	3.67 0.00	2.73 -0.47	3.04 -0.30	2.79 -0.74	2.59 -1.03	1.84 -1.08	2.56 -1.25	3.88 -0.11	3.88 -0.25	2.55 -0.77	12
13	3.50 -0.22	3.56 -0.54	3.48 -0.10	2.82 -0.56	2.83 -0.87	2.81 -0.87	2.10 -1.35	2.28 -0.93	2.00 -0.91	2.69 -1.03	3.97 -0.30	3.10 -0.75	13
14	3.73 -0.19	3.88 -0.22	3.03 -0.18	2.96 -0.22	3.04 -0.77	2.75 -1.05	1.83 -0.99	2.36 -0.91	2.24 -1.04	3.05 -0.45	3.89 -0.82	2.82 -0.82	14
15	3.41 -0.10	3.33 -0.16	3.04 -0.26	3.17 -0.18	2.98 -0.93	2.74 -0.85	1.97 -1.08	2.20 -0.69	2.76 -0.71	3.12 -1.12	3.71 -0.63	2.95 -0.54	15
16	3.06 -0.59	2.93 -0.58	3.12 -0.27	3.28 -0.41	2.62 0.49	2.46 -1.17	2.13 -0.75	2.31 -0.67	3.40 -0.24	3.32 -1.02	3.54 -0.54	2.50 -0.59	16
17	3.01 -1.00	3.10 -0.24	3.27 -0.06	3.60 0.85	2.93 -0.96	2.10 -1.43	2.74 -0.73	2.40 -0.59	3.55 -1.10	3.36 -1.10	3.31 -0.56	2.78 -0.44	17
18	2.23 -0.47	3.70 0.52	3.08 -0.35	3.75 -0.25	3.17 -0.77	2.32 0.01	2.85 -0.05	2.60 -0.69	3.55 -0.79	3.40 -1.05	3.43 -0.31	3.07 -0.37	18
19	2.98 -0.79	3.26 0.14	3.27 0.21	3.81 -0.19	3.24 -0.51	2.30 -1.03	2.57 -0.35	3.00 -0.56	3.62 -0.80	3.34 -0.95	2.96 -0.24	3.20 -0.49	19
20	2.71 -0.86	3.40 0.27	3.44 -0.35	3.68 -0.19	2.68 -0.59	2.14 -0.74	2.38 -0.37	3.39 -0.72	3.76 -0.89	3.26 -0.77	2.92 -0.33	3.28 -0.48	20
21	2.53 -0.80	3.52 0.10	3.83 -0.31	3.56 -0.29	2.43 -0.72	2.22 -0.77	2.56 -0.80	3.75 -0.31	3.40 -0.88	3.09 -0.83	2.25 -0.08	3.14 -0.60	21
22	2.38 -0.67	3.72 -0.04	3.91 -0.12	3.56 -0.29	2.75 -0.77	1.90 -0.75	2.68 -0.77	3.59 -0.79	3.25 -0.86	2.70 -0.88	3.12 -0.12	2.01 -0.76	22
23	2.38 -0.46	3.03 0.05	3.47 -0.22	3.24 -0.53	2.42 -0.84	1.93 -0.84	2.61 -1.02	3.59 -0.72	2.86 -1.03	2.25 -0.77	3.18 -0.33	2.80 -0.85	23
24	2.80 -0.51	4.10 0.20	3.72 -0.60	2.93 -0.39	2.51 -0.46	2.26 -0.59	2.84 -1.15	3.61 -0.69	2.30 -1.22	2.55 -0.61	3.15 -0.77	2.68 -0.63	24
25	3.04 -0.56	3.69 0.24	3.36 0.06	2.60 -0.57	2.44 -0.38	2.71 -0.34	3.07 -0.06	3.51 -0.63	2.02 -1.13	2.74 -0.51	3.06 -0.85	2.85 -0.59	25
26	3.09 -0.53	3.36 -0.15	2.95 -0.52	2.68 -0.53	2.53 -0.51	2.77 -0.55	3.13 -1.06	3.25 -0.73	2.37 -0.90	2.85 -0.68	3.12 -0.83	2.62 -0.65	26
27	3.16 -0.61	2.98 -0.54	3.12 -0.71	3.06 0.01	2.37 -0.92	2.87 -0.69	2.69 -1.42	2.67 -0.75	2.61 -0.60	3.23 -0.60	2.83 -1.06	2.55 -0.55	27
28	3.02 -0.61	2.58 -0.77	3.73 -0.18	2.86 0.01	2.56 -1.01	2.77 -1.10	2.71 -0.98	2.61 -0.46	2.88 -0.69	3.39 -0.68	2.94 -0.78	2.46 -0.53	28
29	2.77 -0.90	2.45 -0.85	3.29 0.15	3.29 0.15	2.79 -1.12	2.44 -1.05	2.81 -1.05	3.29 -0.67	3.45 -0.73	3.02 -0.93	2.62 -0.69	2.85 -0.65	29
30	2.59 -1.08	2.62 -0.71	3.02 -0.03	3.66 0.21	2.71 -1.29	2.28 -1.02	2.67 -0.65	3.27 -0.91	3.59 -0.65	2.96 -0.48	2.88 0.17		30
31	2.62 -1.04		3.15 -0.12	3.63 -0.17		2.67 -1.18		2.64 -0.83		3.07 -1.10	2.66 -0.61		31
MAXIMUM	3.73	4.17	4.32	4.24	4.37	3.32	3.17	3.75	3.76	3.59	3.97	3.44	MAXIMUM
MINIMUM	-1.08	-0.99	-0.77	-0.57	-1.01	-1.43	-1.42	-1.17	-1.45	-1.22	-1.06	-0.94	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Rating stage affected the rating until 1966. High water stage was 4.10 and low water stage was 1.08.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R NOBAM	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		



TABLE 8-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

ROCK SLOUGH AT CONTRA COSTA CANAL INTAKE

STATION NO	WATER VEGA
B95220	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
	5:07 2:24	5:54 2:26	5:47 2:22	5:07 2:01	7:12 2:49	6:23 2:41	5:01 2:09	5:25 2:03	6:04 2:18	6:01 2:18	6:06 2:20	5:75 2:37	1
2	6:22 2:27	5:27 2:06	5:25 2:18	5:05 2:50	6:78 2:52	6:29 2:05	5:88 2:21	5:44 2:21	6:25 2:03	6:76 2:01	6:53 2:44	5:60 2:52	2
3	5:42 2:44	5:24 2:03	5:45 2:24	6:50 2:70	7:14 2:23	5:78 1:61	6:09 2:92	5:75 2:40	6:30 1:79	6:34 1:80	6:38 2:50	5:54 2:75	3
4	5:03 2:42	5:33 2:17	5:07 2:63	5:77 3:00	5:83 2:83	5:77 1:93	5:87 2:97	6:55 2:55	5:17 2:00	5:17 2:00	5:18 2:18	5:18 2:18	4
5	5:00 2:22	5:51 2:40	6:01 2:58	7:21 4:36	7:19 2:99	5:96 2:89	6:09 2:84	6:55 2:15	6:20 1:72	6:43 2:16	5:74 2:44	6:11 2:04	5
6	5:77 2:40	5:79 2:72	6:23 2:51	7:02 2:82	7:24 3:00	6:03 1:94	6:24 2:08	6:26 1:96	6:26 1:93	6:16 2:17	5:47 2:24	6:42 2:16	6
7	5:00 2:52	5:08 2:97	6:54 3:59	7:17 2:66	6:79 3:22	5:87 2:32	6:37 2:69	6:25 1:97	5:91 1:67	5:16 2:16	5:23 2:53	6:28 2:06	7
8	6:17 3:22	6:09 2:66	6:88 2:58	7:23 2:82	6:34 3:09	5:61 2:32	6:38 2:55	6:47 2:22	5:82 1:93	5:41 1:94	6:04 2:91	6:13 2:17	8
9	6:37 3:49	6:24 2:40	7:21 2:78	6:81 2:83	5:93 2:49	5:52 2:31	6:36 2:26	6:49 2:30	5:55 1:98	5:30 1:93	6:49 2:53	6:35 2:03	9
10	6:02 3:11	6:47 2:45	7:28 2:90	6:47 2:68	6:11 2:89	5:62 2:31	6:28 2:28	6:08 2:06	5:38 1:87	5:40 2:02	6:03 2:98	5:19 2:18	10
11	5:98 2:97	6:48 2:39	7:13 2:85	5:86 2:63	5:76 2:41	5:72 2:19	5:83 2:01	5:54 1:81	5:24 1:57	5:79 2:56	5:44 2:92	6:64 2:39	11
12	6:29 2:74	6:59 2:28	6:83 2:85	5:74 2:40	5:96 2:49	5:94 2:28	5:70 1:96	5:41 1:96	5:08 1:85	4:25 2:41	7:07 2:42	6:45 2:23	12
13	6:59 2:83	6:63 2:33	6:50 2:75	5:80 2:33	5:83 2:03	5:96 2:19	5:23 1:67	5:47 2:10	5:26 2:17	5:92 2:09	7:17 2:73	6:34 2:28	13
14	6:77 2:68	6:93 2:75	6:01 2:68	5:92 2:56	6:04 2:16	5:86 2:05	5:01 1:67	5:63 2:07	5:49 2:11	6:26 2:03	7:12 2:61	6:02 2:18	14
15	6:45 2:89	6:55 2:77	6:00 2:68	6:16 2:63	5:95 2:49	5:82 2:17	5:10 1:94	5:41 2:35	5:00 2:31	6:35 1:85	6:94 2:42	5:75 2:08	15
16	6:12 2:34	6:11 2:53	6:11 2:62	6:18 2:40	5:55 1:89	5:55 1:88	5:27 2:27	5:57 2:44	6:65 2:73	6:59 2:01	6:81 2:50	5:68 2:43	16
17	6:07 1:99	6:25 2:73	6:25 2:85	6:55 2:61	5:95 3:50	5:24 1:62	6:00 2:23	5:56 2:26	6:76 2:41	6:63 1:93	6:57 2:67	5:94 2:58	17
18	6:04 2:02	6:74 3:45	6:06 2:47	6:73 2:65	6:20 2:10	5:46 2:06	6:08 2:80	5:78 2:30	5:82 2:19	6:40 1:97	6:35 2:61	6:26 2:06	18
19	5:38 2:19	6:27 3:04	6:23 2:49	6:76 4:25	6:28 2:39	5:46 2:06	5:78 2:65	6:15 2:45	6:84 2:13	6:60 2:10	6:19 2:79	6:35 2:55	19
20	5:82 2:13	6:40 2:13	6:41 2:34	6:66 2:63	5:76 2:59	5:29 2:06	5:63 2:27	6:56 2:60	6:97 2:26	6:51 2:12	6:17 2:73	6:42 2:54	20
21	5:62 2:18	6:53 3:40	6:79 2:51	6:56 2:53	5:52 2:19	5:35 2:28	5:79 2:19	6:92 2:67	6:65 2:16	6:35 2:17	5:31 2:41	6:27 2:41	21
22	5:51 2:35	6:73 2:65	6:81 2:72	6:54 2:57	5:81 2:16	5:06 2:29	5:94 2:17	6:72 2:13	6:47 1:98	5:17 2:17	6:37 3:02	5:09 2:25	22
23	5:73 2:48	7:01 2:94	6:47 2:70	6:23 2:53	5:49 2:23	5:16 2:03	5:84 2:18	6:66 2:13	6:03 2:30	5:84 2:12	6:35 2:45	5:92 2:12	23
24	5:91 2:78	7:17 3:11	6:73 2:23	5:93 2:45	5:59 2:55	5:49 2:49	6:07 1:83	6:73 2:23	5:51 1:73	6:00 2:41	6:90 2:31	6:02 2:35	24
25	6:13 2:44	6:05 3:14	6:35 2:92	5:60 2:36	5:53 2:65	5:89 2:69	6:25 2:02	6:62 2:34	5:28 1:96	4:76 2:59	6:30 2:17	6:04 2:37	25
26	6:17 2:41	6:32 2:71	5:95 2:33	5:71 2:41	5:60 2:42	5:96 2:43	6:20 1:83	6:33 2:31	5:66 2:01	6:14 2:43	6:34 2:17	5:77 2:32	26
27	6:23 2:38	5:94 2:28	6:12 2:17	6:09 2:98	5:46 2:05	6:04 2:34	5:74 1:55	5:77 2:24	5:86 2:40	6:50 2:50	6:03 1:98	5:67 2:37	27
28	6:06 2:32	5:54 2:11	6:75 2:75	5:88 3:00	5:61 1:94	5:90 1:91	5:74 2:02	5:80 2:54	6:13 2:39	6:66 2:39	6:15 2:17	5:64 2:47	28
29	5:12 2:12	1:99	5:00 2:07	6:28 3:18	5:93 2:42	5:93 2:42	5:50 1:99	5:58 2:52	5:43 2:38	6:72 2:33	6:26 2:40	5:89 2:73	29
30	5:62 1:93	5:55 2:10	6:09 2:92	6:72 3:22	5:82 1:70	5:82 1:70	5:34 2:00	5:86 2:41	6:50 2:13	6:82 2:43	6:17 2:44	6:01 3:12	30
31	5:63 1:59		6:11 2:85	6:66 2:77	5:80 1:83		5:87 2:20		6:32 1:96		5:81 2:08		31
MAXIMUM	6:77	7:17	7:28	7:23	7:44	6:29	6:38	6:92	6:97	6:82	7:17	6:64	MAXIMUM
MINIMUM	1:93	1:99	2:17	2:33	1:89	1:61	1:55	1:81	1:57	1:80	1:98	2:08	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 SEC T & R W D & W	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	

STAT ON NO	WATER YEAR
895180	1966

E ← Estimated  
NR ← No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

[illegible]



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

MOKELELLE RIVER NEAR THORNTON

in feet

5" at ON NO	WATER YEAR
894200	1966

DATE	DEC	NOV	OCT	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	3.39 2.18	3.54 2.10	2.79 0.28	5.99 5.13	5.65 5.16	3.95 2.05	3.30 0.40	-2.71 -0.22	3.17 -0.23	3.62 -0.15	3.55 -0.15	2.91 -0.13	
2	3.78 1.18	3.68 2.15	2.60 0.10	5.54 3.76	4.60 3.72	3.82 1.31	3.18 0.17	-2.76 -0.13	3.34 -0.38	3.74 -0.40	3.58 0.09	2.71 -0.07	2
3	3.23 1.73	3.30 1.90	2.79 0.13	4.05 2.79	3.53 2.84	3.44 2.18	3.41 0.55	3.04 0.08	3.37 -0.61	3.42 -0.56	3.45 0.06	2.71 0.16	3
4	3.63 1.68	3.41 2.01	2.09 0.49	4.29 1.92	4.65 2.59	3.51 1.31	3.53 1.19	3.65 0.35	3.23 -0.75	3.51 -0.34	3.24 -0.06	2.81 0.17	4
5	3.60 1.68	3.56 2.15	3.30 0.18	4.37 2.76	4.38 2.31	3.55 1.31	3.62 0.58	3.52 -0.02	3.26 -0.66	3.56 -0.18	2.92 0.08	3.27 -0.35	5
6	3.58 1.96	3.72 2.34	3.48 0.59	4.45 2.00	4.60 2.25	3.54 1.36	3.54 1.08	3.46 -0.20	3.33 -0.49	3.34 -0.15	2.66 -0.24	3.46 0.58	6
7	3.59 2.08	3.84 2.53	3.66 0.60	4.58 2.97	4.08 3.57	3.50 1.61	3.66 1.34	3.44 -0.12	3.05 -0.79	3.13 -0.25	2.91 -0.01	3.32 0.34	7
8	3.89 2.64	3.94 2.60	3.87 0.59	4.65 2.64	5.61 4.78	3.35 1.57	3.94 1.40	3.68 0.22	2.96 -0.48	2.66 -0.92	3.10 0.37	1.72 -0.35	8
9	4.11 2.97	4.05 2.53	4.19 0.55	4.04 1.94	4.21 1.55	3.22 1.55	3.85 1.04	3.66 0.13	2.73 -0.47	2.63 -0.57	1.96 0.32	3.25 -0.45	9
10	3.83 2.65	4.21 2.55	4.27 0.72	3.74 1.37	3.67 2.60	3.33 1.54	3.73 1.07	3.30 -0.10	2.62 -0.56	2.51 -0.51	3.55 0.40	3.46 -0.28	10
11	3.76 2.48	4.19 2.58	4.16 0.71	3.19 1.05	3.19 1.33	3.41 1.48	3.31 0.56	2.81 -0.31	2.44 -0.48	2.69 -0.57	3.87 0.37	3.73 -0.35	11
12	3.98 2.41	4.48 2.50	3.87 0.73	3.10 0.60	3.23 0.36	3.45 1.22	3.24 1.13	2.68 -0.16	2.25 -0.85	2.98 -0.09	+0.05 0.30	3.52 -0.19	12
13	4.23 2.45	4.63 2.55	3.63 0.59	3.14 0.35	3.05 1.08	3.42 1.48	2.92 0.98	2.81 -0.06	2.42 -0.52	3.10 -0.37	4.12 0.31	3.37 -0.13	13
14	4.37 2.65	4.70 3.43	3.22 0.41	3.26 0.61	3.25 -0.04	3.35 1.07	2.73 0.61	2.01 -0.09	2.62 -0.48	2.57 -0.37	3.07 0.27	3.12 -0.32	14
15	4.13 2.69	4.06 3.33	3.15 0.29	3.42 0.71	3.12 1.05	3.35 1.28	2.62 0.53	2.72 0.17	2.08 -0.28	3.46 -0.47	3.94 0.14	2.69 -0.28	15
16	3.88 2.72	3.52 3.42	2.72 0.22	3.32 0.58	2.58 1.05	3.21 1.57	2.71 0.51	2.89 0.16	3.66 -0.17	3.67 -0.26	3.89 0.35	2.65 -0.13	16
17	3.83 2.06	4.44 3.48	3.16 0.38	3.78 1.55	3.33 -0.35	3.78 1.70	3.62 1.55	2.90 0.00	3.77 -0.07	3.69 -0.29	3.12 0.12	3.48 0.03	17
18	3.36 2.07	4.67 3.82	3.22 0.09	3.93 0.84	3.58 0.76	2.83 -0.33	3.43 1.16	3.07 -0.01	3.78 -0.24	3.76 -0.25	3.48 0.23	3.35 0.19	18
19	3.66 2.16	4.57 3.61	3.38 0.54	3.87 0.87	3.64 1.17	2.82 -0.05	3.25 0.55	3.35 0.16	3.81 -0.17	3.70 -0.19	3.33 0.35	3.42 0.05	19
20	3.68 2.12	4.55 3.62	3.58 0.13	3.81 0.81	3.24 1.20	2.72 -0.09	3.10 0.53	3.67 0.34	3.90 -0.07	3.64 -0.15	3.32 0.22	3.53 0.02	20
21	3.55 2.06	4.53 3.50	3.85 0.18	3.73 0.71	3.14 0.94	2.80 0.15	3.98 0.35	3.98 0.55	3.73 -0.19	3.46 -0.13	3.46 0.37	3.39 -0.09	21
22	3.48 2.13	4.46 3.41	3.83 0.41	3.76 0.72	3.40 1.45	2.42 -0.03	3.19 0.51	3.82 -0.02	3.58 -0.10	3.15 -0.03	2.41 -0.20	3.48 -0.16	22
23	3.61 2.23	4.50 3.37	3.60 0.33	3.48 0.74	3.14 1.69	2.52 -0.04	3.15 -0.20	3.75 -0.07	3.27 -0.36	2.70 -0.14	3.48 0.21	3.12 -0.45	23
24	3.74 2.23	4.52 2.91	3.91 -0.02	3.23 0.54	3.29 1.61	2.87 0.27	3.36 -0.17	3.80 -0.08	2.64 -0.77	3.04 0.03	3.48 -0.12	3.16 -0.14	24
25	3.88 2.29	4.23 2.46	3.61 0.74	2.94 0.38	3.20 1.45	3.23 0.51	3.51 0.00	3.67 -0.06	2.50 -0.56	2.17 -0.05	3.43 -0.20	3.18 -0.16	25
26	3.89 2.30	3.72 1.61	3.33 0.80	2.96 0.33	3.36 1.89	3.26 0.36	3.44 -0.37	3.49 -0.04	2.80 -0.38	3.27 -0.06	3.48 -0.30	2.91 -0.27	26
27	3.95 2.25	3.35 1.05	3.40 0.70	2.33 0.60	3.34 1.85	3.36 0.35	2.88 -0.51	2.97 -0.12	2.98 -0.11	3.56 0.05	3.17 -0.47	2.78 -0.37	27
28	3.82 2.25	2.96 0.58	3.87 0.81	3.78 0.78	3.15 1.75	3.42 -0.13	3.20 2.01	2.98 0.07	2.98 -0.11	3.70 -0.00	3.20 -0.17	2.80 -0.15	28
29	3.65 2.05	2.82 0.31	3.71 1.27	3.56 0.82	3.23 0.82	2.92 -0.05	3.17 -0.15	3.49 -0.07	3.49 -0.07	3.77 -0.03	3.39 0.06	3.00 0.08	29
30	3.55 1.93	2.91 0.32	4.70 2.77	3.92 1.62	3.22 3.41	3.17 -0.02	2.77 -0.19	3.03 -0.13	3.52 -0.30	3.62 0.04	3.30 -0.08	3.20 0.50	30
31	3.56 1.92		5.54 4.69	5.39 3.41		3.20 0.14		3.01 -0.29		3.45 -0.32	3.00 -0.11		31
MAXIMUM	4.37	4.70	5.54	5.99	6.08	3.95	3.94	3.98	3.70	3.62	4.12	3.73	MAXIMUM
MINIMUM	0.58	0.31	-0.02	0.33	-0.35	-0.33	-0.51	-0.31	-1.04	-0.58	-0.47	-0.45	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R W O B & R	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	FROM	TO	ZERO ON GAGE	REF DATUM
			CF5	GAGE NT	DATE							

TABLE 8-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SOUTH FORK NOKELEUNE RIVER AT NEW HOPE BRIDGE, - feet

STATION NO.	WATER YEAR
894150	1966

DATE	OC*	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JUL*	AUG	SEPT	DATE
	3-22 0-08	2-88 0-17	2-63 -0-48	3-34 0-70	4-42 0-70	3-71 0-73	3-19 -0-46	2-71 -0-26	3-35 -0-17	3-84 -0-07	3-75 -0-06	3-01 -0-04	
2	3-48 0-16	2-59 0-01	2-40 -0-65	3-31 0-22	4-07 1-56	3-67 0-36	3-10 -0-31	2-78 -0-16	3-55 -0-29	3-95 -0-29	3-81 0-19	2-85 0-08	
3	2-68 -0-14	2-60 -0-07	2-63 -0-56	3-76 0-21	4-35 0-51	3-37 -0-09	3-34 0-57	3-11 -0-04	3-56 -0-09	3-58 -0-19	3-67 0-13	2-81 0-04	3
4	3-19 0-29	2-73 0-06	2-94 -0-15	4-23 1-41	4-52 0-47	3-30 -0-07	3-45 0-36	3-81 0-31	3-40 -0-46	3-65 -0-29	3-37 0-06	2-91 0-24	4
5	3-09 0-17	2-93 0-23	3-20 -0-10	4-29 0-54	4-29 0-59	3-37 0-69	3-36 0-25	3-66 -0-04	3-38 -0-59	3-70 -0-14	3-04 0-03	3-31 0-32	5
6	3-08 -0-23	3-22 0-46	3-40 0-09	4-23 0-36	4-42 0-55	3-48 0-35	3-47 0-51	3-80 -0-26	3-48 -0-37	3-44 -0-09	2-76 0-13	3-58 0-44	6
7	3-14 0-36	3-39 0-71	3-66 -0-12	4-36 0-34	4-18 0-66	3-31 0-35	3-62 0-44	3-58 -0-14	3-13 -0-67	3-18 -0-19	3-01 0-11	3-50 0-43	7
8	3-51 0-96	3-54 0-66	3-92 -0-10	4-35 0-52	3-70 1-01	2-98 0-35	3-91 0-80	3-80 0-20	3-03 -0-37	2-68 -0-43	3-32 0-38	3-61 -0-25	8
9	3-77 1-26	3-66 0-46	4-21 0-09	3-98 0-44	3-25 0-59	2-95 0-33	3-81 0-51	3-77 0-16	2-76 -0-35	2-55 -0-46	3-74 0-13	2-10 -0-34	9
10	3-37 0-86	3-87 0-41	4-30 0-24	3-69 0-23	3-21 0-21	3-06 0-33	3-68 0-51	3-37 -0-10	2-68 -0-45	1-65 -0-42	2-33 0-52	3-61 -0-20	10
	3-35 0-76	3-83 0-37	4-16 0-23	3-08 0-13	-0-23 -0-20	3-16 0-33	3-25 0-31	-0-32 -0-32	2-52 -0-91	2-73 0-03	4-15 0-58	3-93 0-10	
12	3-69 -0-57	3-91 0-27	4-03 -0-21	3-08 -0-16	3-10 -0-46	3-48 0-34	3-08 0-44	2-68 -0-17	2-30 -0-01	3-07 -0-01	4-24 0-13	3-73 -0-13	12
3	4-12 0-64	3-60 0-38	3-60 0-10	-0-29 -0-29	-0-65 -0-65	2-94 0-43	2-70 0-22	2-81 0-05	2-47 -0-40	-0-28 -0-28	4-37 0-45	3-63 -0-06	3
14	4-17 0-74	4-26 0-82	3-19 -0-01	3-16 -0-12	3-20 -0-56	3-26 0-39	2-52 0-09	2-72 -0-10	2-72 -0-34	3-52 -0-27	4-34 0-32	3-30 -0-24	14
5	3-75 0-74	3-67 0-83	3-09 -0-09	3-35 -0-08	3-04 -0-71	3-24 0-62	2-50 0-11	2-75 0-20	3-22 -0-15	3-63 -0-36	4-24 0-19	3-04 -0-20	5
16	3-37 0-14	3-50 0-69	3-20 -0-15	3-25 -0-22	3-02 0-64	3-08 0-37	2-64 0-25	2-95 0-19	3-86 0-35	3-85 -0-21	4-09 0-23	2-95 -0-06	16
17	3-32 -0-06	3-82 1-09	3-37 0-10	3-72 1-03	3-21 -0-76	2-62 -0-98	3-57 1-20	2-93 0-02	4-03 0-06	3-91 -0-24	3-86 0-20	3-30 0-09	17
8	3-36 0-00	4-05 1-31	3-17 -0-20	3-49 0-03	3-43 -0-46	2-72 0-32	3-44 0-70	3-15 0-05	4-02 -0-15	3-97 -0-21	3-68 0-30	3-53 0-27	18
9	2-69 0-12	3-60 0-62	3-36 0-34	3-83 0-08	3-50 -0-17	2-71 -0-60	3-24 0-54	3-52 0-20	4-05 -0-13	3-91 -0-13	3-47 0-40	3-62 0-12	9
20	3-14 0-05	3-73 0-73	3-56 -0-18	3-75 0-04	3-00 -0-14	2-63 -0-57	3-07 0-28	3-87 0-34	4-19 0-03	3-85 -0-10	3-45 0-29	3-72 0-11	20
21	2-97 0-10	3-82 0-61	3-49 -0-11	3-73 -0-02	2-88 -0-40	2-68 -0-28	3-19 0-12	4-24 0-55	3-97 -0-09	3-67 -0-08	3-62 0-46	2-53 0-00	21
22	2-66 0-20	3-99 0-49	3-66 0-08	3-76 -0-01	3-20 0-24	2-27 -0-34	3-20 -0-17	4-03 -0-07	3-74 -0-23	3-74 -0-15	3-63 0-55	2-32 -0-16	22
23	3-08 0-34	4-24 0-56	3-58 -0-01	3-46 0-04	2-87 -0-60	2-36 -0-44	3-16 -0-36	3-95 -0-04	3-39 -0-26	3-12 -0-09	3-62 0-36	2-22 -0-32	23
24	3-28 0-34	4-33 0-72	3-54 -0-35	3-17 -0-14	3-02 0-53	2-76 -0-16	3-37 -0-31	4-01 -0-04	2-70 -0-66	3-25 0-07	2-16 -0-04	3-27 -0-04	24
25	3-49 0-31	4-06 0-69	3-57 0-33	2-85 -0-26	2-92 0-58	3-14 0-06	3-54 -0-08	3-86 0-01	2-58 -0-46	1-96 0-12	3-55 -0-15	3-28 -0-08	25
26	3-51 0-31	3-54 0-22	3-17 -0-19	2-90 -0-28	2-98 0-54	3-22 -0-16	3-48 -0-49	3-62 -0-02	2-87 -0-27	3-40 0-02	3-61 -0-24	3-03 -0-16	26
27	3-56 0-28	3-16 -0-25	3-35 -0-38	3-29 0-27	2-85 0-31	3-29 -0-21	2-91 -0-59	3-06 -0-07	3-13 -0-02	3-77 0-12	3-25 -0-40	2-87 -0-25	27
28	3-35 0-25	2-73 -0-51	3-90 0-10	3-12 0-27	3-00 0-31	3-14 -0-69	3-12 -0-09	3-08 0-12	3-39 0-01	3-93 0-08	3-39 -0-12	2-89 -0-05	28
29	3-09 0-06	2-60 -0-65	3-52 0-50	3-57 0-37	3-77 0-70	3-17 -0-71	3-21 -0-04	3-31 0-06	3-70 0-04	4-00 0-04	3-53 0-12	3-11 0-18	29
30	2-65 -0-11	2-72 -0-50	3-47 0-50	3-88 0-66	3-88 0-66	3-08 -0-83	2-77 -0-23	3-12 -0-05	3-73 -0-40	4-07 0-08	3-45 0-07	3-61 0-61	30
31	2-85 -0-12	3-51 0-59	3-51 0-59	4-02 0-65	4-02 0-65	3-08 -0-71	3-14 -0-21	3-14 -0-21	3-64 -0-28	3-09 -0-03	4-37 0-03	3-93 0-31	31
MAXIMUM	4-17	4-33	4-30	4-36	4-52	3-71	3-91	4-24	4-19	4-07	4-37	3-93	MAXIMUM
MINIMUM	-0-12	-0-65	-0-65	-0-29	-0-76	-0-98	-0-59	-0-32	-0-91	-0-49	-0-40	-0-34	MINIMUM

E = Estimated  
NR = No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M O B & M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE					

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SANDGRASS SLOUGH AT TWIN CITIES ROAD BRIDGE

in feet

STATION NO.	WATER YEAR
89174D	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	NR	NR	NR	NR	7.11 3.74	6.62 3.96	5.82 3.80	5.42 3.28	6.03 3.15	NR	6.36 3.39	5.77 3.31	1
2	NR	NR	NR	NR	6.69 3.90	6.57 3.62	5.67 3.62	5.49 3.47	7.07 5.07	NR	6.47 3.32	5.67 3.23	2
3	NR	NR	NR	NR	6.93 3.45	6.04 3.24	5.87 2.89	5.74 3.28	6.20 4.84	NR	6.34 3.44	5.57 3.44	3
4	NR	NR	NR	NR	7.20 3.75	6.12 3.20	6.02 3.48	6.46 3.56	NR	NR	6.10 3.36	5.67 3.51	4
5	NR	NR	NR	NR	6.90 3.90	6.14 3.24	5.91 3.42	6.28 3.28	NR	NR	5.82 3.32	6.14 3.23	5
6	NR	NR	NR	NR	7.00 3.86	6.22 3.32	6.06 3.46	6.27 3.16	NR	NR	5.53 3.22	6.37 3.86	6
7	NR	NR	NR	NR	6.76 4.12	6.12 3.59	6.21 3.74	6.26 3.22	NR	NR	5.73 3.25	6.22 3.67	7
8	NR	NR	NR	NR	6.31 4.13	6.53 3.58	6.75 3.51	6.53 3.51	7.49 4.86	NR	6.01 3.52	6.12 3.08	8
9	NR	NR	NR	NR	5.90 3.82	5.77 3.55	6.65 3.86	6.56 3.46	NR	7.09 4.79	6.94 3.64	6.96 3.00	9
10	NR	NR	NR	NR	5.65 3.30	5.87 3.52	6.57 3.85	6.22 3.26	NR	7.28 4.74	6.39 3.74	6.30 3.15	10
11	NR	NR	NR	NR	5.67 2.94	5.87 3.57	6.16 3.67	5.71 3.03	NR	7.45 3.89	6.81 3.49	6.61 3.49	11
12	NR	NR	NR	NR	5.80 2.67	6.21 3.79	6.09 3.79	5.57 3.16	NR	7.77 5.30	6.97 3.79	6.39 3.29	12
13	NR	NR	NR	NR	5.69 2.57	6.26 3.79	5.74 3.43	5.71 3.38	NR	7.65 5.01	7.05 3.79	6.25 3.36	13
14	NR	NR	NR	NR	5.92 3.73	6.22 3.77	5.53 3.47	5.00 3.24	NR	8.18 4.07	6.96 3.69	6.93 3.17	14
15	NR	NR	NR	NR	5.76 2.66	6.25 4.01	5.51 3.46	5.63 3.46	NR	8.25 5.03	6.83 3.61	5.68 3.12	15
16	NR	NR	NR	NR	5.72 2.57	6.11 3.81	5.79 3.42	5.79 3.42	NR	8.48 5.22	6.70 3.62	NR	16
17	NR	NR	NR	NR	5.87 2.53	5.55 4.47	6.44 4.41	5.75 3.32	NR	8.57 5.27	6.48 3.62	NR	17
18	NR	NR	NR	NR	6.10 2.78	5.41 2.25	6.31 3.92	5.67 3.33	NR	8.60 5.30	6.35 3.66	NR	18
19	NR	NR	NR	NR	6.17 3.10	5.46 2.61	6.05 3.76	6.22 3.50	NR	8.54 5.37	6.19 3.69	NR	19
20	NR	NR	NR	NR	5.65 3.09	5.29 2.62	5.87 3.59	6.55 3.61	NR	8.47 5.37	6.14 3.59	NR	20
21	NR	NR	NR	NR	5.69 2.82	5.37 2.82	6.93 3.73	6.93 3.77	NR	8.33 5.35	6.25 3.73	NR	21
22	NR	NR	NR	NR	6.04 3.49	4.96 3.05	5.93 3.05	6.75 3.20	NR	7.96 5.24	5.37 3.62	NR	22
23	NR	NR	NR	NR	5.75 3.61	5.07 2.73	5.88 3.28	6.66 3.32	NR	7.80 5.24	6.31 3.63	NR	23
24	NR	NR	NR	NR	5.90 3.72	5.42 2.94	6.09 3.00	6.71 3.30	NR	7.22 5.34	6.30 3.32	NR	24
25	NR	NR	NR	NR	5.79 3.72	5.82 3.16	6.24 3.21	6.59 3.30	NR	7.95 5.30	6.23 3.22	NR	25
26	NR	NR	NR	NR	5.87 3.72	5.89 2.96	6.22 2.81	6.40 3.31	NR	8.05 5.31	6.28 3.12	NR	26
27	NR	NR	NR	NR	5.78 3.53	6.02 2.91	5.70 2.72	5.61 3.16	NR	8.37 5.46	5.92 3.04	NR	27
28	NR	NR	NR	NR	5.87 3.59	5.92 2.47	5.63 3.16	5.63 3.34	NR	8.57 5.46	6.05 3.28	NR	28
29	NR	NR	NR	NR	5.94 2.47	5.70 3.04	5.99 3.28	NR	8.65 5.42	6.20 3.48	NR	29	29
30	NR	NR	NR	NR	5.64 2.36	5.56 2.98	5.56 3.15	5.83 3.15	NR	8.70 5.49	6.13 3.41	NR	30
31	NR	NR	NR	NR	5.76 2.52	5.76 2.52	5.83 3.11	NR	8.26 5.20	5.78 3.30	NR	3	3
MAXIMUM	NR	NR	NR	NR	7.20	6.62	6.72	6.93	NR	NR	7.05	NR	MAXIMUM
MINIMUM	NR	NR	NR	NR	2.53	2.25	2.72	2.98	NR	NR	3.04	NR	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						
								FROM	TO		

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES  
GEORGIANA SLOUGH AT MCLELLUM RIVER

STATION NO.	WATER YEAR
894100	1960

— feet

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	-2.94 -0.45	-2.53 -0.55	NR	3.48 1.74	4.12 1.15	3.35 -0.28	-2.95 -0.67	-2.92 -0.71	-3.17 -0.56	-3.43 -0.49	-3.52 -0.48	-2.77 -0.36	1
2	-2.18 -0.47	-2.25 -0.55	NR	-2.29 -0.78	3.78 1.28	3.35 -0.45	-2.85 -0.50	-2.81 -0.54	-3.38 -0.67	-3.78 -0.71	-3.58 -0.72	-2.64 -0.24	2
3	-2.91 -0.30	-2.26 -0.59	NR	3.54 -0.40	4.12 1.23	3.81 -0.13	-2.91 -0.18	-2.93 -0.33	-3.53 -0.88	-3.97 -0.88	-3.57 -0.75	-2.60 -0.38	3
4	-2.57 -0.35	-2.74 -0.62	-2.77 -0.26	4.11 1.22	4.46 1.67	2.94 -0.71	-2.23 -0.22	-2.17 -0.18	-3.17 -0.01	-3.45 -0.47	-3.16 -0.41	-2.70 -0.12	4
5	-2.76 -0.52	-2.55 -0.41	-2.75 -0.28	4.19 1.53	4.15 1.23	3.35 -0.45	-2.85 -0.13	-2.81 -0.13	-3.47 -0.61	-3.87 -0.76	-3.47 -0.76	-2.61 -0.21	5
6	-2.77 -0.39	-2.82 -0.10	-3.26 -0.31	4.45 1.42	4.23 1.42	3.09 -0.31	-2.46 -0.15	-2.46 -0.15	-3.47 -0.61	-3.87 -0.76	-3.47 -0.76	-2.61 -0.21	6
7	-2.81 -0.26	-3.23 -0.12	-3.56 -0.14	4.20 -0.13	3.86 0.42	-2.94 -0.44	-2.43 -0.22	-2.43 -0.22	-3.47 -0.61	-3.87 -0.76	-3.47 -0.76	-2.61 -0.21	7
8	-2.81 -0.26	-3.23 -0.12	-3.56 -0.14	4.20 -0.13	3.86 0.42	-2.94 -0.44	-2.43 -0.22	-2.43 -0.22	-3.47 -0.61	-3.87 -0.76	-3.47 -0.76	-2.61 -0.21	8
9	-3.42 0.68	-3.32 0.44	-4.21 -0.09	3.83 0.09	2.90 1.10	-2.95 -0.43	-3.42 -0.34	-3.42 -0.34	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	9
10	-3.25 -0.29	-3.53 -0.24	-4.32 -0.14	3.51 -0.34	2.37 -0.81	-2.67 -0.43	-3.36 -0.37	-3.36 -0.37	-2.45 -0.75	-2.45 -0.81	-3.44 -0.16	-3.36 -0.71	10
11	-3.02 -0.20	-3.54 -0.36	-4.17 0.03	2.85 -0.12	-2.74 -0.41	-2.54 -0.41	-2.88 -0.67	-2.88 -0.67	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	11
12	-3.32 -0.05	NR	3.87 0.00	2.74 -0.36	2.88 -0.54	-2.97 -0.40	-2.43 -0.68	-2.43 -0.68	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	12
13	-3.62 -0.75	NR	3.49 -0.09	2.81 -0.47	2.86 -0.8	-2.98 -0.55	-2.47 -0.39	-2.47 -0.39	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	13
14	-3.84 0.10	NR	3.00 -0.20	2.26 -0.72	2.86 -0.8	-2.98 -0.55	-2.47 -0.39	-2.47 -0.39	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	14
15	-3.48 0.10	NR	2.95 -0.22	3.16 -0.24	2.84 -0.84	-2.82 -0.51	-2.12 -0.31	-2.12 -0.31	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	15
16	-3.12 -0.47	NR	3.05 -0.24	3.11 -0.24	2.82 -0.8	-2.98 -0.55	-2.47 -0.39	-2.47 -0.39	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	16
17	-3.07 -0.77	NR	3.24 -0.02	3.58 -0.18	2.95 -0.70	-2.23 -1.11	3.48 0.94	2.45 -0.49	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	17
18	-3.05 -0.75	NR	3.05 -0.34	3.79 -0.14	3.21 0.74	-2.47 -0.71	3.13 1.71	2.46 -0.45	-2.49 -0.75	-2.49 -0.81	-3.44 -0.16	-3.36 -0.71	18
19	-2.36 -0.59	NR	3.22 -0.33	3.75 1.36	3.26 -0.39	-2.48 -0.71	-2.83 -0.13	3.24 -0.28	3.87 -0.34	3.70 -0.62	3.22 0.24	-2.32 -0.26	19
20	-2.82 -0.66	NR	3.44 -0.31	3.63 -0.20	2.72 -0.38	-2.20 -0.44	-2.71 -0.43	3.44 -0.11	3.98 -0.00	3.59 -0.55	3.20 -0.01	-2.44 -0.24	20
21	-2.64 -0.60	NR	3.81 1.11	3.57 -0.25	2.48 -0.64	-2.39 -0.04	-2.84 -0.55	4.02 -0.52	3.72 -0.52	3.41 -0.51	3.17 0.17	-2.26 -0.35	21
22	-2.52 -0.44	NR	3.74 -0.13	3.59 -0.22	2.80 -0.40	-2.06 -0.40	-2.92 -0.49	3.82 -0.53	3.52 -0.69	3.03 -0.76	2.71 -0.51	-2.56 -0.51	22
23	-2.76 -0.27	NR	3.44 -0.21	3.24 -0.15	2.47 -0.25	-2.17 -0.54	-2.86 -0.96	3.74 -0.50	3.43 -0.69	2.49 -0.45	2.42 -0.03	-2.13 -0.67	23
24	-2.97 -0.02	NR	3.84 -0.58	2.95 -0.32	2.64 -0.24	-2.52 -0.26	3.12 -0.89	3.79 -0.49	2.47 -1.71	3.48 -0.26	3.27 -0.43	-3.00 -0.39	24
25	-3.18 -0.32	NR	3.16 -0.43	2.63 -0.43	2.53 -0.43	-2.97 -0.11	-2.49 -0.31	3.62 -0.82	3.43 -0.82	1.76 -0.16	2.93 -0.57	-3.07 -0.40	25
26	-3.21 -0.36	NR	2.94 -0.40	2.70 -0.41	2.60 -0.36	-2.98 -0.33	3.25 -1.05	3.38 -0.41	2.47 -0.58	2.22 -0.53	2.25 -0.61	-2.79 -0.45	26
27	-3.25 -0.40	NR	3.15 -0.65	3.44 0.15	2.46 -0.43	-2.74 -0.43	-2.16 -0.48	2.76 -0.28	2.69 -0.28	1.57 -0.23	1.04 -0.77	-2.66 -0.49	27
28	-3.08 -0.47	NR	3.72 -0.08	2.69 -0.43	2.50 -0.81	-2.90 -0.81	-2.67 -0.68	2.85 -0.23	2.16 -0.36	1.74 -0.31	2.18 -0.28	-2.56 -0.28	28
29	-2.80 -0.68	NR	3.30 -0.26	3.36 0.31	2.92 -0.31	-2.92 -0.88	-2.65 -0.98	3.07 -0.25	1.47 -0.36	1.82 -0.36	2.28 -0.28	-2.86 -0.04	29
30	-2.40 -0.86	NR	3.19 -0.18	3.72 1.37	2.72 -0.37	-2.82 -1.02	-2.47 -0.73	2.89 -0.32	3.52 -0.59	3.89 -0.27	3.21 -0.30	-3.04 -0.32	30
31	-2.40 -0.80	NR	3.19 -0.18	3.72 1.37	2.72 -0.37	-2.82 -1.02	-2.47 -0.73	2.89 -0.32	3.52 -0.59	3.89 -0.27	3.21 -0.30	-3.04 -0.32	31
MAXIMUM	-2.40	-2.40	4.11	4.46	4.46	3.35	3.35	4.02	3.41	3.41	3.17	3.17	MAXIMUM
MINIMUM	-0.45	-0.55	-0.78	-0.40	-0.13	-0.45	-0.13	-0.33	-0.88	-0.88	-0.76	-0.21	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATUM OF GAGE		
LATITUDE	LONGITUDE	1:50 SEC T & R M D & S	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAGE	REF DATUM	
			CFS	GAGE HT	DATE						

TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SAN JOAQUIN RIVER AT SAN ANDREAS LANDING

feet

STATION NO.	WATER YEAR
895100	1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	5.78 2.36 2.40	5.40 2.35 2.18	5.20 2.30 2.19	5.85 2.87 2.58	7.01 2.96 2.55	6.25 2.56 2.17	5.83 2.43 2.35	NR NR NR	6.02 2.41 2.17	6.54 2.36 2.19	6.41 2.43 2.68	NR NR NR	
2	5.69 2.56 2.51	5.11 2.11 2.29	5.27 2.29 2.29	6.39 2.72 2.72	6.98 2.83 2.83	5.65 1.63 3.03	6.01 3.03 NR	NR NR NR	6.24 1.94 NR	6.25 1.98 NR	6.29 2.64 NR	NR NR NR	2
3	5.59 2.56 2.56	5.11 2.11 2.29	5.27 2.29 2.29	6.39 2.72 2.72	6.98 2.83 2.83	5.65 1.63 3.03	6.01 3.03 NR	NR NR NR	6.24 1.94 NR	6.25 1.98 NR	6.29 2.64 NR	NR NR NR	3
4	5.49 2.56 2.56	5.11 2.11 2.29	5.27 2.29 2.29	6.39 2.72 2.72	6.98 2.83 2.83	5.65 1.63 3.03	6.01 3.03 NR	NR NR NR	6.24 1.94 NR	6.25 1.98 NR	6.29 2.64 NR	NR NR NR	4
5	5.25 2.51 2.51	5.40 2.35 2.18	5.20 2.30 2.19	5.85 2.87 2.58	7.01 2.96 2.55	6.25 2.56 2.17	5.83 2.43 2.35	NR NR NR	6.02 2.41 2.17	6.54 2.36 2.19	6.41 2.43 2.68	NR NR NR	5
6	5.67 2.50 2.50	5.71 2.82 2.54	6.13 2.54 2.54	6.93 2.98 2.98	7.68 2.98 2.98	5.93 2.39 3.09	6.18 2.39 3.09	NR NR NR	6.16 2.11 NR	6.11 2.34 NR	5.40 2.46 NR	NR NR NR	6
7	5.70 2.65 2.65	5.80 2.80 2.80	6.46 2.80 2.80	7.03 2.65 2.65	6.57 2.65 2.65	6.77 2.92 2.92	7.09 2.92 2.92	NR NR NR	5.83 2.92 2.92	5.83 2.92 2.92	5.68 2.92 2.92	5.22 2.92 2.92	7
8	6.08 3.31 3.31	6.06 2.62 2.62	6.77 2.62 2.62	7.12 2.86 2.86	6.21 2.86 2.86	5.46 2.42 2.42	6.36 2.42 2.42	NR NR NR	5.74 2.08 NR	5.33 2.17 NR	6.00 3.10 NR	6.09 2.35 NR	8
9	6.29 3.38 3.38	6.20 2.70 2.70	7.10 2.70 2.70	6.70 2.86 2.86	5.76 2.86 2.86	5.39 2.48 2.48	6.31 2.48 2.48	NR NR NR	5.44 2.13 NR	5.22 2.13 NR	6.40 3.10 NR	6.28 2.23 NR	9
10	5.91 3.10 3.10	6.39 2.58 2.58	7.17 2.87 2.87	6.31 2.71 2.71	5.87 2.88 2.88	5.49 2.42 2.42	6.27 2.42 2.42	NR NR NR	5.15 2.08 NR	5.22 2.08 NR	6.81 3.14 NR	5.10 2.08 NR	10
11	5.87 3.16 3.16	6.41 2.48 2.48	7.03 2.83 2.83	5.70 2.68 2.68	5.61 2.46 2.46	5.60 2.32 2.32	5.78 2.17 2.17	5.42 1.96 NR	4.17 1.72 NR	4.19 2.71 NR	6.99 3.08 NR	6.59 2.51 NR	11
12	6.17 2.81 2.81	6.50 2.39 2.39	6.74 2.44 2.44	5.60 2.38 2.38	5.79 2.38 2.38	5.80 2.13 2.13	5.60 2.13 2.13	5.33 1.99 NR	4.39 2.00 NR	5.72 2.00 NR	NR 2.38 NR	6.39 2.38 NR	12
13	6.48 2.92 2.92	6.65 2.40 2.40	6.37 2.76 2.76	5.67 2.38 2.38	5.65 2.38 2.38	5.83 2.28 2.28	5.11 1.82 NR	5.42 2.31 NR	5.17 2.34 NR	5.85 2.29 NR	NR 2.41 NR	6.88 2.41 NR	13
14	6.69 3.00 3.00	6.83 2.88 2.88	5.85 2.68 2.68	5.78 2.63 2.63	5.86 2.17 2.17	5.75 1.78 NR	5.62 2.22 NR	5.42 2.22 NR	5.62 2.29 NR	6.21 2.22 NR	NR 2.35 NR	5.97 2.35 NR	14
15	6.39 2.95 2.95	6.20 2.82 2.82	5.85 2.66 2.66	5.05 2.72 2.72	5.77 2.06 2.06	5.71 2.27 2.27	5.00 2.13 2.13	5.35 2.09 NR	5.96 2.40 NR	6.29 2.09 NR	NR 2.47 NR	5.68 2.47 NR	15
16	6.02 2.30 2.30	5.96 2.60 2.60	5.95 2.63 2.63	6.03 2.49 2.49	5.69 1.96 1.96	5.46 1.96 2.42	5.18 2.42 NR	5.51 2.62 NR	6.63 2.89 NR	6.51 2.17 NR	NR 2.66 NR	5.62 2.66 NR	16
17	5.96 2.08 2.08	6.17 2.82 2.82	6.13 2.89 2.89	6.47 2.68 2.68	5.84 2.17 2.17	5.08 1.73 NR	6.00 3.43 NR	5.52 2.41 NR	6.76 2.61 NR	6.55 2.13 NR	NR 2.69 NR	5.92 2.69 NR	17
18	5.93 2.09 2.09	6.50 3.51 3.51	5.94 2.57 2.57	6.63 2.74 2.74	6.10 2.45 2.45	5.35 2.18 NR	5.35 2.18 NR	5.75 2.47 NR	6.74 2.37 NR	6.62 2.16 NR	7.26 3.15 NR	6.21 2.83 NR	18
19	5.22 2.25 2.25	6.15 3.11 3.11	6.13 2.54 2.54	6.60 2.68 2.68	6.16 2.53 2.53	5.36 2.20 NR	6.13 2.62 NR	5.75 2.33 NR	6.78 2.33 NR	6.56 2.25 NR	7.10 3.97 NR	6.32 2.71 NR	19
20	5.70 2.20 2.20	6.27 3.10 3.10	6.33 2.57 2.57	6.53 2.65 2.65	5.61 3.29 3.29	5.20 2.43 NR	6.52 2.75 NR	6.87 2.44 NR	6.87 2.30 NR	6.66 3.92 NR	7.06 2.67 NR	6.37 2.67 NR	20
21	5.50 2.29 2.29	6.38 2.91 2.91	6.70 2.76 2.76	6.44 2.18 2.18	5.35 2.22 2.22	5.28 2.41 2.41	6.86 2.32 NR	6.86 2.32 NR	6.61 2.34 NR	6.27 2.16 NR	7.25 4.14 NR	6.21 2.59 NR	21
22	5.38 2.41 2.41	6.61 3.77 3.77	6.66 4.24 4.24	6.47 2.68 2.68	5.66 2.21 2.21	4.95 2.50 NR	6.70 2.27 NR	6.39 2.19 NR	5.88 2.37 NR	7.30 4.18 NR	5.87 2.38 NR	5.87 2.38 NR	22
23	5.61 2.59 2.59	6.88 3.02 3.02	6.33 2.65 2.65	6.17 2.77 2.77	5.33 2.61 2.61	5.03 2.34 NR	6.63 2.36 NR	6.02 2.40 NR	5.77 2.44 NR	7.28 3.93 NR	5.08 2.21 NR	5.08 2.21 NR	23
24	5.82 2.52 2.52	7.04 3.16 3.16	6.73 2.27 2.27	5.83 2.57 2.57	5.47 2.64 2.64	5.38 2.62 NR	6.72 2.39 NR	5.41 1.68 NR	5.92 2.66 NR	7.21 3.10 NR	5.92 2.49 NR	5.92 2.49 NR	24
25	6.05 3.15 3.15	6.76 3.21 2.94	6.22 2.94 2.94	5.50 2.46 2.46	5.36 2.70 2.70	5.78 2.82 NR	6.54 2.46 NR	5.55 2.09 NR	6.07 2.76 NR	7.27 3.36 NR	5.96 2.49 NR	5.96 2.49 NR	25
26	6.07 2.50 2.50	6.19 2.80 2.80	5.81 2.38 2.38	5.58 2.48 2.48	5.45 2.51 2.51	5.85 2.59 NR	6.25 2.46 NR	4.72 2.34 NR	4.73 2.61 NR	NR 2.61 NR	5.73 2.45 NR	5.73 2.45 NR	26
27	6.11 2.45 2.45	5.78 2.36 2.36	6.00 2.20 2.20	5.97 3.07 3.07	5.29 2.12 2.12	5.95 2.49 NR	6.67 2.41 NR	5.80 2.80 NR	6.42 2.67 NR	NR 2.67 NR	5.60 2.44 NR	5.60 2.44 NR	27
28	5.95 2.39 2.39	5.37 2.16 2.16	6.63 A 2.81 A	5.76 3.07 3.07	5.45 2.02 2.02	5.79 2.06 NR	5.74 2.65 NR	6.07 2.55 NR	6.59 2.69 NR	NR 2.69 NR	5.58 2.61 NR	5.58 2.61 NR	28
29	5.69 2.20 2.20	5.26 2.04 2.04	6.16 3.13 3.13	6.26 3.23 3.23	5.82 2.03 2.03	5.82 2.03 NR	5.95 2.65 NR	6.38 2.56 NR	6.70 2.52 NR	NR 2.52 NR	5.80 2.86 NR	5.80 2.86 NR	29
30	5.40 2.00 2.00	5.37 2.26 2.26	5.99 2.98 2.98	6.58 3.28 3.28	5.73 2.82 2.82	5.73 1.86 NR	5.81 2.56 NR	6.42 2.30 NR	6.76 2.60 NR	NR 2.60 NR	5.96 3.27 NR	5.96 3.27 NR	30
31	5.50 2.11 2.11	6.00 2.90 2.90	6.00 2.90 2.90	6.50 2.83 2.83	5.72 1.99 1.99	5.83 2.36 NR	5.83 2.36 NR	6.26 2.15 NR	NR 2.15 NR	NR 2.15 NR	NR 2.15 NR	NR 2.15 NR	31
MAXIMUM	6.69	7.04	7.17	7.12	7.31	6.25	NR	NR	6.87	6.76	NR	NR	MAXIMUM
MINIMUM	2.00	2.04	2.19	2.38	1.96	1.63	NR	NR	1.72	1.98	NR	NR	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD			DATING OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M D B & M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD FROM TO	ZERO ON GAUGE	REF DATE	DATE
			CFS	GAUGE HT	DATE						

TABLE B-12 (CONT)  
DAILY MAXIMUM AND MINIMUM TIDES

THREEMILE SLOUGH AT SAN JOAQUIN RIVER

1967 24 42 WATER  
895060 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	2-7.8 -0-6.6	2-3.0 -0-6.7	2-2.4 -0-6.1	2-2.3 -0-5.9	2-3.1 -0-6.2	2-3.9 -0-6.5	2-7.9 -0-6.7	2-2.0 -0-6.8	2-8.9 -0-7.1	3-5.0 -0-6.7	3-3.3 -0-5.8	2-5.9 -0-6.6	
2	2-9.5 -0-6.5	2-8.1 -0-8.2	1-0.9 -0-8.1	2-7.8 -0-7.4	2-5.5 -0-5.3	2-8.1 -0-8.1	2-7.3 -0-7.0	2-2.9 -0-6.8	2-1.2 -0-8.3	2-6.0 -0-8.1	2-3.8 -0-3.5	2-4.1 -0-2.8 E	
3	2-6.8 -0-4.8	2-0.8 -0-8.7	2-2.3 -0-9.4	3-3.0 -0-3.1	2-3.2 -0-2.0	2-5.8 -1-3.1	3-0.2 -0-0.7	2-6.3 -0-4.8	3-1.0 -1-0.2	3-1.9 -1-0.2	2-3.1 -0-3.2	2-3.4 -0-0.9	3
4	2-3.2 -0-4.0	2-1.9 -0-7.2	2-5.8 -0-4.4	2-3.2 -0-2.2	2-7.8 -0-1.6	2-7.0 -0-1.1	3-0.5 -0-2.8	2-3.2 -0-8.6	2-7.8 -1-1.3	2-2.8 -0-1.2	2-2.4 -0-1.4	2-6.5 -0-0.1	4
5	2-5.7 -0-6.7	2-2.9 -0-6.5	2-8.3 -0-4.1	2-6.0 -0-2.4	2-3.8 -0-0.2	2-7.7 -1-0.7	3-0.0 -0-0.4	3-1.6 -0-7.0	3-0.5 -1-0.4	3-2.6 -0-6.7	2-6.1 -0-3.9	2-9.0 -0-0.1	5
6	2-5.7 -0-5.4	2-7.3 -0-1.4	3-0.9 -0-4.6	3-8.3 -0-4.3	4-0.3 -1-1.1	2-8.4 -0-6.8	3-1.1 -0-0.9	3-1.4 -0-0.2	3-0.8 -0-8.5	2-9.9 -0-6.8	2-3.0 -0-5.1	3-1.6 -0-2.4	6
7	2-6.5 -0-4.0	2-8.7 -0-2.2	3-4.1 -0-4.4	3-9.9 -0-4.3	3-6.0 -0-1.6	2-7.1 -0-1.1	3-2.8 -0-2.8	3-0.9 -0-8.6	2-7.1 -0-1.3	2-5.8 -0-1.2	2-5.6 -0-2.3	3-0.8 -0-0.1	7
8	3-0.2 -0-2.4	3-0.1 -0-4.2	3-7.4 -0-2.9	4-0.5 -0-2.3	3-1.2 -0-0.2	2-4-0 -0-6.6	3-2.2 -0-4.5	3-2.8 -0-6.7	2-5.9 -0-8.7	2-2.1 -0-8.4	2-8.8 -0-1.1	2-9.1 -0-6.4	8
9	3-2.0 -0-4.7	3-1.8 -0-3.8	4-0.5 -1-4.8	3-6.4 -0-2.1	2-7.0 -0-1.4	2-3.3 -0-6.1	3-2.0 -0-6.1	3-3.2 -0-5.8	2-2.6 -0-8.4	2-1.1 -0-8.7	3-3.1 -0-1.6	3-1.8 -0-7.9	9
10	2-8.4 -0-1.0	3-3.6 -0-3.1	2-3.5 -0-2.0	3-2.6 -0-2.2	2-8.9 -0-1.6	2-6.4 -0-6.5	3-1.2 -0-6.5	2-8.4 -0-9.1	2-0.2 -0-8.8	2-3.1 -0-7.8	3-6.8 -0-1.4	2-8.2 -0-6.8	10
11	2-8.0 -0-2.4	3-3.8 -0-5.6	3-9.6 -0-2.0	2-6.3 -0-3.8	2-5.5 -0-5.2	2-5.6 -0-6.0 E	2-6.5 -0-9.2	2-2.9 -1-0.7	1-0.2 -1-2.4	2-6.3 -0-3.0	3-8.8 -0-0.9	3-4.1 -0-4.6	11
12	3-1.4 -0-3.9	3-4.7 -0-6.9	3-7.0 -0-2.0	2-5.3 -0-6.0	2-7.5 -0-6.6	2-7.4 -0-6.4	2-4.8 -0-9.6	2-1.8 -0-9.3	1-8.7 -0-8.9	1-0.3 -0-3.8	2-2.2 -0-1.0	3-2.4 -0-6.8	12
13	2-8.3 -0-1.3	3-7.3 -0-4.2	2-3.9 -0-3.9	2-6.0 -0-6.8	2-8.7 -0-8.7	2-7.3 -0-6.7	2-9.1 -1-2.3	2-8.3 -0-6.9	2-7.9 -0-6.9	2-9.7 -0-1.1	3-1.5 -0-6.2	3-1.5 -0-6.2	13
14	3-6.4 -0-0.3	3-8.0 -0-0.6	2-8.3 -0-3.3	2-7.4 -0-3.9	2-8.1 -0-8.2	2-6.6 -0-8.6	1-7.7 -1-2.3	2-4.3 -0-8.2	2-3.6 -0-6.1	3-1.4 -0-7.6	3-9.5 -0-2.1	2-8.4 -0-6.6	14
15	3-2.8 -0-1.0	3-1.4 -0-1.5	2-8.1 -0-3.8	2-9.8 -0-3.4	2-6.8 -0-9.5	2-6.0 -0-7.2	1-8.5 -0-9.0	2-2.3 -0-9.0	2-8.3 -0-3.9	3-2.6 -0-5.0	3-8.0 -0-3.9	2-5.8 -0-5.8	15
16	2-8.2 -0-1.6	3-1.8 -0-1.6	3-1.2 -0-0.6	3-3.9 -0-3.5	2-7.5 -0-8.3	2-1.9 -1-2.5	2-7.6 -0.39	2-4.1 -0-6.1	3-6.6 -0-3.6	3-5.2 -0-8.8	3-4.2 -0-3.9	2-8.0 -0-2.8	16
17	2-8.2 -0-0.9	3-6.3 -0-5.6	2-9.3 -0-4.1	3-5.9 -0-3.3	3-0.3 -0-5.4	2-3.0 -0-8.3	2-0.2 -0-0.1	2-6.4 -0-5.8	3-6.6 -0-6.0	2-5.3 -0-8.8	3-2.5 -0-2.5	2-0.9 -0-2.5	17
18	2-6.2 -0-8.1	3-1.5 -0-1.2	3-1.1 -0-4.5	3-5.7 -0-3.8	3-1.1 -0-5.3	2-3.1 -0-8.2	2-6.5 -0-2.5	3-0.4 -0-6.9	3-7.1 -0-6.9	3-4.7 -0-0.5	3-0.4 -0-0.5	3-2.1 -0-3.2	18
19	2-1.3 -0-8.4	3-3.0 -0-6.4	3-3.3 -0-4.1	3-4.7 -0-4.3	2-5.4 -0-3.3	2-1.5 -0-6.2	2-4.9 -0-6.0	3-4.2 -0-3.0	3-8.0 -0-5.8	3-4.2 -0-6.9	3-0.0 -0-0.7	3-2.0 -0-3.4	19
20	2-4.4 -0-7.7	3-4.3 -0-1.1	3-7.0 -0-2.5	3-3.9 -0-3.8	2-2.6 -0-7.8	2-2.3 -0-6.1	2-6.6 -0-7.0	3-7.8 -0-6.9	3-5.7 -0-7.1	3-2.3 -0-6.3	3-1.4 -0-1.5	2-0.2 -0-4.5	20
21	2-3.3 -0-6.2	3-6.1 -0-0.5	3-6.0 -0-3.7	3-4.0 -1-2.0	2-5.6 -0-7.9	1-9.1 -0-6.6	2-7.0 -0-8.4	3-3.2 -0-7.2	2-8.0 -0-8.6	2-8.0 -0-6.4	3-2.4 -0-1.2	2-7.4 -0-6.2	21
22	2-5.9 -0-4.7	3-9.0 -1-3.4	3-2.9 -1-1.7	3-0.6 -0-3.1	2-2.4 -0-3.7	2-0.3 -0-5.5	2-6.7 -1-1.0	3-5.2 -0-5.7	2-9.1 -0-8.3	2-9.1 -0-5.4	3-2.0 -0-0.8	1-8.8 -0-8.0	22
23	2-8.1 -0-5.2	2-0.8 -0-1.5	3-6.9 -0-7.4	2-7.5 -0-6.8	2-3.9 -0-3.5	2-4.0 -0-3.3	2-8.0 -1-0.1	3-5.8 -0-6.5	2-2.9 -1-1.1	2-8.6 -2-3.8	3-1.1 -0-5.0	2-7.6 -0-5.8	23
24	3-0.1 -0-1.5	3-7.3 -0-1.9	3-2.1 -0-0.5	2-4-0 -0-5.7	2-3.1 -0-2.6	2-7.9 -0-2.0	3-1.0 -0-8.6	3-6.0 -0-4.0	2-5.2 -0-2.2	3-0.0 -0-9.1	1-7.5 -0-7.0	2-7.9 -0-5.2	24
25	3-0.3 -0-5.2	3-1.9 -0-2.4	2-7.7 -0-6.5	2-4.8 -0-5.3	2-3.9 -0-4.6	2-8.3 -0-4.2	3-0.0 -1-1.5	3-1.0 -0-6.1	1-6.1 -0-6.5	1-6.1 -0-3.8	3-1.3 -0-7.2	2-5.8 -0-5.9	25
26	3-0.8 -0-5.8	2-7.5 -0-6.5	2-9.9 -0-7.9	2-8.8 -0-0.8	2-2.2 -0-8.2	2-9.5 -0-5.7	2-5.8 -1-2.8	2-5.4 -0-6.7	2-9.1 -0-3.1	3-3.6 -0-3.1	2-8.4 -0-8.6	2-4.4 -0-5.7	26
27	2-6.6 -0-8.1	2-2.3 -0-9.1	3-1.1 -0-1.7	3-1.5 -0-2.8	2-7.7 -0.94	2-7.7 -1-0.0	2-4.0 -0-9.4	2-8.1 -0-3.4	3-3.5 -0-4.8	3-5.8 -0-6.9	3-1.0 -0-4.2	2-6.8 -0-2.3	27
28	2-4.4 -0-9.9	2-3.1 -0-7.5	2-9.6 -0-4.6	2-5.9 -0-2.8	2-6.7 -0.87	2-5.7 -0.86	2-7.4 -0-4.0	3-3.8 -0-6.9	3-6.8 -0-4.0	2-9.8 -0-4.1	2-7.6 -0-2.3	2-7.6 -0-2.3	28
29	2-4.3 -0-9.1	2-9.1 -0-0.5	3-9.2 -0-2.1	2-6.8 -0-2.1	2-6.8 -1-0.5	2-7.4 -0-6.1	2-7.4 -0-6.1	3-1.9 -0-8.3	2-6.4 -0-5.2	2-6.4 -0-5.2	3-4.1 -0-6.6	2-7.6 -0-2.3	29
30	3-6.4 -0-0.9	4-0.8 -0-9.1	4-1.5 -0-8.1	4-0.5 -0-6.4	4-2.6 -1-0.3	3-1.1 -1-3.1	3-2.8 -1-2.8	3-7.8 -1-0.7	3-8.0 -1-2.4	3-6.8 -1-0.2	3-9.7 -0-8.6	3-4.1 -0-8.0	30
31	3-6.4 -0-0.9	4-0.8 -0-9.1	4-1.5 -0-8.1	4-0.5 -0-6.4	4-2.6 -1-0.3	3-1.1 -1-3.1	3-2.8 -1-2.8	3-7.8 -1-0.7	3-8.0 -1-2.4	3-6.8 -1-0.2	3-9.7 -0-8.6	3-4.1 -0-8.0	31
MAXIMUM	3-6.4	4-0.8	4-1.5	4-0.5	4-2.6	3-1.1	3-2.8	3-7.8	3-8.0	3-6.8	3-9.7	3-4.1	MAXIMUM
MINIMUM	-0-9.9	-0-9.1	-0-8.1	-0-6.4	-1-0.3	-1-3.1	-1-2.8	-1-0.7	-1-2.4	-1-0.2	-0-8.6	-0-8.0	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

Timing was affected by the normal tides on Oct. 1, 1966. Page 1 of 1.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD		ZERO ON GAUGE	REF DATUM
			CFS	GAUGE HT	DATE			FROM	TO		



TABLE B-12 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SAN JOAQUIN RIVER AT ANTIOCH

in feet

STATION NO. 895020  
WATER YEAR 1966

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
	2-77 -1-05	2-26 -1-05	2-23 -1-00	2-60 -0-52	4-00 -0-56	3-01 -1-04	2-90 -1-39	2-40 -1-27	3-10 -1-25	3-57 -1-12	3-40 -1-05	2-73 -0-92	
	2-96 -1-00	2-14 -1-19	2-12 -1-13	2-85 -0-91	3-66 -1-08	3-10 -1-38	2-93 -1-24	2-51 -1-04	3-24 -1-04	3-68 -1-04	3-41 -0-91	2-57 -0-72	2
	2-70 -0-90	2-16 -1-26	2-35 -1-00	2-45 -0-81	3-06 -0-80	2-66 -1-09	3-22 -0-65	2-83 -0-93	3-27 -1-43	3-22 -1-46	3-37 -1-46	2-46 -0-15	3
	2-63 -0-94	2-28 -1-11	2-72 -0-91	4-05 -0-52	4-41 -0-71	2-60 -1-86	3-18 -0-55	3-14 -0-91	3-14 -1-72	3-22 -1-22	3-02 -0-91	2-58 -0-33	4
	2-21 -1-08	2-47 -0-91	2-98 -0-92	4-17 -0-86	4-19 -0-72	2-95 -1-72	3-32 -0-54	3-32 -1-24	3-12 -1-62	3-31 -1-07	2-98 -0-74	2-97 -0-34	5
	2-62 -0-96	2-63 -0-66	3-24 -1-02	3-95 -1-12	4-16 -0-76	3-06 -1-93	3-27 -1-33	3-31 -1-43	3-18 -1-43	3-06 -1-12	2-90 -0-73	3-21 -0-15	6
	2-70 -0-86	3-01 -0-69	3-55 -1-07	4-13 -0-90	3-78 -0-44	2-90 -1-25	3-47 -1-65	3-23 -1-41	2-80 -1-80	2-77 -1-19	2-63 -0-46	3-15 -0-37	7
	3-08 -0-27	3-13 -0-97	3-85 -0-93	4-20 -0-97	3-23 -0-62	2-61 -1-12	3-38 -1-00	3-35 -1-17	2-56 -1-58	2-30 -1-11	2-98 -1-08	2-95 -1-01	8
	3-21 0-00	3-27 -1-05	4-18 -0-84	3-79 -0-90	3-79 -0-76	2-53 -0-96	3-41 -1-03	3-41 -1-03	2-32 -1-31	2-15 -1-31	3-24 -0-97	3-22 -0-18	9
	2-95 -0-47	3-46 -1-16	4-25 -1-45	3-43 -0-99	3-00 -0-72	2-64 -1-07	3-17 -1-15	2-92 -1-31	2-42 -1-31	2-19 -1-00	3-67 -0-18	3-50 -1-15	10
	2-93 -0-68	3-46 -0-56	4-11 -0-82	2-70 -0-97	2-67 -0-93	2-70 -1-35	2-66 -1-55	2-32 -1-55	2-01 -1-59	2-70 -0-59	3-86 -0-30	2-06 -1-07	11
	3-27 -0-57	3-55 -1-23	3-78 -0-62	2-71 -1-13	2-83 -1-02	2-86 -1-12	2-49 -1-38	2-38 -1-25	2-22 -1-22	2-19 -0-69	3-44 -0-55	3-23 -0-12	12
	3-55 0-46	3-68 -1-19	3-16 -0-86	2-78 -1-09	2-55 -1-38	2-82 -1-50	1-95 -1-66	1-80 -1-15	0-89 -0-86	3-18 -0-99	2-27 -0-67	3-29 -1-23	13
	3-69 -0-53	3-85 -0-53	2-90 -0-85	2-90 -0-73	2-87 -1-03	2-68 -1-30	1-86 -1-47	2-54 -1-30	2-51 -1-30	1-35 -0-73	3-94 -0-52	3-07 -1-28	14
	3-10 -0-65	3-20 -0-65	2-95 -0-83	3-14 -0-75	2-80 -1-53	2-60 -1-22	1-97 -1-33	2-35 -0-76	3-02 -0-85	3-31 -1-34	3-87 -0-94	3-80 -1-16	15
	2-91 -1-22	2-96 -0-94	3-07 -0-78	3-17 -1-06	2-70 -1-61	2-35 -1-56	2-20 -1-00	2-57 -0-73	3-59 -0-55	3-52 -1-39	3-78 -0-97	2-67 -0-69	16
	2-87 -1-43	3-43 -0-66	3-28 -0-44	3-51 -0-87	2-88 -1-41	2-07 -1-76	2-78 -0-09	2-58 -0-99	3-69 -0-90	3-56 -1-41	3-56 -0-97	2-98 -0-70	17
	2-83 -1-43	3-69 0-10	3-10 -0-96	3-68 -0-86	3-16 -1-16	2-42 -1-30	3-08 -0-56	2-79 -0-99	3-75 -1-14	3-42 -1-41	3-38 -0-77	3-25 -0-72	18
	2-70 -1-31	3-31 -0-33	3-25 -1-01	3-72 -0-92	3-23 -1-12	2-42 -1-32	2-81 -0-67	3-14 -0-89	3-77 -1-26	3-59 -1-30	3-18 -0-57	3-34 -0-85	19
	2-57 -1-34	3-46 -0-47	3-45 -1-01	3-64 -0-93	2-70 -1-33	2-30 -1-20	2-66 -1-07	3-58 -0-76	3-82 -1-00	3-56 -0-76	3-16 -0-66	3-19 -0-94	20
	2-36 -1-30	3-61 -0-67	3-80 -0-83	3-53 -0-96	2-35 -1-33	2-35 -1-10	2-80 -1-19	3-68 -0-77	3-64 -1-26	3-31 -1-15	3-22 -0-19	3-06 -0-94	21
	2-49 -1-13	3-76 -0-64	3-79 -0-68	3-51 -0-84	2-67 -0-86	2-10 -1-05	2-92 -1-31	3-72 -1-27	3-67 -1-40	2-89 -1-08	3-34 -0-28	2-76 -1-11	22
	2-78 -0-97	3-05 -0-42	3-41 -1-31	3-09 -0-97	2-30 -0-93	2-23 -0-93	2-84 -1-63	3-55 -1-23	2-91 -1-32	2-80 -0-90	2-27 -0-45	2-92 -1-25	23
	2-94 -1-08	4-17 -0-40	3-74 1-09	2-88 0-71	2-51 -0-80	2-60 -0-75	3-07 -1-53	3-63 -1-20	2-42 -1-49	3-00 -0-66	3-11 -0-96	2-13 -1-09	24
	3-17 -1-10	3-80 1-37	3-25 -0-63	2-48 -1-03	2-39 -0-66	2-92 -0-65	3-22 -1-37	3-43 -1-13	2-63 -1-23	3-14 -0-51	3-21 -1-18	2-86 -1-08	25
	3-15 0-02	3-23 -0-80	2-99 -1-20	2-56 -0-94	2-43 -0-86	2-96 -0-89	3-09 -1-60	3-18 -1-13	2-87 -0-92	3-46 -0-73	3-19 -1-19	2-67 -0-97	26
	3-15 -1-16	2-77 -1-17	3-00 -1-30	3-01 -0-24	2-26 -1-24	3-01 -1-02	2-64 -1-76	2-77 -1-15	3-15 -0-63	3-57 -0-73	2-99 -1-34	2-96 -0-96	27
	2-95 -1-19	2-35 -1-31	3-57 -0-52	2-62 -0-17	2-36 -1-36	2-78 -1-36	2-68 -1-30	2-89 -0-83	3-39 -0-75	2-61 -0-86	3-11 -1-14	2-62 -0-85	28
	2-65 -1-32	2-24 -1-32	3-19 -0-22	3-24 0-15	2-79 -1-42	2-51 -1-42	2-89 -0-80	1-86 -0-91	3-46 -0-93	3-46 -0-93	2-78 -0-58	2-93 -0-53	29
	2-41 -1-47	2-42 -1-12	3-03 -0-29	3-63 -0-07	2-57 -1-63	2-39 -1-56	1-76 -0-80	3-46 -1-10	3-72 -0-83	3-08 -0-92	2-85 -0-23		30
	2-37 -1-32		3-00 -0-27	3-52 -0-63	2-74 -1-58		2-89 -1-07		3-32 -1-31	2-79 -1-07			31
MAXIMUM	3-69	4-17	4-25	4-20	4-41	3-10	3-47	3-68	3-82	3-72	3-94	3-50	MAXIMUM
MINIMUM	-1-47	-1-32	-1-41	-1-13	-1-61	-2-00	-1-76	-1-49	-1-72	-1-46	-1-34	-1-26	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD			DURATION OF GAGE		
LATITUDE	LONGITUDE	1 SEC T & R M D B S W	OF RECORD			DISCHARGE	GAUGE HEIGHT ONLY	PERIOD	ZERO ON GAUGE	REF DATUM
			CFS	GAUGE HT	DATE			FROM	TO	



TABLE B-12 (Cont.)  
DAILY MAXIMUM AND MINIMUM TIDES

1950 MAY 27 1951 JUNE 1

in feet

DATUM IN	WATER
IN	LEVEL
1	2

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	NR	12.40 6.41	12.48 7.39	12.58 8.40	12.65 9.47	12.70 10.55	12.72 11.60	12.70 12.60	12.65 13.40	12.58 14.10	12.48 14.60	12.35 14.90	
2	NR	12.42 6.40	12.50 6.43	12.58 6.48	12.65 6.55	12.70 7.00	12.72 7.05	12.70 7.00	12.65 6.95	12.58 6.85	12.48 6.70	12.35 6.50	2
3	NR	12.40 6.40	12.46 6.45	12.51 6.50	12.58 6.55	12.65 6.60	12.70 6.65	12.72 6.70	12.70 6.75	12.65 6.80	12.58 6.85	12.48 6.90	3
4	NR	12.41 6.47	12.51 6.50	12.58 6.55	12.65 6.60	12.70 6.65	12.72 6.70	12.70 6.75	12.65 6.80	12.58 6.85	12.48 6.90	12.35 6.95	4
5	NR	12.40 6.44	12.46 6.49	12.51 6.54	12.58 6.59	12.65 6.64	12.70 6.69	12.72 6.74	12.70 6.79	12.65 6.84	12.58 6.89	12.48 6.94	5
6	NR	12.41 6.42	12.46 6.47	12.51 6.52	12.58 6.57	12.65 6.62	12.70 6.67	12.72 6.72	12.70 6.77	12.65 6.82	12.58 6.87	12.48 6.92	6
7	NR	12.40 6.44	12.46 6.49	12.51 6.54	12.58 6.59	12.65 6.64	12.70 6.69	12.72 6.74	12.70 6.79	12.65 6.84	12.58 6.89	12.48 6.94	7
8	NR	12.40 6.40	12.46 6.40	12.51 6.41	12.58 6.42	12.65 6.43	12.70 6.44	12.72 6.45	12.70 6.46	12.65 6.47	12.58 6.48	12.48 6.49	8
9	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	9
10	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	10
11	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	11
12	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	12
13	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	13
14	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	14
15	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	15
16	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	16
17	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	17
18	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	18
19	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	19
20	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	20
21	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	21
22	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	22
23	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	23
24	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	24
25	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	25
26	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	26
27	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	27
28	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	28
29	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	29
30	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	30
31	NR	12.40 6.40	12.46 6.40	12.51 6.40	12.58 6.40	12.65 6.40	12.70 6.40	12.72 6.40	12.70 6.40	12.65 6.40	12.58 6.40	12.48 6.40	31
MAXIMUM	NR	12.40	12.46	12.51	12.58	12.65	12.70	12.72	12.70	12.65	12.58	12.48	MAXIMUM
MINIMUM	NR	6.40	6.40	6.40	6.40	6.40	6.40	6.40	6.40	6.40	6.40	6.40	MINIMUM

E - Estimated  
NR - No Record

\* In order of priority, the following table, if used, should be used in preference to the table above.  
Output data are not to be used for other than this table.

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC T & R M D B A M	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
18° 2' 26"	122° 08' 44"	SW 1/4 24						1902	1962		

Station located on the river, 1/4 mile upstream from the mouth of the river.  
Maximum gage height listed above is the highest recorded discharge.  
Period of record is from 1902 to 1962.

**TABLE B-12 (Cont.)**  
**DAILY MAXIMUM AND MINIMUM TIDES**  
 SUISUN BAY AT BENICIA

STATION NO.	WATER YEAR
E03300	1966

in feet													
DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	DATE
1	2.81 -0.65	NR	2.43 -1.70	2.75 E -2.10	4.00 -2.18 E	1.63 -2.67	2.91 -3.03 E	2.81 -2.65	1.16 E -2.71 E	2.07 -2.70	3.58 -2.50	2.76 -2.13	1
2	2.82 -2.01	NR	2.34 -1.69	2.87 E -2.30 E	3.85 -2.82	3.02 -3.09	3.15 -2.88	2.25 -2.09	3.48 E -3.04 E	3.75 -2.92	3.47 -2.30	2.60 -1.80	2
3	2.65 -2.01	NR	2.68 -1.46	3.57 E -2.33 E	4.30 -2.61	2.78 -3.80	3.51 -2.17	3.16 -2.35	3.47 E -3.40 E	3.42 -3.02	3.23 -2.23	2.60 -1.57	3
4	2.60 -2.08	NR	2.93 -1.80	4.30 E -2.11 E	4.70 -2.81	3.12 -3.70	3.25 -2.12	3.58 -2.47	3.32 E -3.35 E	3.51 -2.75	2.91 -2.72	2.63 -1.34	4
5	2.59 -2.20	NR	3.39 -2.10	4.40 E -2.84 E	4.58 -2.81	3.32 -3.59	3.32 -2.02	3.60 -2.79	3.30 E -3.13 E	3.23 -2.64	2.57 -1.94	2.90 -0.72	5
6	2.77 -2.19	NR	3.58 -2.40	4.18 E -3.38 E	4.43 -2.75	3.49 -3.11	3.45 -2.38	3.62 -3.08	3.21 E -2.96 E	2.98 -2.57	2.52 -1.75	3.02 -1.39	6
7	3.11 -1.99	NR	3.86 -2.69	4.38 E -3.23 E	2.72 -2.65	3.23 -2.98	3.64 -2.98	3.59 -3.00	2.89 E -2.91 E	2.70 -2.35	2.70 -1.31	2.92 -1.47	7
8	3.05 -1.62	3.20 -2.58	4.38 -2.67	3.47 -3.32 E	2.87 -2.66	3.58 -2.69	3.58 -2.73	3.35 -2.58	2.50 E -2.19	2.22 -2.19	3.05 -0.69	2.81 -1.99	8
9	3.23 -1.20	3.60 -2.51	4.50 -2.67	3.90 E -3.30 E	3.06 -2.65	2.40 -2.20	3.50 -2.62	3.40 -2.32	2.23 E -2.42 E	2.31 -1.98	3.26 -0.80	3.09 -2.38	9
10	3.16 -1.65	3.73 -2.79 E	4.50 -2.73	3.51 E -3.13 E	3.12 -2.02	3.08 -2.42	3.22 -2.53	2.83 -2.52	2.10 E -2.20 E	2.50 -1.73	3.50 -1.26	3.40 -2.68	10
11	3.25 -2.00	3.71 -2.80	4.38 -2.65	2.81 E -3.07 E	2.90 -2.20	3.07 -2.48	2.72 -2.62	2.32 -2.50	2.16 E -2.24 E	2.75 -1.19	3.72 -1.60	3.65 -2.60	11
12	3.57 -1.92	3.87 -2.61	3.99 -2.57	2.07 E -1.09	2.90 -2.53	3.08 -2.40	2.52 -2.62	2.39 -2.18	2.42 E -1.70 E	2.93 -1.51	3.79 -1.92	3.50 -2.22	12
13	3.77 -1.97	4.29 1.16	3.50 0.66	3.02 -2.48	2.68 -2.70	2.90 -2.50	1.94 -2.72	2.60 -2.01	2.71 E -1.52 E	3.17 -1.93	3.90 -2.33	2.92 -2.95	13
14	3.85 -2.09	4.05 -1.50	2.99 -2.30	3.07 -1.91	2.91 -2.82	2.69 -2.58	2.01 -2.63	2.48 -2.05	3.19 E -1.74 E	3.41 -2.30	4.01 -2.55	3.33 -2.90	14
15	3.29 0.40	3.32 -1.82	3.28 -2.23	3.29 -3.09	2.83 -2.67	2.67 E -2.37	2.02 -2.47	2.70 -1.66	3.56 E -1.86 E	3.63 -2.68	2.33 -2.75	3.15 -2.59	15
16	2.95 -2.62	3.10 -2.18	3.40 -1.91	3.23 -2.65	2.81 -3.22	2.38 -3.02	2.35 -2.05	2.79 -1.64	3.76 E -1.94 E	3.77 -2.99	4.03 -2.76	3.03 -2.24	16
17	2.90 -2.82	3.57 -1.84	3.63 -1.59	3.61 -2.56	3.01 -3.00	2.19 -3.18	2.76 -1.43	1.61 -2.07	1.99 E -2.31 E	1.79 -3.20	3.80 -2.76	3.28 -2.20	17
18	2.75 -2.76	3.91 -0.95	3.45 -2.23	3.81 -2.59	3.11 -2.61	2.53 -2.73	3.10 -1.50	3.05 -2.25	3.82 E -2.70 E	3.80 -3.34	3.59 -2.50	3.47 -2.08	18
19	2.75 -2.74	3.60 -1.55	3.60 -2.49	3.82 -2.68	3.42 -2.67	2.39 -2.82	3.01 -1.74	3.33 -2.39	3.79 E -2.94 E	3.82 -3.20	3.16 -2.13	3.55 -2.04	19
20	2.78 -2.71	3.80 -1.98	3.77 -2.56	3.79 -2.71	2.88 -2.78	2.37 -2.64	2.90 -2.22	3.65 -2.38	3.98 E -3.16 E	3.80 -2.87	3.29 -1.71	3.25 -2.08	20
21	2.78 -2.64	3.96 -2.24	4.09 -2.40	3.69 -2.62	2.60 -2.64	2.41 -2.59	3.03 -2.43	3.88 -2.40	3.77 E -3.14 E	3.49 -2.65	3.32 -1.35	2.93 -2.25	21
22	2.95 -2.40	4.09 -2.27	3.98 -2.70	3.69 -2.50	2.80 -2.17	2.32 -2.25	3.14 -2.72	3.80 -2.71	3.41 E -2.90 E	2.99 -2.41	3.38 -1.70	2.70 -2.33	22
23	3.22 -2.22	4.31 -1.97	3.67 -3.00	3.28 -2.56	2.49 -1.90	2.49 -2.07	3.10 -3.02	3.69 -2.76	3.08 E -2.79 E	3.05 -2.10	3.28 -1.72	2.70 -2.50	23
24	3.41 -2.43	4.40 -2.01	3.99 -2.20	2.93 -2.46	2.81 -1.59	2.83 -1.89	3.20 -2.88	3.51 -2.71	2.51 E -2.60 E	3.22 -1.55	3.06 -2.19	2.80 -2.42	24
25	3.63 -1.00	3.90 -2.49	3.40 -2.73	2.62 -2.19	2.62 -1.50	3.00 -1.98	3.19 -2.69	3.22 -2.62	2.88 E -2.12 E	3.38 -1.43	3.10 -2.49	2.76 -2.35	25
26	NR	3.35	2.99	2.69	2.50	2.98	3.00	2.93	3.07 E	3.59	3.04	2.70	26
27	NR	-2.75 E	-2.70	-1.08	-1.91	-2.27	-2.92	-2.50	-1.73 E	-1.81	-2.54	-2.29	27
28	NR	2.89	3.16	3.18	2.33	3.00	2.68	2.80 E	3.39 E	3.61	3.18	2.25	28
29	NR	-2.68	-1.71	-0.90	-2.22	-2.38	-3.02 E	-2.26 E	-1.60 E	-2.10	-2.70	-2.29	29
30	NR	2.45	3.40 E	2.90	2.39	2.80	2.67	2.90 E	3.63 E	3.61	2.09	2.86	30
31	NR	-2.44	-1.31 E	-0.33	-2.41	-2.66	-2.53	-1.99 E	-1.73 E	-2.34	-2.56	-1.91	31
32	NR	2.33	3.29 E	3.31	2.69	2.52	3.16 E	3.67	3.69	3.22	3.00	2.86	32
33	NR	-1.10	-1.26 E	-0.09 E	-2.77	-2.69	-2.69	-2.69	-2.69	-2.69	-2.69	-2.69	33
34	NR	1.99	3.09 E	3.62	2.59	2.59	3.22 E	3.74	3.40	3.19	2.97	2.80	34
35	NR	0.71	0.20 E	-1.00	-3.08 E	-2.69	-1.76 E	-2.62	-2.48	-2.30	-1.35	-1.35	35
36	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	36
37	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	37
38	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	38
39	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	39
40	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	40
41	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	41
42	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	42
43	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	43
44	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	44
45	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	45
46	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	46
47	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	47
48	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	48
49	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	49
50	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	50
51	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	51
52	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	52
53	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	53
54	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	54
55	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	55
56	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	56
57	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	57
58	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	58
59	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	59
60	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	60
61	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	61
62	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	62
63	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	63
64	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	64
65	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	65
66	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	66
67	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	67
68	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	68
69	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	69
70	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	70
71	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	71
72	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	72
73	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	73
74	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	74
75	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	75
76	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	76
77	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	77
78	NR	2.99 E	1.79	-1.33 E	-1.83	-3.04	-3.04	-2.26 E	-2.10	-2.96	-2.37	-2.37	78

TABLE B-13  
CONTENTS OF RESERVOIRS

TABLE B-13

CONTENT OF RESERVOIRS  
(IN THOUSANDS OF ACRE-Feet)

WATER YEAR	STATION NO.	STATION NAME
1966	A21050	SHASTA LAKE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	3,607.3	3,434.1	3,509.8	3,186.9	3,158.0	3,495.7	4,112.1	4,457.4	4,466.5	4,220.3	3,775.1	3,392.9	1
2	3,601.2	3,406.2	3,496.7	3,178.9	3,158.0	3,507.3	4,132.5	4,463.3	4,460.3	4,203.3	3,757.9	3,390.9	2
3	3,594.5	3,398.8	3,484.7	3,184.3	3,161.5	3,515.8	4,151.9	4,468.0	4,458.9	4,188.0	3,742.4	3,388.0	3
4	3,588.4	3,394.4	3,478.2	3,246.8	3,189.8	3,526.4	4,170.7	4,471.5	4,453.6	4,169.9	3,731.9	3,382.8	4
5	3,580.5	3,388.0	3,464.0	3,304.5	3,230.3	3,534.2	4,189.1	4,476.5	4,448.3	4,157.2	3,718.2	3,373.3	5
6	3,576.6	3,382.6	3,449.0	3,354.0	3,269.1	3,540.8	4,205.1	4,480.7	4,443.6	4,143.4	3,710.9	3,366.4	6
7	3,571.8	3,380.9	3,437.1	3,377.7	3,290.8	3,557.6	4,224.6	4,483.6	4,438.6	4,134.5	3,692.1	3,358.9	7
8	3,565.9	3,376.2	3,425.0	3,390.9	3,304.9	3,584.3	4,243.7	4,486.3	4,435.4	4,119.3	3,675.5	3,350.3	8
9	3,558.8	3,368.6	3,412.1	3,394.1	3,315.8	3,629.4	4,262.8	4,491.6	4,433.3	4,105.9	3,660.9	3,346.0	9
10	3,551.5	3,364.0	3,405.2	3,391.9	3,326.5	3,683.5	4,287.5	4,491.6	4,433.3	4,091.4	3,647.7	3,341.1	10
11	3,545.6	3,355.9	3,396.1	3,385.0	3,335.3	3,721.6	4,312.6	4,494.2	4,428.4	4,078.9	3,635.6	3,331.1	11
12	3,539.3	3,354.7	3,382.6	3,376.0	3,336.5	3,754.5	4,336.9	4,493.3	4,415.5	4,066.7	3,626.1	3,323.1	12
13	3,532.5	3,367.9	3,365.7	3,364.5	3,338.9	3,791.5	4,358.0	4,493.6	4,412.0	4,052.3	3,609.4	3,318.3	13
14	3,525.9	3,392.2	3,346.9	3,350.1	3,347.4	3,826.8	4,375.1	4,490.1	4,408.2	4,040.2	3,590.9	3,313.7	14
15	3,518.4	3,411.9	3,329.9	3,336.0	3,349.9	3,861.2	4,388.7	4,489.2	4,399.5	4,028.0	3,578.2	3,311.5	15
16	3,512.3	3,415.6	3,314.9	3,318.3	3,353.8	3,889.6	4,402.7	4,490.1	4,387.9	4,012.1	3,564.2	3,309.8	16
17	3,506.3	3,411.9	3,302.6	3,307.2	3,357.4	3,914.4	4,414.1	4,486.8	4,380.6	3,991.5	3,551.5	3,307.9	17
18	3,499.2	3,465.7	3,290.3	3,295.6	3,366.0	3,929.8	4,422.3	4,490.4	4,364.1	3,975.7	3,540.6	3,298.3	18
19	3,493.0	3,485.7	3,272.5	3,283.3	3,376.2	3,942.5	4,429.0	4,490.4	4,348.5	3,962.1	3,529.2	3,292.7	19
20	3,486.4	3,491.2	3,259.8	3,270.8	3,379.7	3,953.9	4,436.3	4,489.2	4,338.9	3,944.9	3,512.3	3,286.9	20
21	3,480.4	3,491.2	3,246.6	3,256.6	3,390.9	3,962.6	4,438.9	4,484.2	4,330.8	3,932.5	3,496.5	3,282.8	21
22	3,476.9	3,486.4	3,234.9	3,241.8	3,400.3	3,972.1	4,438.9	4,483.9	4,321.5	3,916.2	3,485.2	3,279.0	22
23	3,472.9	3,481.4	3,223.0	3,225.3	3,410.4	3,980.6	4,440.4	4,486.6	4,311.7	3,897.4	3,476.9	3,277.1	23
24	3,465.5	3,490.2	3,215.1	3,209.6	3,426.7	3,986.1	4,441.6	4,485.4	4,302.2	3,877.5	3,465.0	3,273.5	24
25	3,457.7	3,498.2	3,205.6	3,194.2	3,442.6	3,996.7	4,445.7	4,483.0	4,292.4	3,864.1	3,453.2	3,267.2	25
26	3,452.0	3,500.5	3,195.0	3,177.5	3,459.2	4,008.0	4,450.9	4,479.2	4,274.6	3,853.1	3,443.3	3,266.5	26
27	3,447.3	3,501.2	3,187.9	3,161.7	3,472.4	4,017.0	4,454.5	4,478.9	4,262.5	3,842.7	3,433.4	3,264.5	27
28	3,442.1	3,497.0	3,191.4	3,154.5	3,483.9	4,032.7	4,457.4	4,481.0	4,255.1	3,827.0	3,419.5	3,264.5	28
29	3,435.4	3,504.3	3,194.0	3,156.1	4,050.7	4,050.7	4,459.2	4,475.2	4,246.0	3,814.8	3,410.6	3,261.7	29
30	3,430.2	3,510.8	3,194.5	3,154.9	4,070.9	4,070.9	4,460.6	4,474.5	4,236.5	3,804.0	3,402.8	3,262.9	30
31	3,424.0	3,514.2	3,194.2	3,155.6	4,089.5	4,089.5	4,472.1	4,472.1	4,236.5	3,789.7	3,396.9	3,262.9	31
CHNG	-188.4	-486.8	-316.6	-38.6	+328.3	+605.6	+371.1	+11.5	-235.6	-446.8	-392.8	-134.0	CHNG
MAX	3,607.3	3,510.8	3,509.8	3,394.1	3,483.9	4,089.5	4,460.6	4,494.2	4,466.5	4,220.3	3,775.1	3,392.9	MAX
MIN	3,424.0	3,354.7	3,187.9	3,154.5	3,158.0	3,495.7	4,112.1	4,457.4	4,236.5	3,789.7	3,396.9	3,261.7	MIN

## WATER YEAR SUMMARY

MAXIMUM				MINIMUM			
44,441	MO	DAY	TIME	415,415	MO	DAY	TIME
	11	11	11				

E — ESTIMATED  
NR — NO RECORD

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			INFLOW	CONTENT	PERIOD		REF DATUM
			CFS	GAGE HT	DATE			FROM	TO	
40 43 10	122 25 10	NW15 33N SW				NOV 42-DATE	NOV 42-DATE	1942		0.00 USCGS

Station located in Shasta Dam 2 mi. below Squaw Creek, 9.5 mi. N of Redding. Usable capacity, 4,377,000 ac.-ft. between elevations 777.75 and 1,065.0 ft. above mean sea level. Not available for release, 115,700 ac.-ft. Records furnished by USBR. Drainage area, excluding Goose Lake Basin, is 6,665 sq. mi.

TABLE B-13 (Cont.)

**CONTENT OF RESERVOIRS**  
 (IN THOUSANDS OF ACRE-Feet)

TABLE B-13 (Cont.)													
CONTENT OF RESERVOIRS (IN THOUSANDS OF ACRE-FEET)													
WATER YEAR		STATION NO		STATION NAME									
1966		A36170		WHISKEYTOWN LAKE NEAR WHISKEYTOWN									
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	233.1	222.8	224.7	206.4	211.0	195.1	198.4	239.3	239.1	239.4	239.2	239.5	1
2	233.0	222.7	224.5	205.7	209.8	195.0	198.8	239.5	239.0	239.4	239.1	239.7	2
3	232.8	222.3	224.0	206.1	209.4	194.9	199.1	239.4	239.0	239.4	239.1	239.6	3
4	232.8	222.6	223.3	209.8	212.8	194.9	198.6	239.3	239.0	239.5	239.0	239.4	4
5	232.7	222.4	223.6	212.7	213.8	194.9	197.4	239.2	239.0	239.6	239.1	239.2	5
6	232.6	222.3	223.4	213.3	211.5	194.9	196.8	239.2	239.0	239.5	239.0	239.0	6
7	232.4	222.9	223.0	211.7	208.1	194.8	196.0	239.2	239.0	239.4	238.9	239.3	7
8	232.3	222.1	222.1	210.6	206.4	195.4	195.7	239.2	238.9	239.4	238.9	239.6	8
9	231.8	220.4	221.6	212.2	203.9	197.0	195.4	239.1	238.9	239.4	239.0	239.7	9
10	231.2	219.5	220.7	212.5	200.8	197.6	195.1	239.0	238.8	239.4	239.0	239.8	10
11	230.8	218.3	220.4	211.3	198.3	197.9	195.0	239.1	238.9	239.4	239.1	239.7	11
12	230.4	218.5	219.6	210.4	195.7	197.6	194.9	239.2	238.6	239.5	239.2	239.7	12
13	229.9	222.2	218.6	210.6	194.2	197.5	194.7	239.1	238.5	239.3	239.2	239.8	13
14	229.6	229.2	217.5	210.8	194.4	197.3	195.2	239.0	238.5	239.2	239.3	239.8	14
15	229.2	235.0	216.4	210.0	194.6	196.9	195.6	239.0	238.4	239.2	239.4	239.8	15
16	228.7	236.4	215.5	209.2	195.2	196.3	197.6	239.0	238.8	239.1	239.5	239.8	16
17	228.1	238.6	214.7	208.2	195.7	195.3	200.2	239.0	238.9	239.1	239.4	239.7	17
18	227.7	242.7	213.8	207.3	195.8	195.8	202.8	239.1	239.1	239.1	239.2	239.6	18
19	227.2	244.4	213.0	206.8	196.3	196.2	205.4	239.1	239.2	239.1	239.0	239.7	19
20	226.7	243.2	212.2	205.3	196.3	196.4	208.0	239.1	239.0	239.1	239.0	239.1	20
21	226.2	241.6	211.4	204.4	196.2	196.4	211.2	239.1	239.0	239.0	239.0	238.8	21
22	225.7	240.1	210.7	203.4	196.4	196.2	214.6	239.1	238.9	239.0	239.0	238.5	22
23	225.1	237.2	209.9	202.3	196.5	196.0	218.0	239.1	238.9	239.1	239.1	238.0	23
24	224.6	235.0	209.7	201.6	196.6	195.8	221.3	239.2	239.0	239.1	239.2	238.1	24
25	224.1	232.8	209.2	203.2	196.2	195.8	224.5	239.2	239.1	239.0	239.2	238.1	25
26	223.8	230.2	208.2	204.9	195.7	195.9	227.6	239.2	239.4	239.0	239.3	238.0	26
27	223.4	227.2	207.5	207.3	195.2	196.2	230.6	239.2	239.6	239.1	239.4	238.0	27
28	223.0	224.1	209.1	209.3	195.0	196.5	233.7	239.1	239.5	239.1	239.5	238.0	28
29	223.0	224.5	208.9	210.6	196.8	196.8	236.8	239.0	239.4	239.2	239.6	238.0	29
30	223.0	224.8	208.3	211.5	197.4	197.9	239.1	239.0	239.4	239.2	239.6	237.9	30
31	222.9		207.5	211.4		197.9		239.1		239.2	239.0		31
CHNG	-10.3	+1.9	-17.3	+3.9	-16.4	+2.9	+41.2	0	+0.3	-0.2	-0.2	-1.1	CHNG
MAX	233.1	244.4	224.7	213.3	213.8	197.9	239.1	239.5	239.6	239.6	239.6	239.8	MAX
MIN	222.9	218.3	207.5	201.6	194.2	194.8	194.7	239.0	238.4	239.0	238.9	237.9	MIN

 E — ESTIMATED  
 NR — NO RECORD

## WATER YEAR SUMMARY

MAXIMUM				MINIMUM			
MO	DAY	TIME		MO	DAY	TIME	
11	1	2:00		12	1	2:00	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			INFLOW	CONTENT	PERIOD		ZERO ON GAGE
			CFS	GAGE HT	DATE			FROM	TO	
40 27 02	122 31 31	32N 6W				MAY 62-DATE	MAY 62-DATE	1962		0.00 USCGS
Station located on Clear Creek at outlet works to Spring Creek powerplant, 1.8 mi. downstream from Whiskey Creek, 7.5 mi. NE of Lgo. Usable capacity, 241,000 ac.-ft. between elevations 1,100.0 and 1,210.0 ft. above mean sea level. Not available for release, 27,500 ac.-ft.										
Transbasin water enters the reservoir through Judge Francis Carr powerplant and is released through Spring Creek Tunnel to Spring Creek powerplant and Keswick Reservoir. Records furnished by USBR. Drainage area is 200 sq. mi.										

TABLE B-13 (Cont.)

**CONTENT OF RESERVOIRS**  
 (IN THOUSANDS OF ACRE-FOOT)

WATER YEAR	STATION NO.	STATION NAME
1955	A55527	FRENCHMAN LAKE NEAR "MILNOT"

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	46407	45859	46411	47008	47444	48013	50567	50544	47405	47844	48081	47742	1
2	46454	45859	46411	47022	47522	48027	50716	50500	46040	45544	46444	47749	2
3	46422	45859	46411	47046	47522	48042	50844	50544	46040	45544	46444	47749	3
4	46422	45859	46411	47051	47522	48056	50944	50544	46040	45544	46444	47749	4
5	46408	45875	46433	47079	47500	48071	50944	50544	46040	45544	46444	47749	5
6	46408	45875	46433	47106	47500	48106	51105	50544	46040	45544	46444	47749	6
7	46408	45875	46433	47122	47500	48106	51105	50544	46040	45544	46444	47749	7
8	46412	45875	46433	47151	47500	48172	51105	50544	46040	45544	46444	47749	8
9	46408	45861	46407	47177	47500	48200	51105	50544	46040	45544	46444	47749	9
10	46407	45867	46402	47206	47500	48217	51135	50544	46040	45544	46444	47749	10
11	46255	45833	46402	47222	47500	48244	51135	50544	46040	45544	46444	47749	11
12	46296	45847	46406	47236	47500	48266	5112	50544	46040	45544	46444	47749	12
13	46203	45859	46406	47265	47710	48606	51155	50544	46040	45544	46444	47749	13
14	46241	45945	46406	47279	47724	48797	51075	50544	46040	45544	46444	47749	14
15	46213	45959	46406	47294	47724	48826	51045	50544	46040	45544	46444	47749	15
16	46171	45973	46406	47294	47739	48901	51015	50544	46040	45544	46444	47749	16
17	46156	46030	46406	47308	47753	49075	51045	50544	46040	45544	46444	47749	17
18	46128	46156	46406	47322	47768	49143	50959	48444	46040	45544	46444	47749	18
19	46103	46171	46406	47337	47756	49250	50895	47700	46040	45544	46444	47749	19
20	46086	46171	46406	47351	47811	49349	50820	47533	46040	45544	46444	47749	20
21	46058	46185	46510	47351	47840	49366	50791	47300	46040	45544	46444	47749	21
22	46044	46199	46406	47365	47844	49456	50746	47244	46040	45544	46444	47749	22
23	46040	46255	46406	47380	47883	49530	50686	46877	46040	45544	46444	47749	23
24	46041	46397	46608	47394	47912	49603	50641	46877	46040	45544	46444	47749	24
25	45987	46397	46608	47408	47926	49692	50592	46877	46040	45544	46444	47749	25
26	45987	46397	46608	47423	47941	49795	50547	46805	46040	45544	46444	47749	26
27	45999	46397	46608	47447	47955	49845	50547	46740	46040	45544	46444	47749	27
28	45999	46397	46608	47477	47959	49917	50547	46699	46040	45544	46444	47749	28
29	45995	46397	46608	47501	47951	49965	50547	46659	46040	45544	46444	47749	29
30	45971	46397	46608	47526	47966	50044	50547	46611	46040	45544	46444	47749	30
31	45917	46397	46608	47550	47980	50122	50547	46560	46040	45544	46444	47749	31
CHNG	4593	4618	4611	4672	4740	48064	4907	4708	4504	4504	4504	4504	
MAX	46407	46156	47008	47406	47900	48433	51115	50544	46040	45544	46444	47749	MAX.
MIN	45917	45833	46011	47008	47400	47900	50544	46040	45544	46444	47749	47749	MIN.

## WATER YEAR SUMMARY

 E — ESTIMATED  
 NR — NO RECORD

MAXIMUM				MINIMUM			
MO	DAY	TIME		MO	DAY	TIME	
51	15			7	10		

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC T & R M D B & M	OF RECORD			INFLOW	CONTENT	PERIOD	ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE					
46° 57' 30"	120° 11' 17"	NEAR FRENCHMAN DAM								
Station located at toe of Frenchman Dam on Little Lost Chance Creek, 7.1 M. N. of Frenchman Dam.										
Frenchman Dam was completed in Oct. 1961 and storage began in Nov. 1961. The dam has a crest elevation of 51,283 acre-feet between elevations 5517 ft. invert of intake and 5000 ft. crest. The dam has a capacity for release, 1,335 acre-feet.										
Daily content given is shown at 2400 hour.										



TABLE B-13 (Cont.)

# CONTENT OF RESERVOIRS (IN THOUSANDS OF ACRE-FOOT)

TABLE B-13 (Cont.)													
CONTENT OF RESERVOIRS													
(IN THOUSANDS OF ACRE-FEET)													
WATER YEAR STATION NO STATION NAME													
1954-55 15700E ANTSEL LAKE, NEA DIST., CALIF.													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	1
2	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	2
3	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	3
4	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	4
5	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	5
6	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	6
7	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	7
8	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	8
9	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	9
10	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	10
11	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	11
12	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	12
13	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	13
14	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	14
15	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15
16	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	16
17	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	17
18	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	18
19	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	19
20	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	20
21	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	21
22	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	22
23	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	23
24	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	24
25	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	25
26	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	26
27	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	27
28	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	28
29	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	29
30	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	30
31	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	31
MAX.	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	MAX.
MIN.	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	15700E	MIN.

## WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD

MAXIMUM				MINIMUM			
15700E	MO.	DAY	TIME	15246E	MO.	DAY	TIME
		15	2400			11	2400

LOCATION		MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R MOB & M	OF RECORD			INFLOW	CONTENT	PERIOD	
			CFS	GAGE HT	DATE			FROM	TO
40° 15' N	106° 00' W	2000000					2000000	1900	1900
<p>Location is at base of intake tower on Indian Creek, 1.5 mi. S of Boulder Creek Gage Station, 12 mi. NE of Durango.</p> <p>Intake tower is located in full flow; however, gage began on Nov. 5, 1903. The lake has a usable capacity of 1,000,000 cubic feet between elevation 6,000 ft. (14 ft. intake tower) and 6,000 ft. (crest of spillway). Not available for release, 1,000,000 cubic feet.</p> <p>Long content given is shown in table.</p>									



TABLE B-13 (Cont.)

**CONTENT OF RESERVOIRS**  
 (IN THOUSANDS OF ACRE-FeET)

WATER YEAR	STATION NO.	STATION NAME
1955	41111	WILSON LAKE DAM, PULJON

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	1
2	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	2
3	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	3
4	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	4
5	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	5
6	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	6
7	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	7
8	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	8
9	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	9
10	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	10
11	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	11
12	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	12
13	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	13
14	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	14
15	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	15
16	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	16
17	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	17
18	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	18
19	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	19
20	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	20
21	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	21
22	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	22
23	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	23
24	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	24
25	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	25
26	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	26
27	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	27
28	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	28
29	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	29
30	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	30
31	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	31
MAX	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	MAX
MIN	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	61.1	MIN

## WATER YEAR SUMMARY

E - ESTIMATED  
NR - NO RECORD

MAXIMUM				MINIMUM			
MO	DAY	TIME		MO	DAY	TIME	
916.8	7	12	400	51.4	1	3	3400

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	14 SEC. T & R M.D.B.M.	OF RECORD			INFLOW	CONTENT	PERIOD		ZERO OF GAGE	REF DATUM
			CFS	GAGE HT.	OATE			FROM	TO		
36° 52' 30" N	121° 00' 00" W	N204° 10' N T2				750 cfs - 400	750 cfs - 400				
Station located on the left bank of the Fork American River, 1.4 mi. N. of the town of Marysville, in the drainage area of the American River.											
The reservoir is a natural cavity of 1,010,700 acre-feet between the dam and the river. The river is 100 feet wide and 400 feet deep at the dam. The reservoir is 1,010,700 acre-feet in capacity. The reservoir is 1,010,700 acre-feet in capacity. The reservoir is 1,010,700 acre-feet in capacity.											
Daily discharge given, representing average content, is shown at 24-hour.											

(TABLE B-13 (Cont.))

**CONTENT OF RESERVOIRS**  
 (IN THOUSANDS OF ACRE-Feet)

DAY	WATER YEAR												DAY
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
1	1428.1	1424.5	1411.7	1450.9	1528.5	1617.1	1638.4	1574.2	1574.7	1524.1	1426.7	1424.7	1
2	1427.7	1421.8	1411.7	1455.3	1528.7	1616.2	1638.4	1574.2	1574.7	1524.1	1426.7	1424.7	2
3	1426.1	1424.8	1421.5	1456.4	1528.7	1615.4	1638.4	1574.2	1574.7	1524.1	1426.7	1424.7	3
4	1425.1	1424.7	1421.5	1455.2	1528.7	1615.3	1638.7	1574.7	1574.7	1524.4	1426.1	1424.7	4
5	1424.5	1424.0	1421.5	1456.5	1528.7	1615.5	1638.7	1574.7	1574.7	1524.7	1426.1	1424.7	5
6	1423.4	1422.7	1421.7	1456.6	1528.7	1614.7	1638.7	1574.7	1574.7	1524.1	1426.1	1424.7	6
7	1422.6	1422.5	1421.7	1456.0	1528.7	1614.7	1638.7	1574.7	1574.7	1524.1	1426.1	1424.7	7
8	1421.9	1422.3	1421.2	1455.8	1528.7	1614.5	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	8
9	1421.2	1420.1	1421.5	1455.1	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	9
10	1420.2	1419.9	1421.5	1455.6	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	10
11	1419.3	1420.1	1421.7	1455.0	1528.7	1614.7	1638.7	1574.7	1574.7	1524.1	1426.1	1424.7	11
12	1418.6	1420.1	1422.3	1455.5	1528.7	1614.7	1638.7	1574.7	1574.7	1524.1	1426.1	1424.7	12
13	1417.7	1420.2	1421.7	1455.5	1528.7	1614.7	1638.7	1574.7	1574.7	1524.1	1426.1	1424.7	13
14	1417.3	1420.7	1422.1	1456.6	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	14
15	1416.5	1420.7	1421.7	1456.0	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	15
16	1414.9	1420.7	1421.3	1456.1	1528.7	1614.1	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	16
17	1414.2	1411.1	1421.3	1456.1	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	17
18	1413.3	1414.2	1421.2	1456.2	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	18
19	1412.9	1415.5	1421.2	1456.7	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	19
20	1412.5	1415.7	1420.8	1456.7	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	20
21	1411.4	1416.0	1420.6	1456.1	1528.7	1614.5	1599.6	1564.8	148.7	147.5	1426.1	1424.7	21
22	1410.7	1416.4	1420.4	1456.5	1528.7	1614.8	1599.6	1564.8	147.5	147.5	1426.1	1424.7	22
23	1409.8	1416.9	1420.2	1456.1	1528.7	1614.8	1599.6	1564.8	147.5	147.5	1426.1	1424.7	23
24	1409.2	1419.7	1422.5	1456.5	1528.7	1614.4	1599.6	1564.8	147.5	147.5	1426.1	1424.7	24
25	1408.5	1421.2	1426.5	1456.6	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	25
26	1408.0	1421.5	1427.4	1456.4	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	26
27	1406.7	1421.7	1427.4	1456.8	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	27
28	1406.7	1421.9	1427.4	1456.2	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	28
29	1405.4	1422.1	1426.4	1456.7	1528.7	1614.4	1599.6	1564.8	147.5	147.5	1426.1	1424.7	29
30	1405.7	1422.3	1426.1	1457.5	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	30
31	1404.5	1422.3	1425.8	1457.4	1528.7	1614.7	1599.6	1564.8	147.5	147.5	1426.1	1424.7	31
MAX	1428.1	1424.5	1421.7	1456.9	1528.7	1617.1	1638.4	1574.2	1574.7	1524.1	1426.7	1424.7	MAX.
MIN	1404.5	1401.7	1420.2	1454.7	1528.7	1614.7	1638.7	1574.7	1574.7	1524.6	1426.1	1424.7	MIN.

## WATER YEAR SUMMARY

 E - ESTIMATED  
 NR - NO RECORD

MAXIMUM				MINIMUM			
MO.	DAY	TIME		MO.	DAY	TIME	
16	17	11		1	8	1	

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	14 SEC. T & R. M.D.B. & M.	OF RECORD			INFLOW	CONTENT	PERIOD		REF. DATUM
			CF5	GAGE HT.	DATE			FROM	TO	
36° 08' 30"	100° 00' 15"	NW 1/4, 30N 10W						JAN 1 - OCT 1	1950	
Station located near center of Monticelli Dam on Fish Creek, 7.4 mi. N of Winter. Records from gage. Drainage area is 900 sq. mi. Lake Berryessa has a spillway capacity of 1,500,000 cu ft. between elevations 575.0 ft. (crest of dam) and 560.0 ft. (controlled spillway elevation). No reliable gage record is available for this spillway. Daily content given is shown at 400 ft.										

TABLE B-14  
DAILY INFLOW

This table reports the computed daily inflow rate to Folsom, Shasta, and Whiskeytown Lakes. This computed inflow rate takes into account the change in storage, release, spill, precipitation, and evaporation and represents the flow at the damsite if the dam had not been constructed.

TABLE B-14

## DAILY INFLOW

(IN CUBIC FEET PER SECOND)

TABLE B-14

DAILY INFLOW  
(IN CUBIC FEET PER SECOND)

WATER YEAR STATION NO STATION NAME													
1966 A21051 INFLOW TO SHASTA LAKE													
DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	4,320	1,870	5,280	6,320	9,590	9,900	15,310	4,730	7,410	1,590	2,690	3,930	1
2	2,530	2,580	3,960	7,900	7,600	9,890	14,450	9,250	2,920	1,730	1,530	4,480	2
3	3,350	2,950	4,950	12,030	8,960	7,450	13,820	8,290	6,160	2,620	2,550	4,650	3
4	3,670	4,360	7,910	38,710	19,470	8,670	13,250	8,060	4,500	1,200	4,800	7,060	4
5	2,720	3,430	4,070	36,700	25,270	7,300	12,580	8,600	4,930	3,970	3,220	880	5
6	4,770	3,730	3,720	34,290	23,840	6,370	12,290	7,900	5,080	3,280	6,470	3,280	6
7	4,430	5,690	5,300	23,420	15,720	11,710	12,910	7,260	4,800	3,990	885	2,830	7
8	3,850	4,150	5,190	18,740	12,740	16,650	12,640	6,980	5,720	4,810	2,090	2,220	8
9	3,110	2,890	4,810	15,760	10,740	25,430	12,560	8,610	6,260	3,570	2,950	4,030	9
10	2,970	4,190	7,850	15,010	10,380	28,860	15,250	6,400	7,010	3,010	3,620	7,480	10
11	3,750	2,490	6,760	10,630	9,030	22,050	15,450	8,220	4,840	4,870	4,010	1,060	11
12	3,230	5,950	4,500	9,640	5,130	18,920	15,430	6,350	924	5,110	5,550	2,070	12
13	3,290	12,800	2,640	8,400	6,230	20,520	13,510	7,000	5,960	4,190	1,770	3,590	13
14	3,670	17,770	1,900	6,930	9,340	20,860	13,050	5,210	5,410	5,370	887	3,400	14
15	2,950	15,890	2,850	7,070	7,410	20,540	12,720	6,480	3,620	5,360	3,900	5,090	15
16	3,640	8,360	3,880	5,320	7,450	18,440	13,150	7,340	2,790	3,500	3,190	5,140	16
17	3,830	14,550	5,280	8,700	7,140	18,010	12,870	5,300	4,900	1,170	3,660	5,040	17
18	3,200	23,160	5,140	8,470	9,450	15,030	12,670	8,210	1,290	3,830	4,490	947	18
19	3,490	16,740	2,420	8,100	10,030	14,180	11,660	6,040	1,610	4,900	4,380	3,120	19
20	3,520	10,300	4,990	7,600	5,760	13,560	11,900	5,450	4,870	3,160	1,680	3,060	20
21	3,700	7,950	3,740	7,180	9,440	13,320	9,600	3,480	5,510	5,610	2,110	4,050	21
22	5,230	5,520	4,600	6,810	8,760	12,570	8,580	5,780	4,890	3,700	4,180	4,040	22
23	4,820	6,050	4,300	6,000	9,070	11,960	9,120	7,260	4,560	1,410	5,180	4,680	23
24	1,880	13,420	6,570	6,430	12,110	11,100	9,490	5,530	4,980	1,020	3,100	2,910	24
25	7,960	12,990	5,580	6,570	11,560	10,400	9,830	4,670	4,950	4,140	3,310	1,610	25
26	4,050	10,030	4,910	5,970	11,940	11,620	10,310	4,190	955	5,410	4,190	4,170	26
27	4,500	9,310	6,780	4,000	10,280	10,240	9,570	5,830	3,680	5,850	4,010	5,000	27
28	4,100	6,390	12,050	7,180	9,720	12,820	9,100	7,180	5,890	3,710	2,160	3,390	28
29	3,510	8,350	11,420	10,120		13,050	8,550	5,070	5,370	4,900	4,330	3,340	29
30	4,350	8,380	10,180	7,820		14,000	7,770	3,710	5,070	4,480	4,250	5,300	30
31	A 3,800		9,950	8,880		13,710		4,820		3,060	3,510		31
MEAN	3,722	8,408	5,603	11,687	10,884	14,486	11,980	6,429	4,427	3,692	3,379	2,460	MEAN
MAX	5,230	23,160	12,050	38,310	25,270	28,860	15,450	9,250	7,010	5,850	6,470	5,300	MAX
MIN	1,880	1,870	1,900	4,000	5,130	6,370	7,770	3,480	924	1,020	885	880	MIN
AC FT	229,190	500,310	344,490	718,610	604,480	890,720	712,060	395,310	263,440	226,990	207,770	205,900	AC FT

## WATER YEAR SUMMARY

E — ESTIMATED NR — NO RECORD A — 25-Hour Day B — 23-Hour Day	MEAN	MAXIMUM					MINIMUM					TOTAL
	DISCHARGE	DISCHARGE	GAGE HT	MO	DAY	TIME	DISCHARGE	GAGE HT	MO	DAY	TIME	ACRE FEET
	7,320											5,299,270

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC T & R MO B & M	OF RECORD			INFLOW	CONTENT	PERIOD		ZERO ON GAGE	REF DATUM
			CFS	GAGE HT	DATE			FROM	TO		
40 43 10	122 25 10	NW15 33N 5W				NOV 42-DATE	NOV 42-DATE	1942		0.00	USCGS

The figures contained herein are computed inflow to Shasta Lake and take into account change in storage, release, spill, precipitation, and evaporation. They are representative of the natural flow which would pass the damsite (9.5 miles north of Redding) if the dam had not been constructed. Records furnished by USBR. Drainage area, excluding Goose Lake Basin, is 6,665 square miles.

Shasta Lake has a usable capacity of 4,377,000 acre-feet between elevations 737.75 and 1,065.0 feet above mean sea level. Not available for release, 115,700 acre-feet.

TABLE B-14 (Cont.)

## DAILY INFLOW

(IN CUBIC FEET PER SECOND)

WATER YEAR	STATION NO.	STATION NAME
1966	A36171	WHISKEYTOWN LAKE NEAR WHISKEYTOWN

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	1,385	920	1,019	932	1,779	1,098	1,495	2,250	2,340	2,008	2,024	2,229	1
2	1,423	967	978	1,075	1,219	1,447	2,124	2,318	2,918	2,930	2,020	2,163	2
3	1,407	1,249	953	1,523	1,647	1,046	1,384	2,187	2,136	2,925	2,044	2,063	3
4	1,465	1,139	944	2,988	2,567	1,080	1,330	2,176	2,138	2,052	2,056	2,167	4
5	1,465	954	1,073	2,899	2,978	1,044	1,350	2,253	2,930	2,021	2,020	2,127	5
6	1,417	1,039	1,079	2,615	2,464	1,066	1,302	2,479	2,823	2,960	2,960	1,665	6
7	1,424	866	1,064	2,237	1,958	1,081	1,251	2,431	2,968	2,960	2,990	1,874	7
8	1,466	648	865	2,069	1,684	1,352	2,183	2,466	2,916	2,983	2,032	1,835	8
9	1,264	187	858	1,727	1,738	2,231	2,152	2,494	2,350	2,967	2,052	1,789	9
10	1,260	603	857	1,646	1,488	2,405	2,171	2,436	2,225	2,006	2,050	1,785	10
11	1,333	423	894	1,601	1,381	2,040	2,177	2,436	2,022	2,001	2,058	1,638	11
12	1,286	1,184	836	1,435	1,282	1,826	2,092	2,421	2,967	2,005	2,043	1,617	12
13	1,277	2,919	819	1,426	1,113	1,885	2,032	2,406	2,984	2,893	2,910	1,768	13
14	1,318	4,551	739	1,303	1,045	1,823	1,951	2,380	2,934	2,938	2,064	1,731	14
15	1,264	4,000	753	1,246	1,034	1,747	1,987	2,408	2,925	2,992	2,083	1,748	15
16	1,214	1,775	803	1,247	960	1,594	2,981	2,389	2,094	2,972	2,048	1,637	16
17	1,199	2,409	780	1,271	939	1,460	2,309	2,383	2,017	2,959	2,076	1,648	17
18	1,230	3,449	742	1,208	1,014	1,431	2,188	2,406	2,034	2,984	2,073	1,690	18
19	1,219	3,031	737	1,170	1,041	1,288	2,185	2,400	2,046	2,994	2,077	1,587	19
20	1,219	2,044	744	1,188	986	1,253	2,215	2,411	2,947	2,001	2,052	1,602	20
21	1,234	1,584	722	1,130	1,067	1,214	2,267	2,392	2,969	2,944	2,029	1,561	21
22	1,225	1,400	735	1,129	1,187	1,157	2,250	2,369	2,969	2,015	2,044	1,571	22
23	1,187	1,615	702	1,115	1,225	1,160	2,252	2,383	2,035	2,088	2,026	1,519	23
24	1,183	1,937	833	1,285	1,281	1,126	2,278	2,377	2,953	2,005	2,187	1,511	24
25	1,280	1,949	725	1,870	1,333	1,249	2,210	2,375	2,954	2,977	2,990	2,096	25
26	1,227	1,751	716	1,677	1,231	1,301	2,143	2,372	2,961	2,992	2,053	2,146	26
27	1,199	1,569	729	2,058	1,230	1,187	2,133	2,346	2,939	2,010	2,052	2,161	27
28	1,215	1,442	1,841	1,870	1,209	1,402	2,057	2,347	2,975	2,012	2,127	2,147	28
29	1,326	1,264	1,401	1,598	1,417	1,476	2,055	2,327	2,959	2,033	2,082	2,135	29
30	1,333	1,212	1,163	1,589	1,476	1,461	2,074	2,370	2,983	2,880	2,066	2,133	30
31	A 1,204		1,055	1,368				2,345		2,972	2,780		31
MEAN	1,294	1,675	908	1,597	1,464	1,426	2,463	2,366	2,027	2,983	2,038	2,275	MEAN
MAX.	1,466	4,551	1,841	2,988	3,567	2,405	2,309	2,494	2,350	2,088	2,187	2,229	MAX.
MIN.	1,183	187	702	932	939	1,044	1,251	2,124	2,823	2,880	2,780	1,561	MIN.
AC FT.	79,690	99,650	55,850	98,170	81,280	87,660	146,310	206,950	180,120	182,390	186,780	135,400	AC FT.

## WATER YEAR SUMMARY

E — ESTIMATED  
NR — NO RECORD  
A — 25-Hour Day  
B — 23-Hour Day

MEAN DISCHARGE	MAXIMUM				MINIMUM				TOTAL
2,129	DISCHARGE	GAGE HT	MO	DAY	DISCHARGE	GAGE HT	MO	DAY	ACRE FEET
									1,541,250

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE		
LATITUDE	LONGITUDE	1/4 SEC T & R M D B & M	OF RECORD			INFLOW	CONTENT	PERIOD	ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT	DATE			FROM	TO	
40 37 03	122 21 31	32N 6W				MAY 63-DATE	MAY 63-DATE	1963	0.00	USCGS

The figures contained herein are computed inflow to Whiskeytown Reservoir and take into account change in storage, release, spill, precipitation and evaporation. Records furnished by USBR. Drainage area is 200 sq. mi.

Whiskeytown Reservoir has a usable capacity of 241,100 ac.-ft. between elevations 1,100.0 ft. and 1,210.0 ft. above mean sea level. Not available for release, 27,500 ac.-ft.



TABLE B-15

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS

This tabulation includes corrections and revisions to bulletins of Surface Water Flows published from 1924 to date.

These publications are:

- Report 1 "Report of Sacramento-San Joaquin Water Supervision".  
Published from 1924 through 1955.
- Report 2 Bulletin No. 23, "Surface Water Flow".  
Published from 1956 through 1962.
- Report 3 "Flood Flows and Stages in Sacramento and Northern  
San Joaquin Valleys".  
Published from 1913 through 1956.
- Report 4 Bulletin No. 130 "Hydrologic Data: Vol. II: Northeastern  
California".  
Published from 1963 to date.



CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

285

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision				Change or Revision	
Report	Page	Mile & Bank	Name	Item	From To
101	101		101	101	101 101
102	102		102	102	102 102
103	103		103	103	103 103
104	104		104	104	104 104
105	105		105	105	105 105
106	106		106	106	106 106
107	107		107	107	107 107
108	108		108	108	108 108
109	109		109	109	109 109
110	110		110	110	110 110
111	111		111	111	111 111
112	112		112	112	112 112
113	113		113	113	113 113
114	114		114	114	114 114
115	115		115	115	115 115
116	116		116	116	116 116
117	117		117	117	117 117
118	118		118	118	118 118
119	119		119	119	119 119
120	120		120	120	120 120
121	121		121	121	121 121
122	122		122	122	122 122
123	123		123	123	123 123
124	124		124	124	124 124
125	125		125	125	125 125
126	126		126	126	126 126
127	127		127	127	127 127
128	128		128	128	128 128
129	129		129	129	129 129
130	130		130	130	130 130
131	131		131	131	131 131
132	132		132	132	132 132
133	133		133	133	133 133
134	134		134	134	134 134
135	135		135	135	135 135
136	136		136	136	136 136
137	137		137	137	137 137
138	138		138	138	138 138
139	139		139	139	139 139
140	140		140	140	140 140
141	141		141	141	141 141
142	142		142	142	142 142
143	143		143	143	143 143
144	144		144	144	144 144
145	145		145	145	145 145
146	146		146	146	146 146
147	147		147	147	147 147
148	148		148	148	148 148
149	149		149	149	149 149
150	150		150	150	150 150
151	151		151	151	151 151
152	152		152	152	152 152
153	153		153	153	153 153
154	154		154	154	154 154
155	155		155	155	155 155
156	156		156	156	156 156
157	157		157	157	157 157
158	158		158	158	158 158
159	159		159	159	159 159
160	160		160	160	160 160
161	161		161	161	161 161
162	162		162	162	162 162
163	163		163	163	163 163
164	164		164	164	164 164
165	165		165	165	165 165
166	166		166	166	166 166
167	167		167	167	167 167
168	168		168	168	168 168
169	169		169	169	169 169
170	170		170	170	170 170
171	171		171	171	171 171
172	172		172	172	172 172
173	173		173	173	173 173
174	174		174	174	174 174
175	175		175	175	175 175
176	176		176	176	176 176
177	177		177	177	177 177
178	178		178	178	178 178
179	179		179	179	179 179
180	180		180	180	180 180
181	181		181	181	181 181
182	182		182	182	182 182
183	183		183	183	183 183
184	184		184	184	184 184
185	185		185	185	185 185
186	186		186	186	186 186
187	187		187	187	187 187
188	188		188	188	188 188
189	189		189	189	189 189
190	190		190	190	190 190
191	191		191	191	191 191
192	192		192	192	192 192
193	193		193	193	193 193
194	194		194	194	194 194
195	195		195	195	195 195
196	196		196	196	196 196
197	197		197	197	197 197
198	198		198	198	198 198
199	199		199	199	199 199
200	200		200	200	200 200

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

287

Table B-15 (Cont.)  
CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision				Change or Revision	
Report	Page	Mile & Bank	Name	Item	From To
1000	100	100	100	100	100
1001	101	101	101	101	101
1002	102	102	102	102	102
1003	103	103	103	103	103
1004	104	104	104	104	104
1005	105	105	105	105	105
1006	106	106	106	106	106
1007	107	107	107	107	107
1008	108	108	108	108	108
1009	109	109	109	109	109
1010	110	110	110	110	110
1011	111	111	111	111	111
1012	112	112	112	112	112
1013	113	113	113	113	113
1014	114	114	114	114	114
1015	115	115	115	115	115
1016	116	116	116	116	116
1017	117	117	117	117	117
1018	118	118	118	118	118
1019	119	119	119	119	119
1020	120	120	120	120	120
1021	121	121	121	121	121
1022	122	122	122	122	122
1023	123	123	123	123	123
1024	124	124	124	124	124
1025	125	125	125	125	125
1026	126	126	126	126	126
1027	127	127	127	127	127
1028	128	128	128	128	128
1029	129	129	129	129	129
1030	130	130	130	130	130
1031	131	131	131	131	131
1032	132	132	132	132	132
1033	133	133	133	133	133
1034	134	134	134	134	134
1035	135	135	135	135	135
1036	136	136	136	136	136
1037	137	137	137	137	137
1038	138	138	138	138	138
1039	139	139	139	139	139
1040	140	140	140	140	140
1041	141	141	141	141	141
1042	142	142	142	142	142
1043	143	143	143	143	143
1044	144	144	144	144	144
1045	145	145	145	145	145
1046	146	146	146	146	146
1047	147	147	147	147	147
1048	148	148	148	148	148
1049	149	149	149	149	149
1050	150	150	150	150	150
1051	151	151	151	151	151
1052	152	152	152	152	152
1053	153	153	153	153	153
1054	154	154	154	154	154
1055	155	155	155	155	155
1056	156	156	156	156	156
1057	157	157	157	157	157
1058	158	158	158	158	158
1059	159	159	159	159	159
1060	160	160	160	160	160
1061	161	161	161	161	161
1062	162	162	162	162	162
1063	163	163	163	163	163
1064	164	164	164	164	164
1065	165	165	165	165	165
1066	166	166	166	166	166
1067	167	167	167	167	167
1068	168	168	168	168	168
1069	169	169	169	169	169
1070	170	170	170	170	170
1071	171	171	171	171	171
1072	172	172	172	172	172
1073	173	173	173	173	173
1074	174	174	174	174	174
1075	175	175	175	175	175
1076	176	176	176	176	176
1077	177	177	177	177	177
1078	178	178	178	178	178
1079	179	179	179	179	179
1080	180	180	180	180	180
1081	181	181	181	181	181
1082	182	182	182	182	182
1083	183	183	183	183	183
1084	184	184	184	184	184
1085	185	185	185	185	185
1086	186	186	186	186	186
1087	187	187	187	187	187
1088	188	188	188	188	188
1089	189	189	189	189	189
1090	190	190	190	190	190
1091	191	191	191	191	191
1092	192	192	192	192	192
1093	193	193	193	193	193
1094	194	194	194	194	194
1095	195	195	195	195	195
1096	196	196	196	196	196
1097	197	197	197	197	197
1098	198	198	198	198	198
1099	199	199	199	199	199

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

290

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision				Change or Revision		
Report	Page	Mile & Bank	Name	Item	From	To
	10		Point 11			
	10		Point 12			
	10		Point 13			
	10		Point 14			
	10		Point 15			
	10		Point 16			
	10		Point 17			
	10		Point 18			
	10		Point 19			
	10		Point 20			
	10		Point 21			
	10		Point 22			
	10		Point 23			
	10		Point 24			
	10		Point 25			
	10		Point 26			
	10		Point 27			
	10		Point 28			
	10		Point 29			
	10		Point 30			
	10		Point 31			
	10		Point 32			
	10		Point 33			
	10		Point 34			
	10		Point 35			
	10		Point 36			
	10		Point 37			
	10		Point 38			
	10		Point 39			
	10		Point 40			
	10		Point 41			
	10		Point 42			
	10		Point 43			
	10		Point 44			
	10		Point 45			
	10		Point 46			
	10		Point 47			
	10		Point 48			
	10		Point 49			
	10		Point 50			
	10		Point 51			
	10		Point 52			
	10		Point 53			
	10		Point 54			
	10		Point 55			
	10		Point 56			
	10		Point 57			
	10		Point 58			
	10		Point 59			
	10		Point 60			
	10		Point 61			
	10		Point 62			
	10		Point 63			
	10		Point 64			
	10		Point 65			
	10		Point 66			
	10		Point 67			
	10		Point 68			
	10		Point 69			
	10		Point 70			
	10		Point 71			
	10		Point 72			
	10		Point 73			
	10		Point 74			
	10		Point 75			
	10		Point 76			
	10		Point 77			
	10		Point 78			
	10		Point 79			
	10		Point 80			
	10		Point 81			
	10		Point 82			
	10		Point 83			
	10		Point 84			
	10		Point 85			
	10		Point 86			
	10		Point 87			
	10		Point 88			
	10		Point 89			
	10		Point 90			
	10		Point 91			
	10		Point 92			
	10		Point 93			
	10		Point 94			
	10		Point 95			
	10		Point 96			
	10		Point 97			
	10		Point 98			
	10		Point 99			
	10		Point 100			



CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

292

293

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Report	Page	Mile & Bank	Location of Error or Revision		Change or Revision	
			Name	Item	From	To
100	1	1.0	1.0	1.0	1.0	1.0
101	2	2.0	2.0	2.0	2.0	2.0
102	3	3.0	3.0	3.0	3.0	3.0
103	4	4.0	4.0	4.0	4.0	4.0
104	5	5.0	5.0	5.0	5.0	5.0
105	6	6.0	6.0	6.0	6.0	6.0
106	7	7.0	7.0	7.0	7.0	7.0
107	8	8.0	8.0	8.0	8.0	8.0
108	9	9.0	9.0	9.0	9.0	9.0
109	10	10.0	10.0	10.0	10.0	10.0
110	11	11.0	11.0	11.0	11.0	11.0
111	12	12.0	12.0	12.0	12.0	12.0
112	13	13.0	13.0	13.0	13.0	13.0
113	14	14.0	14.0	14.0	14.0	14.0
114	15	15.0	15.0	15.0	15.0	15.0
115	16	16.0	16.0	16.0	16.0	16.0
116	17	17.0	17.0	17.0	17.0	17.0
117	18	18.0	18.0	18.0	18.0	18.0
118	19	19.0	19.0	19.0	19.0	19.0
119	20	20.0	20.0	20.0	20.0	20.0
120	21	21.0	21.0	21.0	21.0	21.0
121	22	22.0	22.0	22.0	22.0	22.0
122	23	23.0	23.0	23.0	23.0	23.0
123	24	24.0	24.0	24.0	24.0	24.0
124	25	25.0	25.0	25.0	25.0	25.0
125	26	26.0	26.0	26.0	26.0	26.0
126	27	27.0	27.0	27.0	27.0	27.0
127	28	28.0	28.0	28.0	28.0	28.0
128	29	29.0	29.0	29.0	29.0	29.0
129	30	30.0	30.0	30.0	30.0	30.0
130	31	31.0	31.0	31.0	31.0	31.0
131	32	32.0	32.0	32.0	32.0	32.0
132	33	33.0	33.0	33.0	33.0	33.0
133	34	34.0	34.0	34.0	34.0	34.0
134	35	35.0	35.0	35.0	35.0	35.0
135	36	36.0	36.0	36.0	36.0	36.0
136	37	37.0	37.0	37.0	37.0	37.0
137	38	38.0	38.0	38.0	38.0	38.0
138	39	39.0	39.0	39.0	39.0	39.0
139	40	40.0	40.0	40.0	40.0	40.0
140	41	41.0	41.0	41.0	41.0	41.0
141	42	42.0	42.0	42.0	42.0	42.0
142	43	43.0	43.0	43.0	43.0	43.0
143	44	44.0	44.0	44.0	44.0	44.0
144	45	45.0	45.0	45.0	45.0	45.0
145	46	46.0	46.0	46.0	46.0	46.0
146	47	47.0	47.0	47.0	47.0	47.0
147	48	48.0	48.0	48.0	48.0	48.0
148	49	49.0	49.0	49.0	49.0	49.0
149	50	50.0	50.0	50.0	50.0	50.0
150	51	51.0	51.0	51.0	51.0	51.0
151	52	52.0	52.0	52.0	52.0	52.0
152	53	53.0	53.0	53.0	53.0	53.0
153	54	54.0	54.0	54.0	54.0	54.0
154	55	55.0	55.0	55.0	55.0	55.0
155	56	56.0	56.0	56.0	56.0	56.0
156	57	57.0	57.0	57.0	57.0	57.0
157	58	58.0	58.0	58.0	58.0	58.0
158	59	59.0	59.0	59.0	59.0	59.0
159	60	60.0	60.0	60.0	60.0	60.0
160	61	61.0	61.0	61.0	61.0	61.0
161	62	62.0	62.0	62.0	62.0	62.0
162	63	63.0	63.0	63.0	63.0	63.0
163	64	64.0	64.0	64.0	64.0	64.0
164	65	65.0	65.0	65.0	65.0	65.0
165	66	66.0	66.0	66.0	66.0	66.0
166	67	67.0	67.0	67.0	67.0	67.0
167	68	68.0	68.0	68.0	68.0	68.0
168	69	69.0	69.0	69.0	69.0	69.0
169	70	70.0	70.0	70.0	70.0	70.0
170	71	71.0	71.0	71.0	71.0	71.0
171	72	72.0	72.0	72.0	72.0	72.0
172	73	73.0	73.0	73.0	73.0	73.0
173	74	74.0	74.0	74.0	74.0	74.0
174	75	75.0	75.0	75.0	75.0	75.0
175	76	76.0	76.0	76.0	76.0	76.0
176	77	77.0	77.0	77.0	77.0	77.0
177	78	78.0	78.0	78.0	78.0	78.0
178	79	79.0	79.0	79.0	79.0	79.0
179	80	80.0	80.0	80.0	80.0	80.0
180	81	81.0	81.0	81.0	81.0	81.0
181	82	82.0	82.0	82.0	82.0	82.0
182	83	83.0	83.0	83.0	83.0	83.0
183	84	84.0	84.0	84.0	84.0	84.0
184	85	85.0	85.0	85.0	85.0	85.0
185	86	86.0	86.0	86.0	86.0	86.0
186	87	87.0	87.0	87.0	87.0	87.0
187	88	88.0	88.0	88.0	88.0	88.0
188	89	89.0	89.0	89.0	89.0	89.0
189	90	90.0	90.0	90.0	90.0	90.0
190	91	91.0	91.0	91.0	91.0	91.0
191	92	92.0	92.0	92.0	92.0	92.0
192	93	93.0	93.0	93.0	93.0	93.0
193	94	94.0	94.0	94.0	94.0	94.0
194	95	95.0	95.0	95.0	95.0	95.0
195	96	96.0	96.0	96.0	96.0	96.0
196	97	97.0	97.0	97.0	97.0	97.0
197	98	98.0	98.0	98.0	98.0	98.0
198	99	99.0	99.0	99.0	99.0	99.0
199	100	100.0	100.0	100.0	100.0	100.0

295

296

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

297

CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

298



## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision					Change or Revision	
Report	Page	Mile & Bank	Name	Item	From	To
				(Cont.)		
	*101	10.0 mi. S. of Yuba City (E. 72)	Yuba River at Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*102	10.0 mi. S. of Yuba City (E. 72)	Yuba River at Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*103	Table B-11 - Yuba River near Yuba City	Yuba River near Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*104	Table B-11 - Yuba River near Yuba City	Yuba River near Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*105	Table B-11 - Yuba River near Yuba City	Yuba River near Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*106	Table B-11 - Yuba River near Yuba City	Yuba River near Yuba City	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0
4	*107	Table B-11 - Feather River below Shanghai Bend	Feather River below Shanghai Bend	1. Daily Mean Stage 2. Daily Mean Stage 3. Daily Mean Stage 4. Daily Mean Stage 5. Daily Mean Stage	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0	1. 10.0 2. 10.0 3. 10.0 4. 10.0 5. 10.0









## LEGEND


- BOUNDARY OF AREA OF INVESTIGATION
- MAJOR DRAINAGE BOUNDARY
- HYDROGRAPHIC BOUNDARY AND FIRST TWO SYMBOLS OF STATION CODE NUMBER
- MEASUREMENT STATION AND LAST FOUR SYMBOLS OF THE STATION CODE NUMBER
- AREA OF DIVERSION MEASUREMENTS



KEY TO SHEETS

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA  
LOCATION OF SURFACE  
WATER MEASUREMENT STATIONS

1966





SURFACE WATER MEASUREMENT STATIONS

HYDROGRAPHIC AREA A

Sacramento Valley Floor  
 A0745 North Fork Cottonwood Creek near Igo

Pit River  
 A11345 Horse Creek at Little Valley  
 1715 Turner Creek near Canby  
 3055 North Fork Davis Creek near Davis Creek  
 3065 Lassen Creek near Willow Ranch  
 3065 Willow Creek near Willow Ranch  
 4100 Pine Creek near Alturas  
 515 Burney Creek near Burney  
 61 Hat Creek near Cassel  
 7225 Fall River near Dana  
 225 Ash Creek at Adin

Shasta Lake  
 A2115 Sacramento River at Keswick  
 1050 Shasta Lake  
 1600 Sacramento River near Mount Shasta

Sacramento Valley West Side  
 A36170 Whiskeytown Lake


Sacramento Valley Northeast  
 A47750 Bear Creek near Millville  
 7110 Battle Creek near Cottonwood  
 8375 Salt Creek near Bella Vista

HYDROGRAPHIC AREA G

Surprise Valley  
 012200 Bidwell Creek near Fort Bidwell  
 515 Cedar Creek at Cedarville  
 715 Eagle Creek at Eagleville

Eagle Lake  
 621150 Pine Creek near Susanville  
 2100 Eagle Lake near Susanville

Susan River  
 042270 Willow Creek near Litchfield



**LEGEND**

- BOUNDARY OF AREA OF INVESTIGATION
- MAJOR DRAINAGE BOUNDARY
- A1 HYDROGRAPHIC BOUNDARY AND FIRST TWO SYMBOLS OF STATION CODE NUMBER
- MEASUREMENT STATION AND LAST FOUR SYMBOLS OF THE STATION CODE NUMBER
- ▲ 7220
- AREA OF DIVERSION MEASUREMENTS



STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 HYDROLOGIC DATA  
 NORTHEASTERN CALIFORNIA  
 LOCATION OF SURFACE  
 WATER MEASUREMENT STATIONS  
 1966





Sacramento Valley Fl  
 A00130 Colusa Basin  
 0670 Little Plaines  
 0675 Mud Creek Div  
 0680 Sacramento R


0690 Tisdale Weir  
 0693 R. L. 1000 E  
 0695 700  
 0697 Butte Slough  
 0700  
 0705 Colusa Basin  
 0710 Colusa Weir  
 0715 Cherokee Can  
 0720 Multan Weir  
 0725 Red Bank Crea  
 0730 North Fork  
 0735 Dry Fork, S.  
 0740 Cottonwood  
 0745 South Fork C  
 0750 Cottonwood  
 0755 Mud Creek ne  
 0760 Big Chico Cr  
 0765 Butte Creek  
 0770 Little Chico  
 0775 Little Chico  
 0780 Feather River  
 0785  
 0790 North Hancut  
 0795 Feather River  
 0800 R. L. 1000 E  
 0805 Wadsworth Cr  
 0810 Sutter Bypass  
 0815 Yuba River n  
 0820 Bear River n

Sacramento Valley We  
 A01200 Grindstone



## LEGEND

- BOUNDARY OF AREA OF INVESTIGATION
- MAJOR DRAINAGE BOUNDARY
- A5 | HYDROGRAPHIC BOUNDARY AND FIRST TWO SYMBOLS OF STATION CODE NUMBER
- ▼ 4370 MEASUREMENT STATION AND LAST FOUR SYMBOLS OF THE STATION CODE NUMBER
- AREA OF DIVERSION MEASUREMENTS



KEY TO SHEETS

STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES


HYDROLOGIC DATA  
 NORTHEASTERN CALIFORNIA  
 LOCATION OF SURFACE  
 WATER MEASUREMENT STATIONS

1966

SCALE OF MILES







LEGEND

— BOUNDARY OF AREA OF INVESTIGATION

--- MAJOR DRAINAGE BOUNDARY

A5 M A

▲ MEASUREMENT STATION AND FIRST TWO SYMBOLS OF STATION CODE NUMBER

▲ LAST FOUR SYMBOLS OF STATION CODE NUMBER

— AREA OF DIVERSION MEASUREMENTS



STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA  
LOCATION OF SURFACE  
WATER MEASUREMENT STATIONS  
1966



## HYDROGRAPHIC

## Sacramento Valley Floor

A00020	Morrison Creek near
0040	Linda Creek near Ros
0047	Dry Creek at Rosevil
0180	Colusa Basin Drain n
2100	Sacramento River at
2105	at
2112	at
2150	at
2160	at
2170	at
2200	at
2240	near
2250	above
2280	below
2380	at
2420	at
2903	Sacramento Weir Spill
2910	Yolo Bypass above Sa
2920	Natomas Cross Canal
2925	Sacramento Slough at
2926	R. D. 1500 Drainage
2927	Sutter Bypass at R.
2930	Fremont Weir Spill t
2933	R. D. 108 Drainage t
2935	Yolo Bypass near Woo
2945	Colusa Basin Drain a
2950	R. D. 787 Drainage t
2955	t
2960	Tisdale Weir Spill t
2963	R. D. 1660 Drainage
2965	R. D. 70 Drainage to
2967	Butte Slough at Outf
2971	at Maws
2976	Colusa Basin Drain a
2981	Colusa Weir Spill to
5103	Feather River at Nic
5120	below
5125	at Yuba
5922	R. D. 1660 Drainage
5929	Wadsworth Canal near
5935	Sutter Bypass at Lon
6150	Yuba River near Mary
6550	Bear River near Whea
7140	American River at Sa
7175	at Pa
8125	Cache Creek at Yolo
9115	South Fork Putah Cre
9145	Putah Creek above Da
9160	below Wit

## Yuba-Bear Rivers

A61380	Deer Creek near Neva
1430	Yuba River at Engleb
5250	Wolf Creek near Wolf

## American River

A71120	Folsom Lake near Fols
--------	-----------------------

## LEGEND

- BOUNDARY OF AREA OF INVESTIGATION
- MAJOR DRAINAGE BOUNDARY
- A8 | HYDROGRAPHIC BOUNDARY AND FIRST TWO SYMBOLS OF STATION CODE NUMBER
- MEASUREMENT STATION AND LAST FOUR SYMBOLS OF THE STATION CODE NUMBER
- AREA OF DIVERSION MEASUREMENTS



STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES

HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA

LOCATION OF SURFACE  
WATER MEASUREMENT STATIONS

1966





**SURFACE WATER MEASUREMENT STATIONS**

**HYDROGRAPHIC AREA A**

Sacramento Valley Floor	
10000	Morrison Creek near Sacramento
10000	Linda Creek near Roseville
10000	Dry Creek at Roseville
10000	Colusa Basin Drain near College City
10000	Sacramento River at Sacramento
10000	Sacramento River at Sacramento Weir
10000	at Elkhorn Ferry
10000	at Verona
10000	at Fremont Weir, East End
10000	at Fremont Weir, West End
10000	at Knight Landing
10000	near Rough and Ready Bend
10000	above R. D. 108 Pumping Plant
10000	below Wilkins Slough
10000	at Meridian
10000	at Colusa
10000	Sacramento Weir Spill to Yolo Bypass
10000	Yolo Bypass above Sacramento Bypass
10000	Natomas Cross Canal at Head
10000	Sacramento Slough at Sacramento River
10000	R. D. 2500 Drainage to Sacramento Slough
10000	Sutter Bypass at R. D. 1500 Pumping Plant
10000	Fremont Weir Spill to Yolo Bypass
10000	R. D. 108 Drainage to Sacramento River
10000	Yolo Bypass near Woodland
10000	Colusa Basin Drain at Knight Landing
10000	R. D. 787 Drainage to Colusa Basin Drain
10000	to Sacramento River
10000	Tidale Weir Spill to Sutter Bypass
10000	R. D. 1660 Drainage to Tidale Bypass
10000	R. D. 70 Drainage to Sacramento River
10000	Butte Slough at Outfall Gates
10000	at Mason Bridge
10000	Luss Basin Drain at Highway 20
10000	Colusa Weir Spill to Butte Basin
10000	Peather River at Nicolaus
10000	below Shanzhal Bend
10000	at Yuba City
10000	P. I. 1660 Drainage to Sutter Bypass
10000	Madaworth Canal near Sutter
10000	Sutter Bypass at Longbridge
10000	Yuba River near Marysville
10000	Bear River near Wheatland
10000	American River at Sacramento
10000	at Fair Oaks
10000	Cache Creek at Yolo
10000	South Fork Putah Creek near Davis
10000	Putah Creek above Davis
10000	below Winters
Cache Creek	
10000	Cache Creek above Runsey
10000	Bear Creek near Runsey
10000	Cosby Creek near Lower Lake
10000	Clover Creek at Upper Lake
10000	Middle Creek near Upper Lake
10000	Scotts Creek at Upper Lake
10000	near Lakeport
10000	Clover Creek Bypass near Upper Lake
Putah Creek	
10000	Pleasant Creek near Winters
10000	Lake Berryessa near Winters
10000	Putah Creek near Winters
10000	Pope Creek near Pope Valley
HYDROGRAPHIC AREA B	
San Joaquin Valley Floor	
10000	South San Joaquin Irrigation District
10000	Main Drain near Lathrop
10000	South San Joaquin Irrigation District
10000	Drain 11 near Manteca
10000	Cosumnes River at McConnell
10000	Dry Creek near Galt
10000	Deer Creek near Sloughhouse
10000	Mosher Slough near Stockton
10000	Bear Creek near Lodi
10000	near Lockeford
10000	Mokelumne River at Woodbridge
10000	Calaveras River near Stockton
10000	at Bellota
10000	Mormon Slough at Bellota
10000	Stockton Diverting Canal at Stockton
10000	Calaveras River at Jenny Lind
10000	French Camp Slough near French Camp
10000	Duck Creek near Stockton
10000	Littlejohn Creek at Farmington
10000	Duck Creek Diversion near Farmington
10000	San Joaquin River near Vernalis
Cosumnes River	
10000	Cosumnes River at Michigan Bar
Mokelumne-Calaveras Rivers	
10000	Dry Creek near Lodi
10000	Sutter Creek near Sutter Creek
San Joaquin Valley Westside	
10000	Matah Creek near Byron

Yuba-Bear Rivers	
10000	Deer Creek near Nevada City
10000	Yuba River at Eaglebright Dam
10000	Wolf Creek near Wolf
American River	
10000	Folsom Lake near Folsom



**LEGEND**

— BOUNDARY OF AREA OF INVESTIGATION

— MAJOR DRAINAGE BOUNDARY

**A8** HYDROGRAPHIC BOUNDARY AND FIRST TWO SYMBOLS OF STATION CODE NUMBER

— MEASUREMENT STATION AND LAST FOUR SYMBOLS OF THE STATION CODE NUMBER

— AREA OF DIVERSION MEASUREMENTS

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA  
LOCATION OF SURFACE  
WATER MEASUREMENT STATIONS  
1966



SURFACE WATER ME

HYDROGRAPH

Sacramento San Joa	
B91100	Sacramento
1160	Threemile S
1210	Sacramento
1260	Yolo Bypass
1475	Miner Sloug
1500	Yolo Bypass
1560	
1600	Sacramento
1650	
1700	Delta Cross
1740	Snodgrass S
1750	Sacramento
1850	
4100	Georgiana S
4150	South Fork
4200	Mokelumne R
5020	San Joaquin
5060	Threemile S
5100	San Joaquin
5180	Old River n
5220	Rock Slough
5270	Old River n
5280	Italian Slo
5295	Kellogg Cre
5300	Grant Line
5340	Old River a
5380	n
5420	Tom Paine S
5460	Middle River
5500	
5540	
5580	San Joaquin
5620	
5660	Stockton Sh
5700	McLeod Lake
5740	San Joaquin
5820	
5910	Contra Costa
5925	Delta Mendot

LEGEND

B9

FIRST TWO SYMBOLS OF  
STATION CODE NUMBER

MEASUREMENT STATION AND  
LAST FOUR SYMBOLS OF THE  
STATION CODE NUMBER

5100




STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES

HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA

SURFACE WATER MEASUREMENT STATIONS  
SACRAMENTO-SAN JOAQUIN DELTA AREA

1966






















FOLSOM LAKE





SHASTA LAKE

STATE OF CALIFORNIA  
THE RESOURCES AGENCY  
DEPARTMENT OF WATER RESOURCES  
SACRAMENTO DISTRICT  
HYDROLOGIC DATA  
NORTHEASTERN CALIFORNIA  
SHASTA & FOLSOM LAKES  
1965-66 HYDROGRAPHS  
FURNISHED BY U.S.  
BUREAU OF RECLAMATION









STATE OF CALIFORNIA  
 THE RESOURCES AGENCY  
 DEPARTMENT OF WATER RESOURCES  
 HYDROLOGIC DATA  
 NORTHEASTERN CALIFORNIA  
 WHISKEY TOWN LAKE  
 1965-66 HYDROGRAPH  
 FURNISHED BY US  
 BUREAU OF RECLAMATION















THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE  
RECALL

JUN 5 1974

JUL 24 REC'D

JUN 5 1975

JUN 4 REC'D

JUN 16 1978

APR 27 1980

JUN 27 1985

JUL 4 1985

RECEIVED

LIBRARY

UNIVERSITY OF CALIFORNIA, DAVIS

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS


Book Slip-55m-10.'68(J404888)458-A-31 5

Nº 601069

California. Department  
of Water Resources.  
Bulletin.

PHYSICAL  
SCIENCES  
LIBRARY

LIBRARY  
UNIVERSITY OF CALIFORNIA  
DAVIS



3 1175 00478 4677

76601  
C2  
A2  
no.130:66  
v.2  
phys. D  
v.2

Call Number:

601069

California. Dept.  
of Water Resources.  
Bulletin.

TC824  
C2  
A2  
no.130:66  
v.2



